

Publishing Information

Title: Zoning Bylaw 2018

Prepared By: City of Victoria

Sustainable Planning and Community Development Department

Status: Adopted July 26, 2018

Contact Details: City of Victoria

City of Victoria Sustainable-Planning and Community-Development Department

1 Centennial Square Victoria, BC V8W 1P6 E: planning@victoria.ca

W: victoria.ca

This consolidation is a copy of a bylaw consolidated under the authority of section 139 of the *Community Charter*. (Consolidated on June 9, 2022 up to Bylaw No. 22-048)

This bylaw is printed under and by authority of the Corporate Administrator of the Corporation of the City of Victoria.

Zoning Bylaw 2018 – Summary of Amendments

Date	Bylaw Number	Description
January 17, 2019	18-115	1400 Quadra Street rezone from the CBD-1 and MRD-1 zones to the CBD-2 zone
March 18, 2019	19-029	Add administrative definition for Residential Rental Tenure
September 3, 2020	20-078	To amend the CBD-2 zone permit a Storefront Cannabis Retailer at 1400 Quadra Street and to remove Storefront Cannabis Retailer as a permitted use at 851 Johnson Street.
October 1, 2020	20-075	Add administrative definition for Energized Electric Vehicle Outlet and Electric Vehicle Energy Management System and establish electric vehicle charging design standards
January 14, 2021	20-117	901 Gordon Street rezone from OTD-1 zone to OTD-1 - Site Specific zone
January 14, 2021	20-125	1150 Douglas Street rezone from OTD-1 zone to OTD-1 - Site Specific zone
July 29, 2021	21-071	The purposes of this Bylaw are to amend the Zoning Bylaw 2018 to permit a Storefront Cannabis Retailer at 566-568 Yates Street and to remove Storefront Cannabis Retailer as a permitted use at 546 Yates Street.
September 23, 2021	21-075	1306,1312, 1314, 1316, 1318, 1320, 1322 and 1324 Broad Street, 615, 617, 619, 621, 623 and 625 Johnson Street and Parts of 622 and 630 Yates Street rezone from OTD-1 zone to OTD-1 - Site Specific zone
November 4, 2021	21-083	780-798 Fort Street & 1106-1126 Blanshard Street rezone from CBD-1 zone to CBD-1 Site Specific zone
April 14, 2022	22-019	Amended affordable housing developments maximum FSR
June 9, 2022	22-048	Deleting the Administrative Definition of 'Front Setback Plane' as well as the related reference within the Administration regulations. The CBD-1 and CBD-2 zones are also amended with updated Setback regulations.
June 23, 2022	22-025	Amended to include accessible parking regulations
October 6, 2022	22-083	To amend CBD-1, Central Business District 1 Zone to increase density and to add site specific regulations for 808-812 View Street, 1205-1225 Blanshard Street and 805 Yates Street
July 27, 2023	23-025	Amended to include fence regulations
September 7, 2023	23-049	Amended affordable housing developments maximum FSR
July 25, 2024	24-052	Amended to provide for Social Services Centre-
August 1, 2024	24-060	Better regulate short-term rentals and similar uses
June 12, 2025	25-002	To amend OTD-1 Old Town District 1 Zone to increase the permitted density and to remove site specific land use restrictions for 1885 Government Street

BYLAW NO. 18-072 ZONING BYLAW 2018 A BYLAW OF THE CITY OF VICTORIA

The purpose of this bylaw is to divide the City into zones and to regulate and control the use of land and buildings within those zones.

Table of Contents

Part 1	1 – Administration	
1.1-	Interpretation	1
	2 – Definitions	
	Administrative Definitions	
2.2	— Use Definitions	14
Part 3	3 - Use of Land, Buildings and Structures	
3 1_	General Regulations	17
3.2	Affordable Housing	20
Part 4	4 - Zones	
4.1	— Central Business District-1 Zone (CBD-1)	21
4.2	— Central Business District-2 Zone (CBD-2)	30
4.3	Mixed Use Residential District-1 Zone (MRD-1)	46
4.4-	Old Town District-1 Zone (OTD-1)	47
Part 5	5 - Requirements for Motor Vehicle and Bicycle Parking	
	1—Required Vehicle and Bicycle Parking Spaces	50
510	2 Vehicle Parking Appearance	61
5.1.2	3—Vehicle Parking Appearance 3—Vehicle Parking Location and Dimensions	61
5.1.0	4—Electric Vehicle Charging Infrastructure Requirements	63
5 1 5	5—Bicycle Parking Specifications	64
5.1.6	6—Bicycle Parking Exemptions	66
Dort 6	6 - Schedules	
	edule A - CBD-2 Zone Height Areas Map	70
Cobe	edule A - CBD-2 Zone Height Areas Map edule B - Small Scale Commercial Urban Agriculture	73
1.1	Interpretation	1
Part 2	2 - Definitions	
2.1	Administrative Definitions	86
	Use Definitions	2145
Part 3	3 - Use of Land, Buildings and Structures	
3.1	General Regulations	25 18
Part 4	4 - Zones	
4.1	General Residential District-1 Zone (GRD-1)	3223
4.2	Local Village District-1 Zone (LVD-1)	7037
	Community Village District-1 Zone (CVD-1)	
4.4	Town Centre District (TCD-1)	45


4.5	Central Business District-1 Zone (CBD-1)	3252
4.6	Central Business District-2 Zone (CBD-2)	7060
4.7	Mixed Use Residential District-1 Zone (MRD-1)	8272
4.8	Old Town District-1 Zone (OTD-1)	73
4.9	Industry, Arts & Innovation -1 Zone (IAI-1)	3284
4.10	Marine Industrial-1 Zone (MI-1)	7090
Part 5 -	Requirements for Motor Vehicle and Bicycle Parking	
5.1.1	Required Vehicle and Bicycle Parking Spaces	102 9 2
5.1.2	Vehicle Parking Appearance	10797
5.1.3	Vehicle Parking Location and Dimensions	97
5.1.4	Electric Vehicle Charging Infrastructure Requirements	11099
<u>5.1.5</u>	Bicycle Parking Specifications	111 10 0
<u>5.1.6</u>	Bicycle Parking Exemptions	<u>114102</u>
<u>5.1.7</u>	Accessible Parking	103
Part 6 -	<u>Schedules</u>	
Sched	ule A – CBD-2 Zone Height Areas Map	120408
Sched	ule B – Small-Scale Commercial Urban Agriculture	122109
Sched	ule C – Maximum Floor Space Ratio for Affordable Housing Development	75 111
Sched	ule D – Density Benefits	112
Sched	ule E – Priority Growth Areas	113
Schedi	ule F – Transit Priority Network	114

Pursuant to its statutory powers, including sections 479, 482, and 525 of the Local Government Act, the Council of the Corporation of the City of Victoria, in an open meeting assembled, enacts the following provisions:

1.1 Interpretation

- 1. This bylaw may be cited as the "Zoning Bylaw 2018"
- 2. This bylaw applies to the area indicated with a dashed linein orange in Map 1.

Map 1: Area subject to Zoning Bylaw 2018





- 3. The Zoning Regulation Bylaw No. 80-159 is inapplicable to the area indicated within the dashed line in orange in Map 1.
- The area to which this bylaw applies is divided into the zones indicated on the **Zoning Map**, being the zoning information layer in **VicMap**.

- 4.1 In all civil and criminal judicial proceedings a printout of the Zoning Map, purporting to be certified as such, shall be prima facie evidence of the location of each zone and of the lands included therein as at and since the date of the certificate, without proof of the signature or approval of the Director.
- 4.2 Whenever any land is removed from one zone into another by a rezoning bylaw the **Director** shall, forthwith after the adoption of the such bylaw, cause the **Zoning Map** to be updated to reflect the changes.
- 5. Subject to section 3.2.1, the The regulations, requirements and definitions in Parts 1 through 6 of this bylaw apply to land inthe area to which this bylaw applies in accordance with the zoning designations indicated on the Zoning Map, and if Parts 3 through 6 specify regulations and requirements for a particular
- 6.5. location within a zone that is identified by civic address, legal description or both, then the specific regulations and requirements take precedence over the general regulations and requirements for the zone.
 - 6.15.1 Without limiting the scope of section 5, where a property is specifically identified in column A of the "Site Specific Regulations" table in the zone regulations applicable to that property, the specific regulations and requirements set out in column B of that table apply, subject to the conditions or requirements to provide amenities set out in column C, if any.
 - 6-.25.2 Where a property is divided into two or more development areas (DA) as shown in a plan included in the applicable "Site Specific Regulations" table, section 5.1 applies to each development area as if that development area was a separate property.
 - 5.3 Where a zone is divided into Sub Areas, in addition to the general regulations applicable within the zone, the specific regulations applicable within each Sub Area apply to all Lots within that Sub Area, subject to any site specific regulations.
 - 6.3<u>5.4</u> In the event of a conflict, the regulations or requirements applicable pursuant to section
 - 5.1 apply despite any other provisions of this bylaw.
 - 6.4<u>5.5</u> Where a property to which section 5.1 applies is subdivided, section 5.1 applies to all properties that had formerly formed part of that property as if they were individually listed in the table
 - 6.55.6 Where a property to which section 5.1 applies is consolidated or otherwise merged with another property, section 5.1 applies only to that part of the new property to which section
 - 5.1 applied before consolidation or merger.
 - 6.65.7 Where a property is identified in this bylaw by reference to a civic address and a legal description, the legal description shall be deemed to be the correct description in the event of any conflict or inconsistency.
- 7.6. For certainty, if the Zening MapZoning Map indicates that a Lot lies within two or more zones, each portion of the Lot may be used and built upon only in accordance with the regulations and requirementsapplicable to that portion under Part 3 or 4.
- 8.7. Unless otherwise indicated on the **Zoning Map**:
 - 8.17.1 Streets and lanes are deemed to have the same zoning designation as the abutting land, and any zone boundary that coincides with a Street or lane is deemed to be located at the centerline of the Street or lane:
 - 8.27.2 Any zone boundary that coincides with a railway right of way is deemed to be located at the centreline of the right of way;
 - 8.3 The surface of all water is within the same zone as the nearest land to it within the City
 - 8.47.3 boundaries unless zoned otherwise; and

- 8.57.4 Whenever any land, fronting on a **Street**, railway, or water, is removed from one zone and placed into another that portion of the **Street**, railway, or water to which this section applies shall also be so removed and rezoned.
- 9-8. For the purposes of this bylaw, an airspace parcel is deemed to be part of the same **Lot** as the parcel at ground level.
- 40.9. In the event of any inconsistency between the text of this bylaw and an illustration or diagram that relates to the text, the text takes precedence over the illustration or diagram.
- No person shall use land or a **Building** or structure, or allow or permit another person to do so, except in accordance with this bylaw.
- 2.1. No person shall place, erect, construct or alter a **Building** or structure, or allow or permit another person to do so, except in accordance with this bylaw.
- 3.1. Not more than one **Building** other than an **Accessory Building** shall be erected or used on one **Lot**, unless the regulations applicable in a particular zone expressly permit otherwise, and no **Building** shall be erected partly on one **Lot** and partly on another.
- 11. No person shall use land or a **Building** or structure, or allow or permit another person to do so, except in accordance with the requirements of this bylaw in respect of the provision of motor-vehicle and bicycle parking spaces, the provision of **Loading Spaces** and the provision of screening or landscaping.
- 4.1.____An officer or employee of the City appointed to administer this bylaw may enter on land including any place that is occupied as a private dwelling, to inspect and determine whether the regulations and requirements in this bylaw are being met, and in the case of a private dwelling may enter only in accordance with s. 16(5) of the Community Charter.
- 12. A person who contravenes this bylaw is liable to a maximum fine of \$10,000 and, in the case of a continuing offence, each day on which the contravention continues constitutes a separate offence that is subject to that maximum fine.
- 13. This bylaw may be enforced by means of a municipal ticket information, in which case the offence descriptions and ticket fines set out in the Ticket Bylaw apply.
- 44. Subject to section 3.2.1, the figure indicated in a column of section 2, Part 4 of this bylaw-adjacent to the heading "Density of Development Maximum" is the maximum Floor Space Ratio of any Building thatmay be constructed or erected in the relevant zone.
- 15. The figure indicated in a column of section 3, Part 4 of this bylaw adjacent to the heading "Height
- 10. ___ Maximum" is the maximum Height of any Building that may be constructed or erected-
 - 15.110.1 in the relevant Height Area of the relevant zone shown on Schedule A to Part 6, for the Central BusinessDistrict 2 zone, or in the relevant and Industry, Arts and Innovation 1 zone, for all other zones.or
 - 10.2 in the relevant zone, for all other zones subject to any restrictions in the zone.
- 46.11. The Building elements identified in a column of section 3, Part 4 of this bylaw adjacent to the heading "Projections into Height Maximum" may project beyond the maximum Height to the extent indicated in the table.
- 17. The Building elements identified in a column of section 4, Part 4 of this bylaw adjacent to the heading "Projections into Setbacks Maximum" may project into the minimum required setback areas to the extent indicated in the table.

Field Code Changed
Field Code Changed
Field Code Changed

- 18.12. The figure indicated in a column of section 4, Part 4 of this bylaw adjacent to the headings "Side Lot Line Setbacks Minimum" or "Rear Lot Line Setbacks Minimum" The figure indicated in a column of Part 4 of this bylaw adjacent to a heading "Setbacks" is the minimum horizontal distance between any portion of a BuildingBuilding and the Side Lot Lines or the Rear Lot Linesspecified Lot Line of the LetLot on which the BuildingBuilding is located, provided that BuildingBuilding features indicated in the relevant table with the heading "Projections into Setbacks Setbacks Maximum" in section 4, Part 4 may project into the minimum SetbackSetback to the extent indicated in the table, subject to any restrictions in the zone.
- 19. In this section,
 - "Permit" means a development permit, heritage alteration permit, development variance permit or temporary use permit
- 13. A Permit, The figure indicated in a column of Part 4 of this bylaw adjacent to any of the following headings is the minimum requirement of that measure for the Lot, subject to any restrictions in the zone: "Open Lot Space", "Street Frontage", "Lot Area", "Landscape Area"."
- 14. The figure indicated in a column of Part 4 of this bylaw adjacent to any of the following headings is the maximum requirement of that measure for the Lot, subject to any restrictions in the zone: "Lot Coverage", "Floor Area".
- Unless a regulation expressly provides otherwise, none of the regulations in a column of Part 4 of this bylaw adjacent to the heading "Location and Siting of Uses and Structures" are conditions of the corresponding use.
- 16. Where land has been dedicated from a **Lot** for public highway pursuant to section 107 of the *Land Title Act*, either after September 30, 2025, or as a condition of Schedule P of Zoning Regulation Bylaw No. 80-159, the following provisions apply to that **Lot**:
 - 16.1 Notwithstanding the definitions in Part 2.1 with respect to the definitions of Lot and Lot Area, for the purposes of calculation of Floor Space Ratio, the land that has been dedicated from the Lot for public highway shall be included within the area of the Lot;
 - 16.2 Notwithstanding the definitions in Part 2.1 with respect to the definitions of Open Lot Space and Lot, for the purposes of calculation of Open Lot Space, the land that has been dedicated from the Lot for public highway shall be included within the Open Lot Space of the Lot; and
 - 16.3 Sections 16.1 and 16.2. do not apply if the **Lot** has been subdivided to create a new **Lot** after the highway dedication.
- 17. The figure indicated in a column of Part 4 of this bylaw adjacent to the heading "Density of Development Maximum" is the maximum Floor Space Ratio of all Buildings on a Lot that may be constructed or erected in the relevant zone, subject to any restrictions in the zone.
- 18. In the GRD-1 Zone, where the **Density of Development** varies for different forms of **Residential** development and more than one applicable form of development is situated on a **Lot**, then the highest **Density of Development** applicable to the forms on the **Lot** applies.
- 19. When a zone refers to Schedule C for the maximum Density of Development, the following rules apply for Lots within that zone:
 - 19.1 For Lots with no "Site Specific Regulations" or "Site Specific Regulations" that do not specify a maximum Density of Development, the maximum Density of Development, is that detailed for the applicable location and type of development in Schedule C, subject to any applicable conditions within Schedule C being met.
 - 19.2 For Lots with "Site Specific Regulations" that specify a maximum Density of Development,, the maximum Density of Development, is that detailed in the "Site Specific Regulations" pertaining to that Lot, subject to any applicable conditions being met.
- 20. Notwithstanding sections 17-19, if the existing Density of Development of a Lot was constructed to a Density of Development that meets the following requirements, then that same existing Zoning Bylaw 2018 Blackline | 5

Density of Development is permitted until the existing Building is damaged or destroyed to the extent of 75% or more of its value above its foundations, as determined by the building inspector, at which time the Maximum Density of Development is that which is found in the relevant zone, in accordance with sections 17-19:

- 20.1 the Building was legally permitted at the time of construction, and
- 20.2 the **Building** was completed either prior to adoption of Zoning Bylaw 2018, Amendment Bylaw (No. 17), or pursuant to the transition provisions in section 21.
- 21. The following transition provisions are effective as of the date of adoption of Zoning Bylaw 2018, Amendment Bylaw (No. 17) (the "Amendment Bylaw"):
 - 19.121.1 A Permit, board of variance order, and any other agreement authorized by the Local Government Act that varies or supplements the Zoning Regulation Bylaw No. 80-159, (the "Old Zoning Bylaw") issued within two years prior to the adoption of this bylaw, the Amendment Bylaw, continues to apply as if varying or supplementing this bylaw, with the necessary changes and so far as applicable.
 - 19.221.2 A development permit issued <u>under the Old Zoning Bylaw</u> within two years prior to the adoption of <u>this bylawthe Amendment Bylaw</u> continues_to apply, with the necessary changes and so far as applicable, as if the development authorized by it had been authorized under this bylaw and, without limiting the generality of the foregoing, a building permit or a business <u>licencelicense</u> that is consistent with such development permit may be issued as if it complied with this bylaw, provided that it is applied for within two years of the date of the adoption of <u>this bylawthe Amendment Bylaw</u>.
 - 19.321.3 If prior to the adoption of this bylawthe Amendment Bylaw, Council, or the Director, has authorized the issuance of a PermitPermit under the Old Zoning Bylaw, but the PermitPermit had not been issued prior to the adoption of this bylaw, the Permitthe Amendment Bylaw, the Permit may be issued, with all the necessary changes and as applicable, as if it had been authorized under this bylaw, provided that:
 - a) all terms and conditions of the Council or **Director** authorization are met;
 - b) it is issued within two years of the date of the Council or **Director** authorization; and
 - c) it does not conflict with the density or use provisions of this bylaw.
 - 19.421.4 If prior to the adoption of this bylawthe Amendment Bylaw, Council has moved an application for a Permit Permit under the Old Zoning Bylaw forward for an opportunity for public commentconsideration of approval at a future Council meeting and such meeting is not held prior to the adoption of this bylawthe Amendment Bylaw, the Council motion is deemed to be amended to reflect the requirements of this bylaw and the Director is authorized to bring forward an amended motion for Council's consideration at the opportunity for publiccommentCouncil meeting considering approval, provided that:
 - a. the opportunity for public commentCouncil meeting considering approval takes place no later than one year after the date of
 - a) _the adoption of this bylaw;the Amendment Bylaw;

- b) there are no significant alterations or differences in the development from that considered by Council at the time of the motion to advance it to the opportunity-for-public-commentCouncil meeting considering approval, with the exception of an increase in the number of vehicle or_bicycle parking spaces being provided;
- c) it does not conflict with the density or use provisions of this bylaw; and
- d) the intent of the Council motion remains unchanged.
- 49.521.5 For certainty, nothing in this section 2321 is intended to modify or extend the validity of any Permit Permit beyond the time that it would lapse or expire but for this section.
- 20.22. If any provision or part of this bylaw is declared by any court or tribunal of competent jurisdiction to be illegal or inoperative, in whole or in part, or inoperative in particular circumstances, it shall be severed from the bylaw and the balance of the bylaw, or its application in any circumstances, shall not be affected and shall continue to be in full force and effect.
- 23. The **Director** is charged with the responsibility of administering this bylaw.

2.1 Administrative Definitions

1. In this bylaw,

Accessory Landscape Structure means gates, fences, walls, trellises, gazebes, pergelasstructures constructed or placed on a similar ornamental feature which is openLot related to the elementslandscape design, whether attached or detached from a Building, including but not limited to swimming pools, patio, decks and includes sheds that are less than 9.3m2stairs, and excluding:

- a) Buildings;
- b) raised gardens bed;
- c) Dock, Pier or Wharf;
- d) cistern;
- e) stormwater retention and water quality facility;
- f) retaining walls;
- a) fences

Accessible Parking Space means a parking space designed and installed in accordance with the specifications and dimensions in section 7.2 and Figure 2 of Part 5 – Requirements for Motor Vehicle and Bicycle Parking.¹

Affordable means housing that falls within the financial means of a household in either marketornon-market dwellings. Total costs for rent or mortgage plus taxes (including a 10% down-payment), insurance and utilities must equal 30% or less of a household's annual income.

Affordable Housing Development means a housing development that is-

- subject to a legal agreement securing affordability and rental tenure for a minimum period of 60 years, and is either:
 - wholly owned and operated by a public housing body as prescribed in the Residential Tenancy Act, or
 - ii) operated by a public housing body as prescribed in the Residential Tenancy Act pursuant to a legally binding arrangement with the property owner; or
- b) subject to a legal agreement securing affordability for a minimum period of 60 years and is either wholly owned and operated by a housing cooperative meeting the below requirements, or operated by a housing cooperative that meets the below requirements and operates the development pursuant to a legally binding arrangement with the property owner:
 - i) the housing cooperative must:
 - A) be a housing cooperative pursuant to the *Cooperative Association Act*,
 - have purposes including the provision of affordable housing to low- or moderate-income households, Households, and
 - C) have constating documents preventing the remuneration of directors and providing for the disposition of assets on dissolution or wind-up to an organization with similar purposes and restrictions.²


¹ Bylaw 22-025 adopted June 23, 2022

² Bylaw 22-019 adopted April 14, 2022

Average Grade means the elevation calculated by averaging the elevation of Natural Grade or Finished Grade, whichever is lower at any points where a Building comes into contact with the surface of the Lot, excluding any artificial mounds of earth or rocks placed at or near the wall of a Building, any portion of an exterior wall that is in a window well, calculated in the methodindicated in the following example:


Grade Points:

Grade point A:	15.7	Grade point F:	14.5	Grade point K:	15.8
Grade point B:	16.0	Grade point G:	15.8	Grade point L:	15.7
Grade point C:	16.1	Grade point H:	16.0	Grade point M:	16.0
Grade point D:	16.0	Grade point I:	16.1	Grade point N:	15.9
Grade point E:	14.5	Grade point J:	15.9	Grade point O:	15.9
				Grade point P:	16.0



Grade Points:

Grade point A: 15.7	Grade point F: 14.5	Grade point K: 15.8
Grade point B: 16.0	Grade point G: 15.8	Grade point L: 15.7
Grade point C: 16.1	Grade point H: 16.0	Grade point M: 16.0
Grade point D: 16.0	Grade point I: 16.1	Grade point N: 15.9
Grade point E: 14.5	Grade point J: 15.9	Grade point O: 15.9
		Grade point P: 16.0




Calculation Example:

Grade Points	Average of Points	Distance Grade po	Between oints	Totals
Points A & B:	((15.7 + 16.0) ÷ 2)	х	16.1m	= 255.19
Points B & C:	$((16.0 + 16.1) \div 2)$	X	3.7m	= 59.39
Points C & D:	$((16.1 + 16.0) \div 2)$	X	5.1m	= 81.86
Points E & F:	$((14.5 + 14.5) \div 2)$	X	3.7m	= 53.65
Points G & H:	$((15.8 + 16.0) \div 2)$	X	5.0m	= 79.50
Points H & I:	$((16.0 + 16.1) \div 2)$	х	1.0m	= 16.05
Points I & J:	$((16.1 + 15.9) \div 2)$	х	8.8m	= 140.80
Points J & K:	$((15.9 + 15.8) \div 2)$	Х	9.9m	= 156.92
Points K & L:	$((15.8 + 15.7) \div 2)$	X	6.2m	= 97.65
Points L & M:	$((15.7 + 16.0) \div 2)$	Х	21.0m	= 332.85
Points M & N:	$((16.0 + 15.9) \div 2)$	Х	4.0m	= 63.80
Points N & O:	$((15.9 + 15.9) \div 2)$	X	3.2m	= 50.88
Points O & P:	$((15.7 + 16.0) \div 2)$	Х	39.0m	= 618.15
Points P & A:	((16.0 + 15.7) ÷ 2)	х	32.4m	= 513.54
				= 2520.23


Grade Calculation:


2520.23 ÷ 159.10m (perimeter of building) = 15.84



Balcony means a projecting portion of a **Building** above the **First Storey**, <u>unsupported from the ground</u>, the perimeter of which is, on at least one side, wholly unenclosed except by a guard of the minimum height required by the BC Building Code.

Basement means a **Storey** of a **Building** any portion of which is below **Average Grade** and thathas a ceiling that is not more than 1.8m above **Average Grade**.





Bedroom means a room within a **Dwelling UnitDwelling Un**

Below-market Homeownership Unit means a Dwelling Unit that is:

Zoning Bylaw 2018 Blackline | 12

- a) available for sale at a minimum of 15% less than market value to households that do not exceed the income limit established by the Affordable Housing Standards Bylaw for that type of Below-market Homeownership Unit, and
- b) subject to an arrangement with BC Housing or any other public entity securing it as a **Below-market Homeownership Unit**.

Bicycle Parking, Long-Term is intended for long-term users of a **Building**, such as employees or residents, and will consist of a secure space dedicated for bicycle parking within a structure or **Building** on the same **Lot**.

Bicycle Parking, Short-Term is intended for short-term use by visitors and customers and will consist of bicycle racks located in a publicly accessible location at or near a **Building** entrance.

Bonus Density of Development means the **Density of Development** that applies in accordance with section 482 of the Local Government Act if applicable conditions entitling an owner to a higher density are satisfied.

Boundary in reference to a **Lot**, extends throughout its length both upwards and downwards ad infinitum from the surface of the **Lot**.


Building means anything constructed or placed on a **Lot** and used or intended for supporting or sheltering any use, excluding landscaping, docks, wharfs and piers. Accessory Landscape Structures, heat pumps, **Dock**, Wharf and Piers.

Cistern means a rainwater storage tank that is at least 1200 litres in capacity and that forms part of a Stormwater Retention and Water Quality Facility.

City means the Corporation of the City of Victoria.

Corner Lot means a LotLot at the intersection or junction of two or more Streets.

Crawlspace means an area beneath the lowest habitable **Storey** of a **Building**, with clearance of 1.5m or less.



Density of Development is the maximum Floor Space Ratio of any Building of the type that is constructed or erected in the zone for which that maximum Floor Space Ratio is indicated.

Director means the person employed by the City of Victoria to perform the duties and functions of the position of the Director of Sustainable Planning and Community Development, as that positiontitle is amended from time to time, and includes persons acting under his or hertheir authority.

Driveway means that portion of a **Lot** that provides access to parking, **Loading Space** or the **Drive Aisle** within the **Lot** and is considered to be the extension of the **Lot's Driveway** crossing. For certainty, a ramp –provided to access parking stalls is considered a **Driveway**.

Drive Aisle means a vehicle passageway or maneuvering space by which vehicles enter and depart parking stalls.

Dwelling Unit means a self-contained unit comprised of one or more rooms designed as a residence for a single <a href="https://household-busehold

Energized Electric Vehicle Outlet means a connected point in an electrical wiring installation at which current is taken and a source of voltage is connected to supply utilization equipment for the specific purpose of charging an electric vehicle. ³

Electric Vehicle Energy Management System means a system consisting of monitors, communications equipment, controllers, timers, and other applicable devices used to controllectric vehicle supply equipment loads through the process of connecting, disconnecting, increasing, or reducing electric power to the loads.

Fence means a constructed vertical barrier which marks the boundary of, prevents access to, or provides enclosure of all or part of a Lot.

Finished Grade means the finished elevation of the ground surface of land following construction or land altering activities.


First Storey means the Storey immediately above the basement of a **Building**, and in the case of a **Building** without a **Basement**, means the lowest **Storey**.


Flanking Street Lot Line means a Lot Line, Lot Line, not being a Front Front Lot Line or Rear Lot Line that is common to a LotLot and a Street. Street.

Floor Area is measured to the interior surface of the exterior walls of **Buildings** and includes the area of any mezzanine, exterior hallway, exterior staircase, loft or partial **Storey**, and excludes the following:

- a) the area of any **Balcony**, veranda, exposed deck, patio or roof;
- b) the area of any Crawlspace or Basement;
- c) the area of Rooftop Structures; and
- the area used or intended to be used for required parking or movement of motor vehicles, which is calculated starting from the lowest level of the **Building**;
- d)e) the area that is used to provide bicycle parking required by this bylaw-; and
- e)f) the area of any exterior hallway or exterior staircase, for **Buildings** existing prior to the date of adoption of this bylawAugust 1, 2018.

Floor Space Ratio means the ratio of the total Floor Area of all Storeys of all Buildings and structures on a Lot to the area of the Lot on which the Buildings are located. The Floor SpaceRatio of a Lot with a water boundary is determined according to the location of the natural boundary at the time the maximum Floor Space Ratio regulation is being applied, and not according to any survey previously filed in the Land Title Office.





Floor Space Ratio Calculation:

(Example)

Floor Area 1: 345m² + Floor Area 2: 345m² + Floor Area 3: 345m² + Floor Area 3: 345m² +

Total (Structure): 1380m²

Lot Area: 460m²

Total (Structure) $1380\text{m}^2 \div \text{Lot Area}$ 460m^2 3.00 =

3:1

Front Lot Line means-


- a) the Lot LineLot Line abutting a public Street, and Street:
- b) in the case of a Corner LotLot which does not have a boundary with a Street, the Lot Line between such Lot and any right-of-way easement giving access to the Lot, or in the case of a Lot which is not connected to a Street by way of an easement, the Lot Line nearest to a Street;
- c) in the case of a Corner Lot where all the Residential Units have individual direct access to the ground, the Lot Line with the majority of Residential Units fronting onto the Street;
- a)d) in the case of any other Corner Lot, the Lot Line having the shortest length abutting one Street shall be considered the Front Lot Line.Street; or
- e) in the case of a Lot abutting two or more Streets that is not a Corner Lot, the Lot Line fronting the wider Street.


Front Yard means a yard located between the principal **Building** and the Front Lot Line, extending the full width of the Lot.

Guest Bedroom means a room typically used for the purposes of transient lodging or sleeping.

Height means the distance measured in a vertical straight line between the highest point of a **Building** and the **Average Grade** directly below the highest point; and is determined as follows:

- a) for **Buildings** with a flat or domed roof, the highest point is the highest part of the roof;
- b) for **Buildings** with a pitched roof, the highest point is the midpoint between the highest ridge and the highest eave of the roof; and
- for Buildings with a gambrel roof, the highest point is the midpoint between the ridge and the hip line of the roof.
- d) the highest point excludes any mast, rainwater Cistern, Rooftop Structure, rooftop greenhouse, Stormwater Retention or Water Quality Facilities together with their supporting structures.





Heritage Designated Building means a Building that is designated pursuant to section 611 of the Local Government Act.

Household means one person or a group of persons who through marriage, blood relationship or other circumstances normally live together.

Kitchen means a space used, designed, or intended for cooking or preparing of food, which contains a:_

- a) sink;
- b) fridge; and
- c) stove, hotplate, microwave, air fryer, toaster oven, or other heating or cooking appliance.

Landscape Area means a single contiguous area:

- a) with no underground structures, such as an underground parkade, directly below or within 1.0m of any part of the area.
- b) with no above ground structures, such as a balcony, directly above any part of the area,
- with soft natural ground cover, no paving, and sufficient soil volume to accommodate mature trees, and
- d) set back at least 1.0m from all Lot Lines.

Landscape Screen means a visual barrier formed by shrubs, trees, fences or masonry walls, or any combination of these or like materials.

Loading Space means a parking space associated with a commercial or industrial use that is used temporarily for the loading or unloading of products or materials.

Lot means an area of land, designated and registered at the Victoria Land Title Office as not more than one parcel of land, and if a parcel of land is divided by a highway or another **Lot**, eachdivision thereof constituting a single area of land shall be deemed to be a separate **Lot**, and:

- includes a strata lot in a bare land strata plan but does not include any other strata lot or an air space parcel, and
- if a parcel of land is divided by a highway or another Lot, each division thereof constituting a single area of land shall be deemed to be a separate Lot.

Lot Area means the area of land within the boundaries of a Lot.

Lot Coverage means the horizontal area of all **Buildings** and outdoor covered areas on a **Lot**, expressed as a percentage of the **Lot Area**.

Lot Depth means the average distance between the Front Lot Line and the Rear Lot Line of a Lot.

Lot Line means the **Boundary** line of a **Lot**, commonly referred to as the property line, as indicated in a plan registered at the Victoria Land Title Office.

Lot Width means the lesser of the horizontal dimensions of the smallest rectangle within which a **Lot** can be contained.

Natural Grade means the elevation of the ground surface of land prior to any land alteration, including, but not limited to, disturbance, excavation, filling, or construction. Where land alteration has occurred, the **Natural Grade** shall be determined by a building inspector on the basis of historical records or by interpolation from adjacent **Natural Grades**.

Open Lot Space means the portion of a Lot that is landscaped and not occupied or obstructed by any building or portion of building, driveway or parking lot, of which:

- a minimum of 50% is made up of soft landscaping, including open natural areas and Landscape Areas, and
- b) A maximum of 50% is made up of hard landscaping, such as pathways and patios, and areas covered by balconies or roof projections.

Parapet means a vertical projection of a wall at the outer edge of a roof.

Parking Area means all parking spaces, Driveways and Drive Aisles on a Lot.

Permeable means hard surfacing specifically designed to allow water to flow through the surface, but does not include unconsolidated materials such as crushed rock, gravel, grass, earth or other loose materials.

Permit means a development permit, heritage alteration permit, development variance permit or temporary use permit.

Primary Façade means any Building façade with a window or exterior door directly into a living or dining room of a **Dwelling Unit** situated within or partially within the façade.

Principal Residence means the usual Dwelling Unit where an individual makes their home.

<u>Priority Growth Area</u> means a <u>Lot</u> identified in pink in Schedule D, and, if a <u>Lot</u> is partially within the <u>Priority Growth Area</u> then the whole <u>Lot</u> is considered within the <u>Priority Growth Area</u>.

Rear Lot Line means a Lot Line opposite to the Front Lot Line that spans the width of the Lot, provided that in the case of triangular shaped lots with no Rear Lot Line, the point of intersection between two Side Lot Lines or a Side Lot Line and a Flanking Street Lot Line shall be deemed the Rear Lot Line. opposite to the Front Lot Line that spans the width of the Lot, provided that in the case of triangular shaped lots with no Rear Lot Line, the point of intersection between two Side Lot Lines or a Side Lot Line and a Flanking Street Lot Line shall be deemed the Rear Lot Line.

Rear Yard means a yard located between the principal Building and the Rear Lot Line extending the full width of the Lot.

Residential Rental Tenure means occupancy of a dwelling unit under a rental agreement that is

subject to the Residential Tenancy Act. 4

Rooftop Structure includes antennas, elevator penthouses, elevator landings, stair access and landings, mechanical equipment, chimneys, ventilation systems, solar heating panels, green roof systems and similar structures that project above a roof, are non-habitable and which may be enclosed or unenclosed, but excludes a rooftop greenhouse.

Setback means the required separationshortest horizontal distance between a Lot Line and the face of a Building, and excludes:

- a) cornices, retaining walls, and fences; and,
- exterior wall treatments, insulation and rainscreen systems up to a maximum of 0.13m in depth.

Side Lot Line means a Lot Line, not being a Rear Lot Line or Front Lot Line that separates two Lots.

<u>Side Yard</u> means a yard located between the principal <u>Building</u> and the <u>Side Lot Line</u>,extending from the front wall to the rear wall of the <u>Building</u>.

Storey means the space between two floors of a **Building** or between any floor and the roof next above, but does not include a **Basement**, **Crawlspace** or a **Rooftop Structure**.

Stormwater Retention and Water Quality Facility has the same meaning as under the Sanitary Sewer and Stormwater Utilities Bylaw, as amended or replaced from time to time.

Street includes a lane, road, sidewalk and other public highway, and does not include a driveway or drive aisle.

Street Frontage means the horizontal distance of a Front Lot Line.

Transit Oriented Area means those areas captured within the largest Tier shown in Schedule E.

<u>Transit Priority Network means a Street</u> that accommodates existing or planned frequent or rapid transit corridors, and is identified by a solid blue line in Schedule F.

Unobstructed Access means the ability of the intended user of the parking space to access and egress to the **Street** at the time that the parking space is required.

Van Accessible Parking Space means a parking space designed and installed in accordance with the specifications and dimensions in section 7.2 and Figure 3 of Part 5 – Requirements for Motor Vehicle and Bicycle Parking.⁵

VicMap means the electronic geographic information system database maintained by the City of Victoria and made available to the public through the City's internet website.

Waterfront Lot means a lot that abuts a tidal water body along any portion of the Lot's boundary.

Yard means a part of a site which is unoccupied and unobstructed by any Building from the ground upward, except for chimneys, fire escapes and the ordinary projections of sills, belt courses, cornices and eaves.

Zoning Map means the zoning information layer in VicMap as amended from time to time.

⁴ Bylaw No. 19-029. Adopted March 18, 2019.

⁵ Bylaw No. 22-025. Adopted June 23, 2022.

2.2 Use Definitions

1. In this bylaw,

Accessory Building means a Building that is subordinate to the principal use on a Lot.

Art and Cultural Facility means facilities used for artistic performances or the display and production of art or cultural artifacts, including but not limited to art galleries, museums and theatres excluding cinemas.

Assembly means facilities used for a place of worship, <u>cemeteries</u>, convention facilities, cinemas, commercial recreation facilities, <u>social and recreational clubs and facilities</u>, and education and training facilities, and does not include commercial casinos.

Assisted Living Facility means premises in which housing, is provided:

- a) with services such as meal services, housekeeping services, laundry services, social and recreational opportunities, and a 24 hour emergency response system, and at least one of twoof the prescribed "assisted living services as defined in" from the Community Care and Assisted Living Act are provided by or through the operator to 3, and
- a)b) to three or more adults who are not related by blood or marriage to the operator of the premises.

Automotive Repair means facilities used for mechanical or body repairs—or, inspections or cleaning of motorvehicles, but does not include the sale of automotive fuel.

Bed and Breakfast means a commercial use that provides transient lodging for the general public in a spaceDwelling Unit that is shared with the operator and includes a breakfast served to all guests on the premises by the operator in a common area used, designed, or intended for eating.

Brew Pub (beer, spirits, wine) means facilities used for the consumption of beer, spirits, wine or other alcoholic beverages which are produced and manufactured on the premises and which may be provided in combination with **Food and Beverage Service** or **Retail Trade**.

Cannabis means cannabis as defined in the Controlled Drugs and Substances Act and includes any products containing cannabis.

Care Facility means aan adult day care facility or residential care facility, in each case licensed under the Community Care and Assisted Living Act.

Child Care Facility means a facility licensed under the Community Care and Assisted Living Act to provide day care to children under 13 years of age.

Civic Facility means premises in which used for government operations or services are provided to the public, including but not limited to a legislature, municipal hall, law court, hospital, fire hall, library, ambulance or police station.

Cultural Facility means facilities used for artistic performances and the display of art and cultural artifacts, including but not limited to art galleries, theatres other than cinemas, and museums.

Dock, Pier and Wharf means a structure with a level surface, which may include an access ramp, that is raised above or floating on the surface of the water to which an aircraft, boat, ship or other vessel may be moored or tied, or which may be used as a walkway or viewing platform, but does not include any **Buildings** or structures placed or erected thereon.

Drinking Establishment means facilities that are licensed through the Liquor Control and Licensing Act for the sale and consumption of liquor within the facilities and where entertainmentmay be provided in the form of recorded music, live performances or a dance floor including but not limited to nightclubs, bars and pubs.

Equipment Rental means facilities used for the rental of home, **Office**, medical, garden-or, sports, industrial or construction equipment, or meter vehicles.

Financial Service means facilities providing financial services including but not limited to chartered banks, credit unions, trust companies, insurance brokers or mortgage brokers, and excludes payday loan and pawn shops.

Food and Beverage Service includes the operation of catering establishments, portable food

vendors, cafes and restaurants.

Foodstand means a container or structure which holds, shelves or otherwise displays products of **Small-scale Commercial Urban Agriculture** for retail purposes outdoors.

Garden Suite means a Building attached to a foundation, used or designed as a Dwelling Unit located on a Lot with a single-detached dwelling or duplex.

Heavy Industrial means fabricating, assembling, <u>disassembling</u>, processing, cleaning, servicing, testing or storing goods and materials.

Heritage Conserving Infill means:

- a) one or more Residential Buildings that are on a Lot with a Heritage Designated Building that is used for Residential purposes, and
- b) an addition to a **Heritage Designated Building** that results in one or more **Dwelling Units** being added to the **Lot**.

Home Occupation means the use of a **Residential Dwelling Unit** for the practice of a profession, trade, art or craft, by one or more residents of the premises.

Hotel means a commercial use that provides transient lodging to the general public accessed by contiguous common space, all, including the contiguous common space, under single ownership, which includes:

- a) an entrance lobby that is open to the public,
- b) a service desk or office with a guest register,
- c) an attendant on duty at all times, and
- d) daily housekeeping services.

and may provide accessory amenities such as RestaurantFood and Beverage Service, meeting rooms and recreational facilities, and includes Motels Motels and hostels but does not include Strata HotelsStrata Hotels.

Laboratory means use of premises not providing service directly to the public for the provision of analytical, research, or testing services, including biotechnologies and energy and environmental technologies.

Light Industrial means facilities used for fabricating, assembling, processing, cleaning, servicing, testing or storing goods and materials that deesgenerally do not petentially cause <u>undue or excessive</u> impacts on the wider neighbourhood-impact beyond the premises through noise, odour, vibration or otherwise

Marine Industrial means the assembly, production, or storage of finished or semi-finished materials or components into a finished or semi-finished marine product and includes the production or sale of fishing equipment and supplies, boat maintenance and construction and dry land boat storage, ship breaking, sales of fisheries products and commercial fishing operations.

Medical Services Access means use of a **Building** by a public or registered non-profit agency or authority to provide accommodation for any number of nights, exclusively to those persons who do not normally reside in Victoria but require access to specialized medical services located in Victoria and to accompanying support persons, and for **Office** use that is accessory to **Medical Services Access**.

Motel means a Hotel where each Guest Bedroom has independent access from the outside and is directly accessible from an outdoor parking lot.

Neighbourhood Hotel means a type of hotel that is a commercial use that provides small-scale transient lodging to the general public within a **Building** under single ownership that was constructed prior to 1925, which has occupancy for no less than five **Guest Rooms** and no more than eighteen **Guest Rooms**, and which includes:

- a) a guest register,
- b) an attendant available at all times, and
- c) housekeeping services available with no fee.

Office means facilities used for the provision of administrative, clerical, management, professionalor technical services.

Motel means a commercial use that provides transient lodging for the general public where each room or suite has independent access from the outside.

Parkade means parking that is regularly available to the general public whether located above or below grade.

Personal Service means services provided to a person including but not limited to barbering, hairstyling, optometry, spa, medical and dental care, and services provided to the apparel of a customer including laundry and dry cleaning services, tailoring, and shoe, jewellery and watchrepair.

Residential means a self-contained Dwelling Unit of any type, including Assisted Living, Residential care facilities, Studio usesuse containing dwelling uses and use, a Dwelling Unit associated with an artist's or artisan's Studio. a Garden Suite, and any uses normally associated with the primary Residential use such as but not limited to parking facilities, amenity spaces and accessory structures.

Residential Lock-off Unit means a self-contained Dwelling Unit within a multi-residential building-with a lesser Floor Area than that of the principal Dwelling Unit from which it may belocked off, which must have both independent external access and shared internal access.

Retail Liquor Sale means facilities used for the retail sale of packaged liquor.

Retail Trade means the retail sale, repair, servicing, or refurbishment of consumer goods other than automobiles or automotive fuels, but does not include Retail Liquor Sale or Storefront Cannabis Retailer

Self-Storage means the use of buildings or structures for the storage of goods, materials or equipment in self-contained storage units that are rented to the public.

Service Station means facilities that are used for the retail sale and dispensing of automotive fuels and may also include the retail sale of vehicle accessories, foods, drinks and other convenience goods.

Short-term Rental means the renting of a Dwelling Unit, or any portion of it, for a period of lessthan 30 nights and includes Strata Hotel Strata Hotel and vacation rental but does not include a Time-Share when occupied by a time-share owner.

Small-scale Commercial Urban Agriculture means:

- a) Cultivating and harvesting plants or fungi;
- b) Beekeeping and harvesting honey;
- c) Keeping poultry to collect eggs; or
- d) Sorting, cleaning, packaging , selling or storing for retail purposes the items listed
- e) in a. through c. above that had been harvested on the premises.

Social Service Centre means a use of a buildingBuilding by a public or non-profit agency or authority to provide support and assistance to those whose mental or physical well-being are at risk, including persons experiencing homelessness or persons at risk of homelessness, and may include the provision of food services, counselling, group meetings, and short-term day or night shelter not exceeding 40 shelter spaces, but does not include permanent residency, health care facilities, or supervised consumption sites.

Storefront Cannabis Retailer means premises where **Cannabis** is sold or otherwise provided toa person who attends at the premises.

Strata Hotel is a commercial use that provides transient lodging to the general public on premises in respect of which:

Zoning Bylaw 2018 Blackline | 23

- a) a) a strata plan is filed under the Strata Property Act, and_
- b) b) different owners own different strata lots.

Studio means a purpose-designed work space for an artist or artisan engaged in an art or craft that is compatible with **Residential** uses, which may include an associated **Dwelling Unit** and inwhich works produced in the **Studio** may be sold.

Time-Share means a residential property where individual **Dwelling Units** are owned, directly or indirectly, by multiple owners each of whom is entitled to annual use of it in proportion to their ownership share.

Utility means infrastructure that is used to provide water, sewer, drainage, district heat, gas, electrical, or telecommunications service whether located on, above or below ground and includes pump stations and service vaults and kiosks but does not include sewage treatment plants.

<u>Vehicle Sales and Rental</u> means the use of a <u>Lot</u> to sell, rent, or lease motor vehicles, recreational <u>vehicles</u>, boats or trailers, and that contains a related office.

Veterinary Clinic means the care, treatment and accommodation of animals by or under the supervision of a veterinarian, provided that such treatment and all activities, including the storage of supplies and the accommodation and exercise of animals all occur within one Building on the Lot.

3.1 General Regulations

- 5-1. Unless a contrary intention appears in another Part of this bylaw, the following regulations apply to all land to which this bylaw applies.
- No person shall use land or a <u>Building</u> or structure, or allow or permit another person to do so. except in accordance with this bylaw.
- No person shall place, erect, construct or alter a <u>Building</u> or structure, or allow or permit another person to do so, except in accordance with this bylaw.
- 4. Not more than one **Building** other than an **Accessory Building** shall be erected or used on one **Lot**, unless the regulations applicable in a particular zone expressly permit otherwise, and no **Building** shall be erected partly on one **Lot** and partly on another.
- No person shall use land or a <u>Building</u> or structure, or allow or permit another person to do so, except in accordance with the requirements of this bylaw in respect of the provision of motor vehicle and bicycle parking spaces, the provision of <u>Loading Spaces</u> or the provision of screening or landscaping.
- No building permit shall be issued for any construction unless such proposed construction conforms to the applicable provisions of this bylaw.
- 7. No person shall fail to comply with the conditions of a **Permit**.
- 3. A person who contravenes this bylaw is liable to a maximum fine of \$50,000 and, in the case of a continuing offence, each day on which the contravention continues constitutes a separate offence that is subject to that maximum fine.
- 9. An officer or employee of the City appointed to administer this bylaw may enter on land including any place that is occupied as a private dwelling, to inspect and determine whether the regulations and requirements in this bylaw are being met, and in the case of a private dwelling may enter only in accordance with s. 16(5) of the Community Charter.
- 10. A person who contravenes this bylaw commits an offence and is subject to the penalties imposed by this Bylaw, the Ticket Bylaw, the Bylaw Notice Adjudication Bylaw, and the Offence Act.
- Each use that is listed in Part 4 of this bylaw with the heading "Permitted Uses" is permitted in the relevant zone, and all other uses are prohibited in that zone unless subject to the following:
 - if a use is permitted under a Sub Area, then that use is permitted on the applicable properties within the Sub Area but is not permitted anywhere else in that zone, subject to subsection b; and
 - a)b) if a use is permitted under the site specific regulations in which case, then that use is permitted on the applicable property but is not permitted anywhere else in that zone.
- 6-12. The uses permitted in Part 4 of this bylaw include uses that are normally incidental to and associated with the use.
- 13. Land may be used for park in all zones .
- Subject to section 13, where a particular use of land or buildings is expressly authorized in one zone, such use is prohibited in all zones where it is not also expressly authorized.
- 7.15. Drive through businesses of any kind, including drive through restaurants and Financial Service institutions are prohibited in all zones.

 institutions are prohibited in all zones.
- 8-16. Storage of rental equipment in an **Equipment Rental** use must be enclosed in a **Building**-, except when located within the IAI-1 and MI-1 Zones.
- 9.17. The top surface of a Cistern must not exceed $15m^2$ in area.
- 10. A **Dwelling Unit** or premises in a **Building** may be used as a display unit or sales centre for

Zoning Bylaw 2018 Blackline | Page 25

Field Code Changed	
Field Code Changed	
Field Code Changed	

Field Code Changed

- 41.18. Residential Dwelling Units located in the Building.
- 42.19. A Studio use may include an associated Residential Dwelling Unit only if at least one artist or artisan engaged in their art or craft on the premises resides in the Dwelling Unit.
- 13.20. Home Occupations must comply with the following:
 - a) A City business license is required;
 - The sale of goods on the premises is not permitted, except as accessory to the primary business; and
 - The provision of escort and dating services within a multi-residential Building is not permitted; and
 - d) The operation of any cannabis-related business is not permitted
 - e) The operation of **Short-term Rental** or **Bed and Breakfast** is not permitted, except as provided in sub-section9subsection20(i)
 - f) d. —A Home Occupation may not create noise, electronic interference, dust, odour, smoke or any other nuisance detectable beyond the premises in which it is being conducted, including in any common areas or other Dwelling Units in a multi-residential Building.
 - g) No more than three Home Occupations shall be carried on in any one Dwelling Unit, provided that only one of the Home Occupations has customers that attend the Dwelling Unit.
 - Except as expressly permitted in this bylaw, or in the Sign By-law, no sign or other advertising device or advertising matter may be exhibited or displayed on any Lot onwhich a Home Occupation is being carried on.
 - Subject to the following requirements, a Short-term Rental or Bed and Breakfast is permitted as a HomeOccupation in a Principal Residence.
 - i) subject to subparagraph (ii), no more than two <u>bedroomsGuest Bedrooms</u> may be used for **Short-term Rental** <u>or Bed and Breakfast</u> and the **Short-term Rental** <u>or Bed and Breakfast</u> cannot occupy an entire-<u>self-contained</u> **Dwelling Unit**;
 - ii) the entire **Principal Residence** may be used for a **Short-<u>Termterm</u> Rental** while the operator is temporarily away provided that it is so used no more than 160 nights in a calendar year; and
 - iii) no liquor may be provided to Short-term Rental guest.or Bed and Breakfast guest.
- 14.21. Rooftop Structures must comply with the following:
 - A Rooftop Structure must not occupy more than 20% of the roof area of the Building;
 and
 - b) A Rooftop Structure must be set back a minimum of 3m from the outer edge of the roof.
- 45.22. Small-scale Commercial Urban Agriculture and sales are permitted in all zones, provided that the use is not noxious or offensive to neighbours or the general public by reason of emitting odor, noise or artificial lighting, and subject to compliance with Part 6, Schedule B of this bylaw, subject to section 23.
- 23. In the IAI-1 and MI-1 Zones, Small-scale Commercial Urban Agriculture is exempt from the requirements of sections 2 and 3 in Part 6, Schedule B, and must otherwise comply with the regulations in the applicable zone.
- 16.24. Rooftop greenhouses must comply with the following:

- a) A rooftop greenhouse must not exceed 3.65m in height;
- b) A rooftop greenhouse must be set back a minimum of 3m from the outer edge of the roof; and
- c) A rooftop greenhouse must not exceed the lesser of 28m² or 50% of the building roof area.
- 17. Fences must comply with the following:

18.25.

- a) The owner and the occupier of property must not, on or around the property, construct, keep or permit the construction or keeping of a Fence of barbed wire, razor wire, razor sharp stainless steel strips or a similar material, or electrified in any manner.
- b) Subject to c. and d., the height of a Fence is measured in a vertical straight line between the Natural Grade and the highest point of the Fence.
- c) The height of a Fence located on a retaining wall is measured in a vertical straight line from Natural Grade on the highest side of the retaining wall to the top of the Fence.




Figure 1: Measuring the height of a fence on a retaining wall

d) For sloping sites the height of a Fence is measured adjacent to the corner or edge at the highest Natural Grade, and at intervals of a maximum horizontal distance of 2.5 metres thereafter.




Figure 2: Measuring the height of a fence on a slope

e) The maximum height of a **Fence** for a **Lot** with an existing residential use is 1.22m in the **Front Yard Setback** and 1.83m in all other **Setbacks**.

Zoning Bylaw 2018 Blackline | Page 27

- f) The maximum height of a **Fence** for a **Lot** without an existing residential use is 2.13m.
- g) The maximum height of a **Fence** adjacent to a park, playing field or industrial use is 3.05m.
- h) Where two **Lots** of differing uses abut each other, the greater height shall apply on the adjoining property line.
- Fence posts are permitted to project up to 0.30m above the maximum permitted height of the Fence.
- Gate posts, gates and decorative features as part of or immediately above a gate in a Front Yard are permitted up to 2.6m in height and 1.5m in width.
- k) Notwithstanding b. through j., Fences must comply with Sectionsection 28 of the Highway Access Bylaw regarding sight triangles near Driveway crossings.
- On Corner Lots, to secure sight lines, no Fence over 1.0m shall be sited closer to the corner of the Lot adjacent to the intersection of two Streets than the diagonal line connecting two points:
 - i) -6.0m distant from the corner of the Lot when one of the Streets is an arterial.-
 - ii) -3.0m distance from the corner of the **Lot** in all other circumstances.

- 49.26. 14. A Social Service Centre is permitted in all zones provided that,
 - its operation does not, directly or indirectly, cause a nuisance or otherwise negatively impact the neighbouring community;
 - b) is not within 100 metres 100m of another Secial Service Centre; Social Service Centre:
 - c) the operator enters into an agreement with the City requiring that the property is well kept and maintained at all times to reduce any negative impacts on the neighbouring community.".
- 27. Accessory Buildings must be in compliance with the following:
 - a) Accessory Buildings are deemed to have been constructed on the date an occupancy permit was issued for the Accessory Building;
 - b) Accessory Buildings must be located in the Rear Yard;
 - c) The Floor Area of an Accessory Building must not exceed 37m²;
 - d) The **Height** of an **Accessory Building** must not exceed 3.5m;
 - e) The Side Lot Line and Rear Lot Line Setbacks for Accessory Buildings must be at least 0.6m:
 - f) The Flanking Street Lot Line Setback for Accessory Buildings must be at least 3.5m;
 - Separation space between an Accessory Building and the principal Building must be at least 2.4m;
 - h) The Accessory Building must not occupy more than 25% of the area of the rear yard;
 - An Accessory Building intended for the use of parking or storage of a vehicle is also subject to the regulations in Part 5 of this bylaw; and.
 - j) An Accessory Building must not:
 - i) be used as a **Dwelling Unit**;
 - ii) contain shower, bath or toilet facilities; or
 - iii) have more than one plumbing fixture that requires drainage.
- 28. Garden Suites must be in compliance with the following:
 - a) Garden Suites must be located in the Rear Yard;
 - b) Only one **Garden Suite** is permitted on a **Lot**;
 - c) An Accessory Building is not permitted to be converted to a Garden Suite unless it was constructed prior to July 11, 2019 or a minimum of 5 years before the proposed conversion;
 - d) The Floor Area of a Garden Suite must not exceed 56m²;
 - e) The **Height** of a **Garden Suite** must not exceed 4.2m;
 - f) The Side Lot Line and Rear Lot Line Setbacks for Garden Suites must be at least 0.6m;
 - g) The Flanking Street Lot Line Setback for Garden Suites must be at least 3.5m;
 - h) The separation space between a **Garden Suite** and the principal **Building** must be at least 2.4m; and
 - i) The Garden Suite must not occupy more than 25% of the rear yard.
- 29. Child Care Facilities are permitted in all zones with the following exceptions and restrictions:
 - a) Child Care Facilities are not permitted in the MI-1 Zone or IAI-1 Zone, unless expressly permitted;
 - b) Child Care Facilities are not permitted in a Garden Suite, unless all or part of the principal Building is used as a Child Care Facility;

- Within Residential Buildings with three or more Dwelling Units, the indoor component of a Child Care Facility is permitted only on the First Storey;
- d) Where Child Care Facilities are permitted on a Lot, associated outdoor play space may be accommodated anywhere on the Lot; and
- e) A single-detached dwelling or duplex **Building** may not be converted in whole or in part to a

 Child Care Facility unless the Building was constructed as a single-detached dwelling or

 duplex dwelling prior to September 14, 2023 or a minimum of 5 years before a Child Care

 Facility use is to commence.
- 30. Buildings with a Residential use must be in compliance with the following:
 - a) The minimum size of a **Dwelling Unit** in a **Residential Building** is 33m²;
 - b) For Buildings 3 Storeys or less, at least 30% of the Dwelling Units must have three Bedrooms or more;
 - c) For Buildings greater than 3 Storeys,
 - i) at least 10% of the **Dwelling Units** must have three **Bedrooms** or more, and
 - ii) an additional 20% of the **Dwelling Units** must have two **Bedrooms** or more;
 - Motwithstanding 30.c.ii., for Lots utilizing the Density of Development provided under Schedule C, section e., the minimum number of two Bedroom Dwelling Units is reduced to 15%:
 - A Bedroom must include at least one operable window to the outside, providing occupantcontrolled access to daylight and air; and
 - f) Subsections a., b. and c. do not apply to Assisted Living Facilities or Affordable Housing Developments.
- 31. In all zones that permit **Residential** use, residential facilities with the primary goal of ensuring safety and protection of individuals from violence are also permitted.
- 32. Unless expressly stated otherwise in Part 4, the maximum Floor Area of any Retail Liquor Sale is 275m², and for greater certainty the maximum Floor Area is not considered a condition of use.
- 33. Unless regulations applicable to a particular zone expressly provide otherwise with respect to Accessory Landscape Structures, the regulations applicable to Lot Coverage, Setback and Height of Accessory Buildings within that zone apply to Accessory Landscape Structures above 0.6m in Height from Average Grade as though they are Accessory Buildings.
- 34. Unless regulations applicable to a particular zone expressly provide otherwise, regulations applicable to Lot Coverage and Setback of Accessory Buildings do not apply to Accessory Landscape Structures which are 0.6m or lower in Height from Average Grade.
- 35. On Waterfront Lots occupied by residential uses in the GRD-1, LVD-1 and CVD-1 zones, Setback regulations that apply to principal Buildings also apply to Garden Suites, Accessory Buildings, Accessory Landscape Structures, and retaining walls that are located between the principal Building and the property Boundary with the waterfront.
- 20.36. For the purpose of section 63.2(2)(c)(ii) of the *Community Charter* and the Tenant Protection During Redevelopment Bylaw, the rental rates are those detailed in section 5.a. of the Affordable Housing Standards Bylaw, for the corresponding type of dwelling unit.

2. Affordable Housing

- 1. Affordable Housing Development
 - a. Notwithstanding any other provision of this bylaw, the maximum Density of Development on a Lotcontaining Affordable Housing Development is the higher of the Density of Development that isspecified in:

- i. the zone and any "Site Specific Regulations" applicable to the <u>Lot</u> that allows for such use; or
- ii. Schedule C as applicable to that Lot,

subject to any conditions as to the provision of amenities in the applicable "Site Specific Regulations" in the case of (i), if applicable.

b. For the purposes of subsection (a), if the maximum **Density of Development** specified for a **Lot** is the same in (a)(i) and (a)(ii), then the maximum **Density of Development** for **Affordable Housing Development** is that in (a)(ii).

4.1 General Residential District – 1 Zone (GRD-1)

1. Permitted Uses

a. Accessory Building

g. Personal Service

b. Assembly

h. Residential

c. Civic Facility

i. Retail Trade

d. Food and Beverage Service
e. Heritage Conserving Infill

j. Utility

f. Home Occupation

1.1 Location and Siting of Uses and Structures

- a. Non-residential uses are only permitted in the First Storey of Buildings where more than 50% of the Building Floor Area is occupied by Dwelling Units, and
 - i. on Lots located directly adjacent to a Street designated as a Transit Priority Network;
 - ii. on a **Lot** directly adjacent to a **Lot** zoned Local Village District 1 Zone (LVD-1), Community Village District 1 Zone (CVD-1) or Town Centre District 1 Zone (TDC-1); or,
 - iii. on a Corner Lot.
- b. More than one **Building** is permitted on a **Lot**.
- c. On a Waterfront Lot, no Building or portion of a Building, shall be placed or erected more than 36.5m from the Front Lot Line of that Lot.

2. Density of Development				
	Lots with less than three Dwelling Units	Lots with Heritage Conserving Infill	Lots where the principal Building is 3 Storeys or less with three or more Dwelling Units	Lots where the principal Building is greater than 3 Storeys with three or more Dwelling Units
a. Density of Development – Maximum	<u>0.5:1</u>	<u>1.6:1</u>	1.6:1, subject to Schedule CSchedule C - Density Benefits	1.6:1, subject to Schedule C

3. Height				
	Buildings with less than three Dwelling Units	<u>Heritage</u> <u>Conserving Infill</u>	For Buildings 3 Storeys or less with three or more Dwelling Units	For Buildings greater than 3 Storeys with three or more Dwelling Units
a. Height – Maximum – subject to subsection c.	<u>7.6m</u>	Greater of 7.6m or 80% of the Height of the Heritage Designated Building	<u>12.0m</u>	i. 14m for Buildings up to 4 Storeys ii. 17m for Buildings over 4 Storeys and up to 5 Storeys iii. 20.5m and 6 Storeys for

Part 4 - Zones

				all other Buildings not located in the 200m Tier of a Transit Oriented Area iv. 32m and 10 Storeys for Buildings located in the 200m Tier of a Transit Oriented Area Area	
b. Projections into Height: i. Rooftop Structures	<u>1.0m</u>	<u>3.0m</u>	<u>3.0m</u>	<u>3.0m</u>	
	c. Buildings greater than four Storeys are only permitted on: Lots located within a Priority Growth Area or a Transit Oriented Area.				

4. Setbacks and	Projections			
	Buildings with less than three Dwelling Units	<u>Heritage</u> <u>Conserving Infill</u>	For Buildings 3 Storeys or less with three or more Dwelling Units	For Buildings greater than 3 Storeys with three or more Dwelling Units
a. Front Lot Line Setback – Minimum	<u>4.0m</u>	<u>4.0m</u>	i. For Corner Lots: A. 2.0m to a maximum distance of 15.0m from the Flanking Street Lot Line B. 4.0m after the first 15.0m from the Flanking Street Lot Line ii. 4.0m for all other Lots	<u>4.0m</u>
b. Flanking Street Lot Line Setback - Minimum	<u>4.0m</u>	<u>4.0m</u>	<u>2.0m</u>	<u>4.0m</u>
c. Side Lot Line Setback – Minimum	<u>1.5m</u>	i. 2.0m for one Side Yard when there is no flanking street ii. 3.0m for all other Side Lot	i. 4.0m to a Primary Façade ii. 1.5m to all other façades	i. 7.5m to a Primary Façade up to 4 Storeys ii. 9.0m to a Primary Façade above

		<u>Lines</u>		4 Storeys
d. Rear Lot Line Setback – Minimum	<u>6.0m</u>	<u>5.0m</u>	<u>i. 5.0m for</u> <u>Corner Lots</u> <u>ii. 8.0m for all</u> <u>other Lots</u>	8.0m or 25% of Lot Depth, whichever is greater
e. Projections into Setbacks – Maximum:				
i. Balconies, porches, cornices, guardrails, fin walls, slab edges, window overhangs, entry canopies and sunscreens associated with a Building containing Dwelling Units.		<u>2</u>	<u>.0m</u>	
ii. Steps associated with a Building containing Dwelling Units.	<u>4.0m</u>			
<u>iii. Eaves</u>	<u>0.75m</u>			
f. Underground parkades cannot project more than 1.0m into the Front Lot Line Setback and no more than 2.1m into the Rear Lot Line Setback.				

5. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

6. Lot Coverage and Open Space				
	Buildings with less than three Dwelling Units	<u>Heritage</u> <u>Conserving Infill</u>	For Buildings 3 Storeys or less with three or more Dwelling Units	For Buildings greater than 3 Storeys with three or more Dwelling Units
a. Lot Coverage – Maximum	<u>40%</u>	<u>50%</u>	<u>45%</u>	<u>55%</u>
b. Open Lot Space - Minimum	<u>30%</u>	<u>30%</u>	<u>30%</u>	<u>30%</u>
c. Landscape Area - Minimum	<u>35m²</u>	<u>35m²</u>	i. 6% of Lot Area or 35m², whichever is greater, for Lot sizes up to 612m² ii. 10% of Lot Area for all other Lots	10% of Lot Area

7. Lot Dimension and Area				
	Buildings with less than three Dwelling Units	<u>Heritage</u> Conserving Infill	For Buildings 3 Storeys or less with three or more Dwelling Units	For Buildings greater than 3 Storeys with three or more Dwelling Units
a. Lot Area – Minimum	<u>460m²</u>	N/A	<u>360m²</u>	<u>540m²</u>
b. Street Frontage - Minimum	<u>10.0m</u>	<u>10.0m</u>	<u>10.0m</u>	i. 15.0m for Buildings up to 4 Storeys ii. 30.0m for Buildings up to 5 Storeys iii. 36.0m for Buildings greater than 5 Storeys

8. 9			
	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
1.	968 Balmoral Road	a. Financial Service is a permitted use	
	1708 Vancouver Street Lot 1, Suburban Lot 9, Victoria, Plan 36186		
2.	670 Battery Street	a. Bed and Breakfast is a permitted use	i. Not more than three Guest
	Lot 3, Beckley Farm, Victoria, Plan 228		Bedrooms on one Lot may be used for Bed and Breakfast

3.	335 Beechwood Avenue	a. Maximum Density of Development: 1.79:1	
	Lot A Section 68 Victoria District Plan EPP137919		
4.	2800 Blanshard Street	a. Assisted Living Facility and Care Facility are permitted uses	
	2811 Nanaimo Street	- usung and permitted asse	
	Common Property Of Strata Plan SP1714		
<u>5.</u>	913 Burdett Avenue	a. Assisted Living Facility is a permitted use	
	Lot 1 Christ Church Trust Estate Victoria City Plan	b. Maximum Density of Development: 0.6:1	
	<u>VIP85236</u>	a. Bonus Density of Development:	i. Registration of a covenant
	917, 923 and 929 Burdett Avenue and 924 McClure Street	<u>1.96:1</u>	providing that none of the buildings will be used or occupied until the existing buildings in the Zone are rehabilitated in accordance with the heritage
	Lot 2 Christ Church Trust Estate Victoria City Plan VIP85236		conservation measures stated in Heritage Alteration Permit with Variance Application No. 00214.
	914 McClure Street		
	Lot 22 Block 6 Christ Church Trust Estate Victoria City Plan 35		
<u>6.</u>	367 Burnside Road East	a. Office is a permitted use	
	Amended Lot 2 (DD 225226-I) Section 10 Victoria District Plan 1267		
<u>7.</u>	1120 Burdett Avenue	Dwelling Units located on the Lot may only be occupied pursuant to	
	Lot A Fairfield Farm Estate Victoria City District Plan EPP120565	Residential Rental Tenure	
8.	1139 Burdett Avenue Lot A, Fairfield Farm	a. Dwelling Units located on the Lot may only be occupied pursuant to Residential Rental Tenure	
	Estate, Victoria City, Plan VIP62357		
9.	973 Caledonia Avenue	A hostel or similar centre for the relief of the poor, aged, or infirm is a permitted	gain, and
	Lot 1, Suburban Lot 12, Victoria City, Plan 31799	<u>use</u>	ii. The Building is held or occupied by a charitable or philanthropic organization that is supported in whole or in part by public funds
<u>10.</u>	332 Catherine Street	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
	Lot 3, Section 31, Esquimalt District, Plan 26496		

<u>11.</u>	5, 9 & 11 Chown Place	a. Dwelling Units located on the Lot may	
	Lot A Sections 10 and 11 Victoria District Plan EPP139927	only be occupied pursuant to Residential Rental Tenure	
	Lot 1 Sections 10 and 11 Victoria District Plan EPP128536		
	Lot A (DD 270373I) Sections 10 and 11 Victoria District Plan 11749 Except Plan EPP128536 and EPP139927		
<u>12.</u>		a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
	Lot B (DD 306613I), Fairfield Farm Estate, Victoria District, Plan 834	<u>oreaniot dre permitted doco</u>	
<u>13.</u>	2652 Cook Street Lot 24, Section 4, Victoria District, Plan 1167, Except Parcel A (DD M23855)	An individual and a socially or economically disadvantaged, the aged and or the infirm is a permitted use	
14.	1037 Craigdarroch Road Lot 120, Section 74, Victoria District And Fairfield Farm Estate, Victoria City, Plan 985	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
<u>15.</u>		a. Assisted Living Facility is a permitted use	
<u>16.</u>	152 Dallas Road	a. Veterinary Clinic is a permitted use	
	Parcel A (DD 58129I) Of Lot 3, Section 27, Beckley Farm, Victoria City, Plan 71, Except Part In Plan 186 BI		
<u>17.</u>	841-861 Fairfield Road	a. Care Facility is a permitted use	
	Lot 3 Of Lots 284, 285, 330, 331, 332, 334, 335, 336, 1235, 1236, 1237, 1238, 1353, Victoria City Plan VIP72384		
<u>18.</u>	1780 Fairfield Road	a. Care Facility is a permitted use	
	Lot A, Section 68, Victoria District, Plan 28780		

<u>19.</u>	1961 Fairfield Place	a. Care Facility is a permitted use	
	Lot 3. Section 68. Victoria		
	District, Plan 20564 Except		
	Part In Plan 37828		
<u>20.</u>	1202 Fort Street	a. Office is a permitted use	
	Parcel C (DD 90036I) Of		
	Lots 8 And 9, Spring Ridge,		
	Victoria City, Plan 38		
<u>21.</u>	1501 Fort Street	a. Neighbourhood Hotel and Bed and	i. Not more than 16 Guest
	Late 4 Constitute 74 Material	Breakfast are permitted uses	Bedrooms may be used for Neighbourhood Hotel or Bed
	Lot 1 Section 74 Victoria District Plan VIP67266		and Breakfast, and
	Biotrict Idii VII 07200		ii. Not more than three of the Guest
			Bedrooms used for Neighbourhood Hotel or Bed
			and Breakfast may be located in
			an Accessory Building that is
20	E1E Foul Poy Dand	a Maximum Danaitre of Danalanus and	located in a Rear Yard.
<u>ZZ.</u>	515 Foul Bay Road	a. Maximum Density of Development: 0.89:1	
	Lot A Section 68 Victoria	b. Maximum Height: 11.70m	
	District Plan EPP139722	c. Maximum Lot Coverage: 33.00%	
		d. Minimum Open Lot Space: 58.00%	
		e. Minimum Open Lot Space in the Front Yard: 41.00%	
23	517, 521 Foul Bay Road	a. Maximum Density of Development:	
20.	317, 3211 our bay Road	0.37:1	
	Lot B Section 68 Victoria	b. Maximum Height: 10.30m	
	District Plan EPP139722	c. Maximum Lot Coverage: 18.00%	
0.4	550 F I D D d	d. Minimum Open Lot Space: 59.00%	
24.	550 Foul Bay Road	a. Assisted Living Facility is a permitted use	
	Lot A Plan 42793 Section	<u>use</u>	
	68 Victoria Except Plan		
	<u>VIP60853</u>	Book Ware Halfe I. C. J. C. J. C.	
<u>25.</u>	1211 Gladstone Avenue	a. Dwelling Units located on the Lot may only be occupied pursuant to	•
	Lot A Sections 50 And 53	Residential Rental Tenure	
	Spring Ridge EPP88786		
<u>26.</u>	136 Gorge Road East	a. Hotel is a permitted use	
	Lot A, Section 10, Victoria		
27	<u>District, Plan 27111</u> 210 Gorge Road East	a. Assisted Living Facility is a permitted	
<u>21.</u>	210 Conge Moad Last	use	•
	Shared Common Property	_	
	Of Strata Plan EPS8628		
<u>28.</u>	229 Gorge Road East	a. Hotel is a permitted use	
	Let A. Centier 74 Materia		
	Lot A, Section 7A, Victoria District. Plan 23991		
	<u> </u>		

<u>29.</u>	246 Gorge Road East	a. Assisted Living Facility is a permitted use	
	Lot A Plan 14062 Section 4 Victoria		
<u>30.</u>	626 Gorge Road East	 a. Motel and Office are permitted uses b. At least 25% of the Building Street 	i. Motel must be in a Building constructed before 1970
	Lot 3, Block T, Section 4, Victoria District, Plan 33-A	Frontage on Gorge Road East must be occupied by Office and/or Retail Trade uses	
31.	250 Government Street	a. Hotel is a permitted use	i. Not more than four Guest Bedrooms may be used for
	Lot 2, Beckley Farm, Victoria City, Plan 887, Except The Easterly 6 Feet Thereof Taken For Road Purposes, As Shown On Said Plan		Hotel ii. Must be used as an extension of Hotel use in a Building located no further than 30 metres away from the Building on the Lot, and where the two Buildings are linked by a contiguous common space used for the Hotel.
<u>32.</u>	270 Government Street	a. Hotel is a permitted use	
	Lot 3, Beckley Farm, Victoria City, Plan 887, Except The Easterly 6' Taken For Road Purposes		
<u>33.</u>	290 Government Street	a. Hotel is a permitted use	
	Lot 5, Beckley Farm, Victoria City, Plan 887, Except The Easterly 6' Taken For Road Purposes		
<u>34.</u>	902, 904, 906, 908 Hillside Avenue	a. Financial Service is a permitted use	
	Common Property Of Strata Plan SP13		
<u>35.</u>	1450 Hillside Avenue	a. Care Facility is a permitted use	
	Lot 1 Sections 29 And 30 Victoria District Plan VIP77235		
<u>36.</u>	1454, 1460 Hillside Avenue	a. Assisted Living Facility is a permitted use	
	Lot 2 Sections 29 And 30 Victoria District Plan VIP77235	_	
<u>37.</u>	867 Humboldt Street	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
	Lot 1, District Lot 1698, Victoria City, Plan 2632		
38.	903, 905 Humboldt Street	a. Office is a permitted use	
	531, 533 Quadra Street		
	Lot 1, District Lot 1695, Victoria City, Plan 898		

<u>39.</u>	920 Humboldt Street	a. Care Facility is a permitted use	
	Lot A, Of Lots 338, 339, 340, 341, 342, 343, 1231, 1232, 1233 And 1234, Victoria City, Plan 27547 Except Part In Plan 42102		
40.		a. Assisted Living Facility is a permitted	
	Lot 1 Of Lots 343, 344, 345 And 1226, Victoria City,	<u>use</u>	
41.	<u>Plan 11913</u> 1700 Kings Road	a. Veterinary Clinic is a permitted use	
	Lot 18, Block 1, Section 8A, Victoria District, Plan 881A		
<u>42.</u>	1190 Kings Road	a. Assisted Living Facility, Care Facility	
	1305, 1307, 1309 Hillside Road	and Child Care Facility are permitted uses	
	Lot 28, Section 4, Victoria District, Plan 263, Except Those Parts Thereof Shown Colored Red On Plans Deposited Under DD 261771 And DD 253321 And		
	Except That Part In Plans 10551 And 41022		
<u>43.</u>	243 Kingston Street	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
	Lot 1927, Victoria City		
44.	540 Manchester Road Lot 9, Block 3, Section 4, Victoria District, Plan 1134	A hostel or centre for the relief of the poor, aged, or the infirm or a home for the care of children or young persons is a permitted use	i. Such use is exclusive of all other uses and is not carried on for profit or gain, and ii. Such Building is held or occupied by a charitable or philanthropic organization, supported in whole or in part by public funds.
<u>45.</u>	590 Marifield Avenue	a. Hotel is a permitted use	i. Not more than three Guest
	Lot 15, Beckley Farm, Victoria City, Plan 887		Bedrooms may be used for Hotel ii. Must be used as an extension of Hotel use in a Building located no further than 30 metres away from the Building on the Lot, and where the two Buildings are linked by a contiguous common space used for the Hotel.
<u>46.</u>	213-215 Mary Street	a. Bed and Breakfast is a permitted use	i. A Dwelling Unit that is used or
	Common Property of Strata Plan SP1635		intended to be used for Bed and Breakfast must not contain more than two Guest Bedrooms, and ii. Not more than four Guest Bedrooms may be used for Bed and Breakfast

GRD-1

<u>47.</u>	902, 906, 910 McClure Street	a. Hotel is a permitted use	
	Lot A Section 88 Victoria District Plan EPP93909		
48.	1038 McClure Street	a. Bonus Density of Development:	i. A monetary contribution to the
		<u>1.85:1</u>	Parks and Greenways Acquisition Fund in the amount of
	Lot A, EPP84033		\$48,489 as adjusted pursuant to
			<u>iii. below; and</u>
			ii. A monetary contribution to the Victoria Housing Reserve Fund in
			the amount of \$48,489 as
			adjusted pursuant to iii. below iii. The total amenity contribution in
			the amount of \$96,978 (the "Base
			Contribution") shall be adjusted annually commencing January 1,
			2017 and each year thereafter,
			by an amount calculated by multiplying the Base Contribution
			as of the previous January 1 by
			the annual percentage increase
			in the CPI for the most recently published 12 month period
			iv. For the purposes of this part,
			"CPI" means the all-items Consumer Price Index for
			Victoria published by Statistics
			Canada or its successor in function
49.	110 Menzies Street	a. Dwelling Units located on the Lot may	
		only be occupied pursuant to Residential Rental Tenure	
	Lot A Beckley Farm Victoria City District Plan	Residential Rental Tenure	
	EPP131828		
<u>50.</u>	415-435 Michigan Street	a. Dwelling Units located on the Lot may only be occupied pursuant to	
	Lot A of Lots 1817, 1818,	Residential Rental Tenure	
	1819, 1820, 1821, 1822		
	and 1823, Victoria City Plan EPP76927		
<u>51.</u>	595 Michigan Street	a. Hotel and Time-Share are permitted	
		uses	
	Lot B, Lots 1768, 1769 And 1770, Victoria City, Plan		
	VIP53808		
<u>52.</u>	520 Niagara Street	a. Maximum Density of Development: 0.5:1	
	Lot 29 Section 11 Beckley	<u>0.5.1</u>	
	Farm Victoria City Plan 753		
		b. Bonus Density of Development: 1.6:1	
			existing Cathedral School Building on the lands civically
			known as 520 Niagara Street (the
			<u>"Protected Property") under</u> <u>Section 967 of the Local</u>

F2	409 Darni Street	A coloted Living Equility is a paymitted	Government Act as protected heritage property and the agreement of the owner to release the City from any obligation to compensate the owner in any form for any reduction in the market value of the Protected Property
<u>53.</u>	408 Parry Street	a. Assisted Living Facility is a permitted use	
	Lot A Of Lots 1786, 1787 And 1788 Victoria City Plan VIP82325	_	
<u>54.</u>	1580 Pembroke Street	a. Medical Services Access is a	i. Not more than six Guest
	Amended Lot 1 (DD 278800I), Block 1, Section 75, Victoria District, Plan 514	permitted use	Bedrooms may be used for Medical Services Access
<u>55.</u>	811 Princess Avenue	a. Office is a permitted use	
	Lot 21, Block 1, Section 3, Victoria, Plan 62, Except The Southerly 10 Feet Thereof		
<u>56.</u>	730 Quadra Street	b. Assisted Living Facility is a permitted use	
	857 Rupert Terrace Lot A Of Lots 1195, 1196, 1197, 1198, 1199, 1200, 1217 And 1218 Victoria City, Plan 27502	_	
<u>57.</u>	864 Queens Avenue	a. Office is a permitted use	
	The East 1/2 Of Lot 9, Block 6, Section 3, Victoria District, Plan 804		
<u>58.</u>	937 Redfern Street	a. The relief of the poor, aged, or the infirm or a home for the care of children	i. Such use is not carried on for profit or gain
	Lot 2, Section 68, Victoria	or a hostel or centre for young persons is a permitted use	
<u>59.</u>	<u>District, Plan 27476</u> 1114 Rockland Avenue	a. Maximum Density of Development:	
	Lot 1576, Victoria City	<u>1:1</u>	
	25t 1070, Violona Oity		
		b. Bonus Density of Development: 2:1	i. A monetary contribution of \$144,021.20 to the Victoria Housing Reserve Fund (70%) and Local Amenities Reserve Fund (30%) prior to issuance of a Building Permit. ii. Registration of a legal agreement securing that two one-Bedroom units will be sold for no more than 90% of fair market value for a

			term that ends on the earlier of 99 years after the registration of the agreement and the date of destruction of the building, and iii. Registration of a legal agreement that in perpetuity prevents any strata corporation from passing bylaws that would prohibit or restrict the rental of any of the dwelling units, with the exception of those secured pursuant to subsection (ii), to non-owners. iv. Until the amenity contribution identified in subsection (i) is paid in full, it shall be adjusted annually on January 1 commencing the second calendar year following the year Bylaw #21-025 is adopted and each year thereafter, by adding to the base contribution amount in subsection (a) an amount calculated by multiplying that base contribution as of the previous January 1 by the annual percentage increase in the CPI for the most recently published 12 month period. V. For the purposes of subsection (iv), "CPI" means the all-items Consumer Price Index for Victoria published by Statistics Canada or its successor in
			function.
60.	Lot 11, Section 68, Victoria District, Plan 1365	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	i. Not more than seven Guest Bedrooms may be used for Neighbourhood Hotel or Bed and Breakfast
61.	638 Rockland Place Lot 1, Section 68, Victoria District, Plan 4371	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	i. Not more than six Guest Bedrooms may be used for Bed and Breakfast or Neighbourhood Hotel
62.	120-122 Simcoe Street Common Property of Strata Plan VIS3591	a. Bed and Breakfast is a permitted use	i. Not more than two Guest Bedrooms may be used for Bed and Breakfast at 120 Simcoe Street, and ii. Not more than three Guest Bedrooms may be used for Bed and Breakfast at 122 Simcoe Street
63.	333 Simcoe Street Parcel A (DD 201133I), Lot 6, Beckley Farm, Victoria City, Plan 134	a. Bed and Breakfast is a permitted use	i. Not more than three Guest Bedrooms may be used for Bed and Breakfast

<u>64.</u>	620 St Charles Street Lot 2, Section 68, Victoria District, Plan 34983 1006 St Charles Street 1020 St Charles Street Lot 1 Section 74 Victoria	Neighbourhood Hotel and Bed and Breakfast are permitted uses Care Facility is a permitted use	i. Guest Bedrooms must be in a Building that is used as the principal residence of the operator of the Neighbourhood Hotel, and ii. Not more than six Guest Bedrooms may be used for Neighbourhood Hotel or Bed and Breakfast
66.	District Plan VIP80270 1230 Styles Street	a. Care Facility is a permitted use	
	Lot A (DD 280876I), Block 9, Section 10, Esquimalt District, Plan 1165		
<u>67.</u>	621 Su'it Street The Westerly 164 Feet Of Lot 29, Fairfield Farm Estate, Victoria City, Plan 826A	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	i. Guest Bedrooms are located in a Building that is used as the principal residence of the operator of the Neighbourhood Hotel, and ii. Not more than six Guest Bedrooms may be used for Neighbourhood Hotel or Bed and Breakfast
<u>68.</u>	239 Superior Street Lot 1955, Victoria City	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
<u>69.</u>	495 Superior Street Lot 1, Of Lot 1854, Victoria City, Plan 3292	a. Office is a permitted use	
70.	601-603 Superior Street The Northerly 120 Feet Of Lot 1717, Victoria City Except Part In Plan 41305 The Northerly 120 Feet Of Lot 1716, Victoria City Except Part In Plan 41305	a. Office is a permitted use	
71.	635 Superior Street Lot A, Of Lots 1710, 1711, And 1712, Victoria City, Plan VIP52165	a. Assisted Living Facility is a permitted use	
<u>72.</u>	649 Superior Street 675 Superior Street Common Property Of Strata Plan VIS6805	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	i. Neighbourhood Hotel or Bed and Breakfast use must be located in a Heritage Designated Building, and ii. Not more than six Guest Bedrooms may be used for Neighbourhood Hotel or Bed and Breakfast

<u>73.</u>	534 Vancouver Street	a. Neighbourhood Hotel and Bed and Breakfast are permitted uses	
	998 Humboldt Street		
	Lot 1, Of Lots 1219, 1220 And 1221, Victoria City, Plan 9672		
<u>74.</u>		a. Bed and Breakfast is a permitted use	i. Not more than three Guest Bedrooms may be used for Bed and Breakfast
	Lot D, Of Lots 1135 And 1149, Victoria City, Plan 2552		and Droundo.
<u>75.</u>	2117 Vancouver Street	a. A hostel or centre for young persons is a permitted use	i. Such use is not carried on for profit or gain
	Lot 21, Block 3, Section 3, Victoria District, Plan 62		
<u>76.</u>	1172, 1176 Yates Street	a. Assisted Living Facility is a permitted use	
	Lot A Section 14 Spring Ridge Victoria City District Plan EPP112161		
<u>77.</u>	1321 Yates Street	a. Service Station is a permitted use	
	Lot A, Section 74, Victoria District, Plan 21955	b. Maximum Floor Area for Retail Trade accessory to a Service Station is 110m ²	

4.2 Local Village District - 1 Zone (LVD-1)

1. Permitted Uses			
a. Accessory Building	i. Home Occupation		
b. Art and Cultural Facility	j. Office		
c. Assembly	k. Personal Service		
d. Assisted Living Facility	I. Residential		
e. Care Facility	m. Retail Trade		
f. Civic Facility	n. Studio		
g. Financial Service	o. Utility		
h. Food and Beverage Service	p. Veterinary Clinic		

1.1 Location and Siting of Uses and Structures

- a. Dwelling Units are not permitted on the First Storey of a Building except when located adjacent to a Flanking Street Lot Line.
- b. First Storey Office use is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway.

2. Density of Development		
<u>a</u>	Density of Development - Maximum	<u>1.6:1</u>

3. Height		
a. Height - Maximum	<u>14.0m</u>	
b. Projections into Height - Maximum		
i. Parapets	<u>1.2m</u>	
ii. Rooftop Structures	<u>3.6m</u>	

4. Setbacks and Projections		
a. Front Lot Line Setback - Minimum	<u>0.0m</u>	
b. Side Lot Line Setback - Minimum	<u>0.0m</u>	
c. Rear Lot Line Setback – Minimum	<u>i.</u>	6.0m for the First Storey and any Storeys without a Residential use
	<u>ii.</u>	8.0m or 25% of Lot Depth , whichever is greater, for any part of a Building above the First Storey with a Residential use
d. Flanking Street Lot Line Setback - Minimum	<u>0.0m</u>	
e. Projections into Setback – Maximum		
i. Balconies	<u>2.0m</u>	
ii. Cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens	<u>0.6m</u>	

associated with the principal Building

iii. Steps and porch associated with the principal **Building**

<u>2.0m</u>

Notwithstanding Part 3.1.27, the maximum Setback for the Flanking Street Lot Line for Accessory
 Buildings is 3.5m or the minimum Front Lot Line Setback of the adjoining Lots, whichever is greater

5. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

6. Lot Coverage and Open Space

a. Lot Coverage - Maximum

b. Landscape Area – Minimum 6% of Lot Area

7. Lot Dimension and Area

a. Lot Area – Minimum

540m²

80%

b. Lot Width - Minimum

<u>15.0m</u>

8. 9	8. Site Specific Regulations					
	Column A	Column B	Column C			
	Civic and Legal Address	Regulations	Conditions			
1.	308 Catherine Street Lot A, Section 31, Esquimalt, Plan 46940	a. Brew Pub (beer, spirits, wine) is a permitted use				
2	822 Catherine Street Lot C (DD 338654I), Block N, Section 31, Esquimalt District, Plan 549	Dwelling Units located on the Lot may only be occupied pursuant to Residential Rental Tenure				
3.	1303 Fairfield Road Lot A Victoria Plan VIP1456 (DD286440I) Fairfield Farm Estate	a. Maximum Density of Development: 1.7:1				
4.	2320 Fernwood Road Lot 50, Spring Ridge, Victoria City, Plan 140	a. Service Station is a permitted use				
<u>5.</u>	1121 Fort Street STRATA PLAN EPS523	a. Maximum Density of Development: 2.5:1				
6.	1124 Fort Street Lot A, Of Lots 1101 and 1102, Victoria City, Plan VIP53428	a. Maximum Density of Development: 2.5:1				

7.	1125 Fort Street	a. Maximum Density of Development:	
		1.92:1	
	The Easterly 20 Feet Of		
	Lot 1112, Victoria City		
	Except The Northerly 8		
	Feet Thereof		
	<u>r eet mereor</u>		
	The Westerly 20 Feet Of		
	Lot 1111, Victoria City		
	Except The Northerly 8		
	Feet Thereof		
0	1140 Fort Street	- Marriagona Danaity of Davidonment	
8.	1140 FOIL Street	a. Maximum Density of Development:	
		<u>2.5:1</u>	
	Lot 1099, Victoria City,		
	Except The South 8 Feet		
	<u>Thereof</u>		
9.	1155 Fort Street	a. Funeral undertaking is a permitted use	
10	1284-1298 Gladstone	a. Office and Retail Trade and Personal	
10.	Avenue and 2000-2004	Service are permitted within a Studio	
	Fernwood Road		
	T CHIWOOd TROAD	b. Studio is only permitted on the ground	
	Lat A. Ousin o Distor	<u>floor</u>	
	Lot A, Spring Ridge,		
	Victoria City, Plan 24752		
<u>11.</u>	3175 Harriet Road	a. Storefront Cannabis Retailer is a	i. The use does not occupy more
		permitted use	than 97m²;
	Lot A (DD A53003),		ii. The use is restricted to the
	Sections 10 And 11,		ground floor;
	Victoria District, Plan 1218		iii. Only one Storefront Cannabis
			Retailer at a time is operational
			on the Lot.
12.	2100 Quadra Street	a. Service Station is a permitted use	
		S. CO. 1.30 Granon to a portunida doc	
	Lot A, Section 3, Victoria		
	District, Plan 29274		
40		0. 6. 10. 11. 5. 11.	: The use date wat account with
<u>13.</u>	3198 Quadra Street	a. Storefront Cannabis Retailer is a	i. The use does not occupy more
		permitted use	than 160m²;
	Lot A Section 4 Victoria		ii. The use is restricted to the
	District Plan VIP74124		ground floor;
			iii. Only one Storefront Cannabis
			Retailer at a time is operational
			on the Lot .

4.3 Community Village District – 1 Zone (CVD-1)

1. Permitted Uses	
1. Permitted Uses a. Accessory Building b. Art and Cultural Facility c. Assembly d. Assisted Living Facility e. Care Facility f. Civic Facility g. Drinking Establishment, excluding nightclubs	k. Home Occupation l. Hotel m. Office n. Personal Service o. Residential p. Retail Liquor Sale q. Retail Trade
h. Equipment Rental i. Financial Service j. Food and Beverage Service	r. Studio s. Utility t. Veterinary Clinic

1.1 Location and Siting of Uses and Structures

- a. **Dwelling Units** are not permitted on the **First Storey** of a **Building** except when located adjacent to a **Flanking Street Lot Line**.
- b. First Storey Office use is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway.

2. Density of Development a. Density of Development - Maximum 1.6:1

3. Height	
a. Height - Maximum	<u>14.0m</u>
b. Projections into Height - Maximum	
i. Parapets	<u>1.2m</u>
ii. Rooftop Structures	<u>5.0m</u>

4. Setbacks and Projections	
a. Front Lot Line Setback - Minimum	<u>0.0m</u>
b. Side Lot Line Setback - Minimum	<u>0.0m</u>
c. Rear Lot Line Setback – Minimum	i. 6.0m for the First Storey and any Storeys without a Residential use ii. 8.0m or 25% of Lot Depth, whichever is greater, for any part of a Building above the First Storey with a Residential use
d. Flanking Street Lot Line Setback - Minimum	<u>0.0m</u>
e. Projections into Setback – Maximum	
i. Balconies	<u>2.0m</u>

ii. Cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens associated with the principal **Building**

<u>0.6m</u>

iii. Steps and porch associated with the principal **Building**

<u>2.0m</u>

f. Notwithstanding Part 3.1.27, the maximum Setback for the Flanking Street Lot Line for Accessory Buildings is 3.5m or the minimum Front Lot Line Setback of the adjoining Lots, whichever is greater

5. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

6. Lot Coverage and Open Space a. Lot Coverage – Maximum b. Landscape Area – Minimum 6% of Lot Area

7. Lot Dimension and Area	
a. Lot Area – Minimum	<u>540m²</u>
b. Lot Width – Minimum	<u>15.0m</u>

8. 9	8. Site Specific Regulations		
	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
1	496 Cecelia Road	a. Maximum Height : 18.6m	
	Lot A Section 4 Victoria District Plan EPP115594 Except Plan EPP115595		
<u>2.</u>	220 Cook Street	a. Maximum Density of Development: 2.2:1	
	STRATA PLAN EPS6394	b. Maximum Height: 16.5m c. Office and Personal Service are permitted within a Studio d. Studio is only permitted on the First Storey of a Building fronting a Street	
3.	230 Cook Street Lot 1. Fairfield Farm Estate, Victoria City, Plan 13651	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 77m²; ii. The use is restricted to the ground floor; iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
4.	228 Cook Street Lot A Fairfield Farm Estate Victoria City District Plan EPP103917	a. Bonus Density of Development: 2.19:1	i. A monetary contribution of \$161,356.80 must be provided to the Victoria Housing Reserve Fund prior to issuance of a Building Permit.

Part 4 - Zones

			ii. a monetary contribution of \$136,163.47 must be provided to the Local Amenities Reserve Fund prior to issuance of a Building Permit. iii. Until the amenity contributions identified above are paid in full, they shall be adjusted annually on January 1 commencing the second calendar year following 2021 and each year thereafter, by adding to the base contribution amounts identified above by an amount calculated by multiplying that base contribution as of the previous January 1 by the annual percentage increase in the CPI for the most recently published 12 month period. iv. For the purposes of subsection iv., "CPI" means the all-items Consumer Price Index for Victoria published by Statistics Canada or its successor in function.
<u>5.</u>	1725 Cook Street	a. Storefront Cannabis Retailer is a	i. Storefront Cannabis Retailer
	Lot B, Suburban Lot 18,	permitted use	does not occupy more than 303m ² ;
	Victoria City, Plan 47830		ii. Storefront Cannabis Retailer is restricted to the ground floor
6.	1516-1594 Fairfield Road	a. Storefront Cannabis Retailer is a permitted use	i. Storefront Cannabis Retailer does not occupy more than
7	Lot A, Section 19, Victoria District, Plan 12772		ii. Storefront Cannabis Retailer is restricted to the ground floor; iii. Storefront Cannabis Retailer does not occupy more than 8.7m in length of a Building facing Fairfield Road iv. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
7.	45 Gorge Road East	a. Maximum Density of Development: 2.43:1	i. A minimum of 290m² of commercial floor area must be
	Lot 1 Section 10 Victoria District Plan EPP100446	b. Maximum Height: 18.15m	provided on the First Storey of a Residential Building
8.	131, 135 and 139 Menzies Street LOT 24, SECTION 11, BECKLEY FARM, VICTORIA CITY, PLAN	a. Maximum Density of Development: 2.0:1 b. Maximum Height: 14.1m c. Minimum Open Lot Space: 50%	
	<u>753</u>		

	LOT 23, SECTION 11, BECKLEY FARM. VICTORIA CITY, PLAN 753		
	LOT 22, SECTION 11, BECKLEY FARM, VICTORIA CITY, PLAN 753		
9.	225 Menzies Street	a. Maximum Height: 14.6m	
	Common Property Of Strata Plan VIS6403	b. Maximum floor area of a Retail Liquor Sale use is 442m ²	
		c. Bonus Density of Development: 2.0:1	i. Provision of public art, consisting of mosaic tile work and a cast statue, and on and off site streetscaping and street furnishings, that have a combined value of at least \$40,000, as calculated above the City's standard broom finish.
<u>10.</u>	1765 Oak Bay Avenue	a. Maximum Density of Development:	
	Strata Plan EPS4153	<u>2.0:1</u> b. Maximum Height : 15.0m	
<u>11.</u>	1916 Oak Bay Avenue	a. Maximum Density of Development:	
	Shared Common Property Of Strata Plan EPS10257	b. Maximum Height: 15.0m	
<u>12.</u>	1965-1971 Oak Bay Avenue and 1070-1072 Foul Bay Road	a. Maximum Density of Development: 2.33:1 b. Maximum Height: 15.0m	
	STRATA PLAN EPS2135		
<u>13.</u>	2558 Quadra Street	a. Maximum Density of Development: 2.28:1	
	Lot A, Section 4, Victoria	b. Maximum Height : 18.15m	
14.	District, Plan 11029 2625-2635 Quadra Street,	a. Maximum floor area of a Retail Liquor	
17.	2670 Fifth Street	Sale use is 594m ²	
	Lot 1, Section 4, Victoria District, Plan 27199		
<u>15.</u>	2637-2641 Quadra Street	a. Storefront Cannabis Retailer is a permitted use provided:	i. The use does not occupy morethan 140m²;
	Lot 9, Block 16, Section 4, Victoria District, Plan 240		ii. The use is restricted to the ground floor; iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
<u>16.</u>	425-475 Simcoe Street	a. Storefront Cannabis Retailer is a	i. The use does not occupy more
	Lot 1, Beckley Farm, Victoria City, Plan 26705	<u>permitted use</u>	than 53m²; ii. The use is restricted to the ground floor; iii. Only one Storefront
CVD	1	-	Zoning Bylaw 2018 Blackline 52

CVD-1

		Cannabis Retailer at a time is operational on the Lot.
17. 170-184 Wilson Lot A District Lot Esquimalt District VIP67363	permitted u	i. The use does not occupy more than 141m²; ii. The use is restricted to the ground floor; iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.

4.4 Town Centre District (TCD - 1)

1. Permitted Uses	
a. Accessory Building	m. Home Occupation
b. Art and Cultural Facility	n. Hotel
c. Assembly	o. Laboratory
d. Assisted Living Facility	p. Light Industrial
e. Automotive Repair	q. Office
f. Brew Pub (beer, spirits, wine)	r. Personal Service
g. Care Facility	s. Residential
h. Civic Facility	t. Retail Liquor Sale
i. Drinking Establishment	u. Retail Trade
j. Equipment Rental	v. Studio
k. Financial Service	w. Utility
I. Food and Beverage Service	x. Veterinary Clinic

1.1 Location and Siting of Uses and Structures

- a. Dwelling Units are not permitted on the First Storey of a Building except when located adjacent to a Flanking Street Lot Line.
- b. First Storey Office use is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway.
- c. Light Industrial and Automotive Repair are only permitted within the area bound by Bay Street on the south, Blanshard Street on the east, Market Street on the north and Government Street on the west.

2. Density of Development	
a. Density of Development - Maximum	1.6:1

3. Height	
a. Height - Maximum	<u>14.0m</u>
b. Projections into Height - Maximum	
i. Parapets	<u>1.2m</u>
ii. Rooftop Structures	<u>5.0m</u>

4. Setbacks and Projections	
a. Front Lot Line Setback - Minimum	<u>0.0m</u>
b. Side Lot Line Setback - Minimum	-
i. Buildings up to 23.0m in Height:	0.0m
ii. Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height:	<u>10.0m</u>

iii. Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a non-Residential use with an exterior wall greater than 23.0m in Height: c. Rear Lot Line Setback – Minimum	6.0m
i. For the First Storey and any Storeys without a Residential use	<u>6.0m</u>
ii. For any part of a Building above the First Storey with a Residential use up to 18.0m in Height	8.0m or 25% of Lot Depth, whichever is greater
iii. Buildings greater than 23.0m in Height	10.0m for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height
iv. Buildings greater than 23.0m in Height	6.0m for any portion of a Building supporting or sheltering a non- Residential use with an exterior wall greater than 23.0m in Height
d. Flanking Street Lot Line Setback - Minimum	<u>0.0m</u>
e. Projections into Setback – Maximum	
i. Balconies	<u>2.0m</u>
ii. Cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens associated with the principal Building	<u>0.6m</u>
iii. Steps and porch associated with the principal Building	<u>2.0m</u>
f. Notwithstanding Part 3.1.27, the maximum Set	back for the Flanking Street Lot Line for Accessory Line Setback of the adjoining Lots, whichever is greater

5. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

6. Lot Coverage and Open Space	
a. Lot Coverage – Maximum	80%
b. Landscape Area – Minimum	6% of Lot Area

<u>7.</u>	7. Lot Dimension and Area	
<u>a.</u>	Lot Area - Minimum	<u>540m²</u>
<u>b.</u>	Lot Width – Minimum	<u>15m</u>

8. 9	8. Site Specific Regulations		
	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
1	Amended Lot 3 (DD 174908l), Block 2, Section 4, Victoria District, Plan 865	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 300m²; ii. The use is restricted to the ground floor; iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
2.	2500 Douglas Street LOT 1 SECTION 4 VICTORIA DISTRICT PLAN 162 LOT 2 SECTION 4 VICTORIA DISTRICT PLAN 162 LOT 3 SECTION 4 VICTORIA DISTRICT PLAN 162	a. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
3.	2514 Douglas Street LOT 4. SECTION 4. VICTORIA DISTRICT, PLAN 162	a. Assisted Living Facility. Care Facility, Home Occupation, Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
4.	2524 Douglas Street LOT B, SECTION 4, VICTORIA DISTRICT, PLAN 162	a. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
<u>5.</u>	2606 Douglas Street LOT 8, SECTION 4, VICTORIA DISTRICT, PLAN 162 THE SOUTHERLY 2 FEET 6 INCHES OF LOT 9, SECTION 4, VICTORIA DISTRICT, PLAN 162	a. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
6.	2610 Douglas Street LOT 1, SECTION 4, VICTORIA DISTRICT, PLAN 25065	a. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1	

		c. Maximum Height is 30m	
<u>7.</u>	2615-2629 Douglas Street	a. Light Industrial and Brew Pub (beer,	
	LOT 2, SECTION 4, VICTORIA DISTRICT, PLAN 23740	spirits, wine) are permitted uses.	
8.	2616, 2622-2626 Douglas Street PARCEL A (DD 86701I)	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 128m²; ii. The use is restricted to the ground floor;
	OF LOTS 11 AND 12, SECTION 4, VICTORIA DISTRICT, PLAN 162		iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
	The Northerly 25.5 Feet Of Lot 12, Section 4, Victoria District, Plan 162	b. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not permitted. c. Maximum Density of Development is	
	Lot 13, Section 4, Victoria District, Plan 162	3.0:1 d. Maximum Height is 30m	
9.	2631-2659 Douglas Street and 2630-2638 Ross Lane	Maximum Density of Development: 2.0:1 Maximum Height: 19.5m	
	Lot 1 Section 4 Victoria District Plan VIP72652	b. Maximum neight , 19.5m	
	Lot 2 Section 4 Victoria District Plan VIP72652		
<u>10.</u>	2634 Douglas Street & 2555 Government Street	a. Assisted Living Facility, Care Facility, Home Occupation. Residential and Studio are not	
	LOT A, SECTION 4, VICTORIA DISTRICT, PLAN 44082	b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
<u>11.</u>	2640 Douglas Street	a. Assisted Living Facility, Care Facility, Home Occupation,	
	LOT A (DD 286589I), SECTION 4, VICTORIA DISTRICT, PLAN 162, EXCEPT PART IN PLAN 16233	Residential and Studio are not permitted. b. Maximum Density of Development is 3.0:1 c. Maximum Height is 30m	
<u>12.</u>	2649-2659 Douglas Street and 735 Hillside Avenue	a. Maximum Density of Development is 2.5:1	
	Lot 1 Section 4, Victoria District, Plan EPP102394		
<u>13.</u>	2670 Douglas Street Lot 1, Section 4, Victoria	b. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not	
	District, Plan 16233	<u>permitted.</u> <u>c. Maximum Density of Development is</u>	

		<u>3.0:1</u>	
		d. Maximum Height is 30m	
14.	1541-1545 Fort Street Parcel A (DD 378259I) Of Lot 23 Section 74 Victoria District Plan 737	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 156m²; ii. The use is restricted to the ground floor; iii. Only one Storefront Cannabis Retailer at a time is operational on the Lot .
<u>15.</u>	1609 Fort Street	a. Maximum floor area of Retail Liquor Sale use is 454m ²	
<u>16.</u>	1669 Fort Street	a. Service Station is a permitted use	
	Lot A, Section 75, Victoria District, Plan 20877		
<u>17.</u>	1693 Fort Street	a. Maximum Density of Development: 2.75:1	
	Lot A Section 75 Victoria District Plan EPP133715	b. Dwelling Units located on the Lot may only be occupied pursuant to Residential Rental Tenure c. No commercial uses, except Home Occupation, are permitted above the First Storey of a Building.	
<u>18.</u>	1881-1885 Fort Street	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 88m²:
	Lot 1, Section 76, Victoria District, Plan 26670	permitted use	ii. The use is restricted to the ground floor; iii. Not occupy more than 6.0m in length of a Building facing Fort Street; iv. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
<u>19.</u>	1990 Fort Street and 2014 Foul Bay Road	a. Bonus Density of Development for all uses: 1.69:1	i. Public art that is located in a public place and that has a
	Lot A Section 76 Victoria	b. Maximum Height: 17m	value of at least \$53,000.00
20	<u>District Plan VIP62527</u> 2507 Government Street	a. Assisted Living Facility, Care	
<u>20.</u>	LOT 1, SECTION 4, VICTORIA DISTRICT, PLAN 18140	Exility. Home Occupation. Residential and Studio are not permitted. b. Vehicle Sales and Rental is a permitted use. c. Maximum Density of Development is 3.0:1 d. Maximum Height is 30m	
<u>21.</u>	2515 Government Street THE NORTH 1/2 OF LOT	a. Assisted Living Facility, Care Facility, Home Occupation, Residential and Studio are not	
	30, SECTION 4, VICTORIA DISTRICT, PLAN 162	b. Maximum Density of Development is	

		2.0.1	
		3.0:1	
	LOT 29, SECTION 4,	c. Maximum Height is 30m	
	VICTORIA DISTRICT,		
	PLAN 162		
22.	2519, 2523 & 2525	a. Assisted Living Facility, Care	
	Government Street	Facility, Home Occupation,	
		Residential and Studio are not	
	LOT A, SECTION 4,	permitted.	
	VICTORIA DISTRICT,	b. Maximum Density of Development is	
	PLAN 45793	3.0:1	
	1 EAN 457 55	c. Maximum Height is 30m	
	0507 0		
<u>23.</u>	2527 Government Street	a. Assisted Living Facility, Care	
		Facility, Home Occupation, Residential and Studio are not	
	LOT 26, SECTION 4,		
	VICTORIA DISTRICT.	permitted.	
	PLAN 162	b. Maximum Density of Development is	
		<u>3.0:1</u>	
		c. Maximum Height is 30m	
<u>24.</u>	2531 Government Street	a. Assisted Living Facility, Care	
		Facility, Home Occupation,	
	LOT 25, SECTION 4,	Residential and Studio are not	
	VICTORIA DISTRICT,	permitted.	
	PLAN 162	b. Maximum Density of Development is	
		3.0:1	
		c. Maximum Height is 30m	
25.	2535 Government Street	a. Assisted Living Facility, Care	
		Facility, Home Occupation,	
	LOT 24, SECTION 4,	Residential and Studio are not	
	VICTORIA DISTRICT,	permitted.	
	PLAN 162	b. Maximum Density of Development is	
	FLAN 102	3.0:1	
		c. Maximum Height is 30m	
26	2541 Government Street	a. Assisted Living Facility, Care	
<u>20.</u>	254 i Government Street		
		Facility, Home Occupation, Residential and Studio are not	
	LOT 23, SECTION 4,	permitted.	
	VICTORIA DISTRICT,		
	<u>PLAN 162</u>	b. Maximum Density of Development is	
		3.0:1	
L		c. Maximum Height is 30m	
<u>27.</u>	740 Hillside Avenue	a. Maximum Density of Development:	i. At least 80% of the First Storey
		<u>2.6:1</u>	of a Building located on Hillside
	Lot 1 Section 4 Victoria	b. Maximum Height: 38m	Avenue must be occupied by
	District Plan EPP21077	-	Retail Trade or Food and
			Beverage Service uses, with
			their main entrances located in
			the Hillside Avenue street wall of
			the Building.
<u>28.</u>	1610, 1644 Hillside Avenue	a. Retail Liquor Sale must be located in	
	and 3190 Shelbourne	that part of a Building that fronts	
	Street	Hillside Avenue	
		b. Only one Retail Liquor Sale permitted	
	Lot A Section 8A And 29-	per lot	
	30 Victoria District Plan		
	VIP85871	c. Maximum floor area of a Retail	
		<u>Liquor Sale</u> use is 785m ²	

<u>29.</u>	1696 Hillside Avenue	a. Service Station is a permitted use
	Lot A, Sections 8A and 27, Victoria District, Plan 23040	
<u>30.</u>	1700 Hillside Avenue	a. Service Station is a permitted use
	Lot A, Section 8A, Victoria District, Plan 27803	
<u>31.</u>	1900 Richmond Avenue	a. Maximum Density of Development: 2.55:1
	Lot 1 Section 76 Victoria District Plan EPP144068	b. Maximum Height : 20.64m
<u>32.</u>	3095 Shelbourne Street	a. Service Station is a permitted use
	Lot 1 Section 8-A Victoria District Plan 24342	
<u>33.</u>	611 Speed Avenue	a. Maximum Density of Development: 3.08:1
	Lot A Section 4 Victoria District Plan EPP100259 Except Phase 1 Strata	b. Maximum Height : 37m
	629 Speed Avenue	
	Shared Common Property Of Strata Plan EPS6601	

4.14.5 Central Business District-1 Zone (CBD-1)

Permitted Uses Art and Cultural Facility

a.b. Assembly

b.c. Assisted Living Facility

e.d. Brew Pub (beer, spirits, wine)

d.e. Care Facility

e. Cultural Facility

f. Civic Facility

g. Drinking Establishment

h. Equipment Rental

i. Financial Service

. Food and Beverage Service

k. Home Occupation

I. Hotel

- m. Office
- n. Personal Service
- o. Residential
- p. Retail Liquor Sale
- q. Retail Trade
- r. Studio
- s. Utility

1.1 Location and Siting of Uses and Structures

- No First Storey Office use is permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway.
- b. The display of rental sports equipment and rental motorized vehicles, other than automobiles is permitted outside of a **Building** for the use of **Equipment Rental**.
- i. The production and manufacturing area for a Brew Pub (beer, spirits, wine) must not be located above the First Storey and is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway, except where the Brew Pub (beer, spirits, wine) is provided in conjunction with Retail Trade or Food and Beverage Service.
 - ii. Not more than 35% of the First Storey Floor Area of a Brew Pub (beer, spirits, wine) may be used for the production and manufacturing of beer, spirits, wine and other alcoholic beverages.
- d. Residential uses and Hotel Guest Bedrooms are not permitted on the First Storey of a Building.
- Areas used for the storage of garbage or recyclable materials must be enclosed within a Building or screened by a fence or masonry wall that provides a complete visual barrier.

Density of Development - Maximum: 3.0:1

3.	3. Height		
a.	Height - Maximum:	43.0m	
b.	Projections into Height - Maximum:		
	i. Parapets:	1.0m	
	ii. Rooftop Structures:	5.0m	

4	4. Setbacks and Projections			
a.	Sid	le Lot Line Setbacks - Minimum		
	i.	Buildings up to 23.0m in Height:	0.0m	
	ii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height :	10.0m	
	iii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a non-Residential use with an exterior wall greater than 23.0m in Height:	6.0m	
b.	Re	ar Lot Line Setbacks – Minimum		
	i.	Buildings up to 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m in Height :	8.0m	
	ii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m and up to 18.0m in Height :	8.0m	
	iii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height :	10.0m	
	iv.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall greater than 5.0m in Height :	6.0m	
	٧.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall up to 5.0m in Height :	0.0m	
C.	c. Projections into Setbacks – Maximum			
	i.	Balconies , cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens:	2.0m	
	ii.	Exterior wall treatments, insulation and rainscreen systems:	0.13m	

5. Motor Vehicle and Bicycle Parking

- a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.
- Notwithstanding the requirements in Part 5 of this bylaw, all motor vehicle parking must be located within a Building.

6. Lot Coverage and Open Space

(Intentionally left blank)

7. Lot Dimension and Area

(Intentionally left blank)

8. Site Specific Regulations

	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
1.	940 Blanshard Street 735 Broughton Street	a. Maximum Density of Development: 3.08:1	
	LOTS 1 & 2 OF LOTS 79-85, 89-92, VICTORIA, VIS4516		
2.	980 Blanshard Street	a. Maximum Density of Development: 3.6:1	
	LOT 1 PLAN 39153 VICTORIA OF LOTS 86/87/88		
3.	1107 Blanshard Street	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
4.	LOT 281, VICTORIA CITY 1115 Blanshard Street	a. Maximum Density of Development for	
	PARCEL A (DD 189158I) OF LOTS 302 & 303, VICTORIA	Office and Retail Trade: 2.0:1	
5.	1125 Blanshard Street LOT A PLAN VIP73975 VICTORIA OF LOTS 302& 303	Maximum Density of Development for Office and Retail Trade: 2.0:1	
6.	1461 Blanshard Street LOT A PLAN VIP73786 VICTORIA OF LOTS 432& 433 SEC 339 LGA	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
7.	1520 Blanshard Street LOT B OF LOT 1257, VICTORIA, VIP60943	a. Maximum Density of Development: 0.8:1 b. At least 60% of the area of the Lot must be open space. c. No Building or structure, other than	
		a public plaza or Driveway providing access to underground parking, may be located within 18.0m of the western Boundary of the site. The Height of a structure that is within 18m of the western Boundary of the site must not exceed the Height of Pandora Avenue or Cormorant Street, whichever is nearer the structure.	

8.	734 Broughton Street	a. Maximum Density of Development:	i. At least 15 bicycle parking
	LOT 63, VICTORIA	3.3:1	spaces are provided on the site; and; ii. The Broughton Street frontage of any Building on the site is glazed and used for Retail Trade or restaurant uses only.
9.	740 Burdett Avenue LOT A PLAN 26090 SECTION 88 VICTORIA& OF LOT 100	a. a. Maximum Density of Development:3.6:1	
10.	905 Douglas Street LOT A (DD 18381W) OF LOTS 75, 76, 77 AND 94, VICTORIA, PLAN 1061	Motor vehicle parking spaces may be provided on a separate Lot within 125m of the use for which they are provided, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner of 905 Douglas Street.	
11.	777 Fort Street STRATA PLAN VIS700	a. Maximum Density of Development: 3.52:1 b. Maximum Floor Area:1,095m² c. Maximum Building Height: 15.0m	
12.	778 Fort Street THE W 1/2 OF LOT 28, VICTORIA, EXCEPT THE S 8 FT	Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 100m²; ii. The use is restricted to the ground floor; iii.Only one Storefront Cannabis Retailer at a time is operational on the Lot .
13.	810 Fort Street LOT 282, VICTORIA, EXCEPT THE S 8 FEET OF SAID LOT TAKEN FOR ROAD PURPOSES	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
14.	814 Fort Street LOT 286 VICTORIA	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
15.	822 Fort Street THE W 30 FT OF LOT 287, VICTORIA, EXCEPT THE S 8 FT THEREOF TAKEN FOR ROAD PURPOSES	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	

16.	824 Fort Street	a. Maximum Density of Development for	
	EASTERLY 1/2 OF LOT 287, VICTORIA, EXCEPT THE SOUTHERLY 8 FEET THEREOF TAKEN FOR ROAD PURPOSES	Office and Retail Trade: 2.0:1	
17.	826 Fort Street	a. Maximum Density of Development: 2.5:1	
	LOT 288, VICTORIA, EXCEPT THE SOUTHERLY 8 FEET THEREOF	b. Maximum Building Height : 15.5m c. Off-street motor vehicle parking is not required for a Lot that has an area of 650m² or less, or a width of 18.5m or less.	
18.	838 Fort Street	a. Maximum Density of Development: 2.8:1	
	LOT 289, VICTORIA, EXCEPT THE SOUTHERLY8 FEET THEREOF	Maximum Building Height : 15.5m Off-street motor vehicle parking is not required for a Lot that has an area of 650m² or less, or a width of 18.5m or less.	
19.	840 Fort Street	a. Maximum Density of Development: 3.7:1	
	LOT 290, VICTORIA, EXCEPT THE SOUTHERLY 8 FEET THEREOF	b. Maximum Building Height : 21.5m c. Maximum Lot Area : 630m ² d. Maximum Lot Coverage : 84%	
20.	848 Fort Street	a. Maximum Building Height : 15.0m	
	LOT 1 PLAN 27779 VICTORIA LOT 1 OF 291/2		
21.	880 Fort Street	a. Maximum Density of Development: 2.5:1	
	LOT 293 VICTORIA	Maximum Building Height : 15.5m Off-street motor vehicle parking is not required for a Lot that has an area of 650m² or less, or a width of 18.5m or less.	
22.	722 Johnson Street	a. Parkade is a permitted use	
	LOT 142 VICTORIA	b. Bonus Density of Development: 4.0:1	i. A Parkade is provided within any Building .
23.	727 Johnson Street	a. Hotel is not a permitted use. b. Off-street motor vehicle and Bicycle	
	LOT 33 VICTORIA	Parking, Short-term parking spaces are not required.	

c. Bonus Density of Development: 4.35:1	i. Rehabilitation of the existing Building on the lands in accordance with the heritage conservation plan in Schedule B of the restrictive covenant registered against the title to the lands pursuant to section 219 of the land Title Act; and
	ii. Provision of a housing agreement pursuant to section 483 of the Local Government Act to require that all Residential dwellings are to be used and occupied as rental units in perpetuity.

818 Johnson Street THE N 60 FT OF LOT 378 VICTORIA	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
844 Johnson Street	a. Maximum Density of Development: 2.5:1	i. Lot Coverage does not exceed 50%
LOT 1 PLAN 32453 VICTORIA OF LOTS 394/395 & 400/401	b. Maximum Building Height: 37.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.55 spaces per Dwelling Unit	
	d. Bonus Density of Development: 3.0:1	i. Lot Coverage does not exceed 30%
851 Johnson Street	a. Residential is not a permitted use b. Maximum Density of Development: 1.5:1 c. Maximum Building Height: 15.0m d. Maximum Lot Coverage: 60%	
881 Johnson Street THE N 60 FT OF LOT 378, VICTORIA	a. Residential is not a permitted use b. Maximum Density of Development: 1.5:1 c. Maximum Building Height: 15.0m d. Maximum Lot Coverage: 60%	
823 Pandora Avenue LOT A PLAN VIP63518 VICTORIA OF LOTS 402 407 408 AND 409 SEC 339 LGA	 a. Parkade is a permitted use on the west half of the Lot, provided that no motor vehicle parking spaces are located within 6m of a Street. b. Maximum Density of Development for Office and Retail Trade on the west half of the Lot: 2.0:1 c. Maximum Density of Development on the east half of the Lot: 2.0:1 d. Maximum Density of Development for Office on the east half of the Lot: 1.0:1 	
	e. Maximum Building Height on the east half of the Lot : 15.5m	
	f. Bonus Density of Development on the west half of the Lot: 3.5:1	At least 200 motor vehicle parking spaces are provided within a Building.
	THE N 60 FT OF LOT 378, VICTORIA 844 Johnson Street LOT 1 PLAN 32453 VICTORIA OF LOTS 394/395 & 400/401 851 Johnson Street THE N 60 FT OF LOT 378, VICTORIA 823 Pandora Avenue LOT A PLAN VIP63518 VICTORIA OF LOTS 402 407 408 AND 409 SEC	THE N 60 FT OF LOT 378, VICTORIA 844 Johnson Street LOT 1 PLAN 32453 VICTORIA OF LOTS 394/395 & 400/401 851 Johnson Street Base idential uses is 0.55 spaces per Dwelling Unit C. Maximum Building Height: 37.0m C. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.55 spaces per Dwelling Unit C. Maximum Building Height: 15.0m C. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.55 spaces per Dwelling Unit C. Maximum Building Height: 15.0m C. Maximum Building Height: 37.0m C. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.55 spaces per Dwellopment: C. Maximum Building Height: 15.0m C. The minimum number of off-street motor vehicle parking spaces of or Residential uses is 0.55 spaces per Dwellopment: C. Maximum Building Height: 15.0m C. The minimum number of off-street motor vehicle parking spaces of or Residential uses is 0.55 spaces per Dwellopment on the east half of the Lot: 2.0:1 C. Maximum Density of Development for Office on the east half of the Lot: 1.0:1 E. Maximum Building Height on the east half of the Lot: 15.5m F. Bonus Density of Development on

	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
29.	1126 Quadra Street	a. Residential is not a permitted use	
	LOT 294 VICTORIA PARCEL A	b. Maximum Density of Development: 1.5:1 c. Maximum Building Height: 15.0m	
		d. Maximum Lot Coverage: 60%	
30.	1314 Quadra Street	a. Residential is not a permitted use	
00.	LOT 378 VICTORIA S PT	b. Maximum Density of Development:	
		c. Maximum Building Height: 15.0m	
		d. Maximum Lot Coverage: 60%	
31.	1420 Quadra Street	a. Maximum Density of Development: 2.0:1	
	LOT 1, OF LOTS 398 & 399, VICTORIA, PLAN 41744	b. Maximum Density of Development for Office: 1.0:1	
		c. Maximum Building Height: 15.5m	
32.	812 View Street Lot 1 of Lots 304, 305, 326,	a. Maximum Density of Development : 5.89:1	
	and 327, Victoria City, Plan	b. Maximum Building Height: 45m c. Setbacks minimum:	
	27731	i. 4.6m for portions of the building above	
		30m on the east property line,	
		ii. 3.9m for portions of the building above 30m on the west property line, iii. 4.0m for portions of the building	
		above 20m on the north property line.	
33.	815 View Street	a. Maximum Density of Development for Office and Retail Trade: 2.0:1	
0.4	LOT 301, VICTORIA	Mariana Ballala a Halaha 07 On	
34.	865 View Street	a. Maximum Building Height: 37.0m b. Maximum Density of Development:	
	STRATA PLAN VIS3578	3.2:1	
		 Not more than 140m² of Floor Area on the 12th Storey of any Building may be used for Office uses other than medical or dental Offices. 	
		d. Off-street motor vehicle parking spaces are not required in respect of any Floor Area on the 12th Storey of any Building.	
35.	706 Yates Street	a. Bonus Density of Development: 3.8:1	i. A Building provides at least
	LOT A, VICTORIA, PLAN 46366		1850m² of Floor Area on the first floor for Retail Trade or restaurant use or for pedestrian circulation uses.
36.	769 Yates Street	a. Maximum Density of Development: 3.9:1	
	LOT 105 VICTORIA PLAN 1	b. Maximum Building Height : 15.0m	
CBD	-1		Zoning Bylaw 2018 Blackline 68

CBD-1

37.	858 Yates Street	a. Residential is not a permitted use b. Maximum Density of Development:	
	LOT 376 VICTORIA	1.5:1 c. Maximum Building Height: 15m d. Maximum Lot Coverage: 60%	
38.	866 Yates Street	a. Residential is not a permitted use b. Maximum Density of Development:	
	LOT 377 VICTORIA	1.5:1 c. Maximum Building Height: 15m d. Maximum Lot Coverage: 60%	
39.	780/84 Fort Street, 1106- 1108 Blanshard Street, and 1114-1126 Blanshard Street ⁶ LOTS 1 AND 2 OF DISTRICT LOTS 28 AND 66 VICTORIA CITY PLAN	a. Setbacks minimum: i. 3.44m above 18m on Blanshard Street, ii. 2.0m above 17m on Fort Street, and iii. no Setbacks are required on the north and west property lines.	
	LOT 61, VICTORIA CITY		
	Development Area A - LOTS 1 AND 2 OF DISTRICT LOTS 28 AND 66 VICTORIA CITY PLAN 4755		
	Development Area B - LOT 61, VICTORIA CITY		
		b. Bonus Density of Development for Development Areas A and B: 6.39:1	Provision of a housing agreement to require that 21 Residential Dwelling Units are to be used and occupied as rental for 60 years in Development Area B; and ii. Provision of a legal agreement preventing subdivision by strata plan in Development Areas A and B.
	Development Area A	a. Maximum Floor Area: 8,593m², of which the maximum Residential Floor Area cannot exceed 2,824m²	
	Development Area B	a. Maximum Floor Area: 1,696m²	

⁶ Bylaw No. 21-083. Adopted Nov. 4, 2021. **CBD-1**

4.24.6 Central Business District-2 Zone (CBD-2)

1. Permitted Uses

a. Art and Cultural Facility

a.b. Assembly

b.c. Assisted Living Facility

c.d. Brew Pub (beer, spirits, wine)

d.e. Care Facility

e.f. Civic Facility

a. Cultural Facility

f.g. Drinking Establishment

g.h. Equipment Rental

h.i._Financial Service

<u>⊢j.</u> Food and Beverage Service

Home Occupation

I. Hotel

m. Office

n. Personal Service

o. Residential

p. Residential Lock-off Unit

q.p. Retail Liquor Sale

r.q. Retail Trade

s. Small-scale Commercial Urban Agriculture

t.r._Studio

u.s. Utility

1.1 Location and Siting of Uses and Structures

- a. No First Storey Office use is permitted within 6m of the wall of any Building that abuts a Street or
- The display of rental sports equipment and rental motorized vehicles, other than automobiles is permitted outside of a **Building** for the use of **Equipment Rental**.
- The production and manufacturing area for a Brew Pub (beer, spirits, wine) must not be located above the First Storey and is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway, except where the Brew Pub (beer, spirits, wine) is provided in conjunction with Retail Trade or Food and Beverage Service.
 - Not more than 35% of the First Storey Floor Area of a Brew Pub (beer, spirits, wine) may be used for the production and manufacturing of beer, spirits, wine and other alcoholic beverages.
- Residential uses and Hotel guest rooms are not permitted on the First Storey of a Building.
- Areas used for the storage of garbage or recyclable materials must be enclosed within a Building or screened by a fence or masonry wall that provides a complete visual barrier.

2. Density of Development

a. Density of Development - Maximum:

4.0:1

Density of Development - Maximum for

Residential Uses:

3.0:1

3. Height

a.	Height - Maximum:	HA-1	HA-2	HA-3	HA-4
		72.0m	60.0m	50 0m	45 Om

Not withstanding sub section (a), maximum Height for Buildings or any portion located within 40m from the Lot Line abutting the east side of Douglas Street:

45.0m

c. Projections into Height - Maximum:

Parapets:

Rooftop Structures:

1.0m 5.0m

CBD-2

Zoning Bylaw 2018 Blackline | 70

4. Seth	4. Setbacks and Projections				
a. Sid	a. Side Lot Line Setbacks - Minimum				
i.	Buildings up to 23.0m in Height:	0.0m			
ii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height :	10.0m			
iii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a non- Residential use with an exterior wall greater than 23.0m in Height:	6.0m			
b. Re	ar Lot Line Setbacks – Minimum				
i.	Buildings up to 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m in Height :	8.0m			
ii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m and up to 18.0m in Height :	8.0m			
iii.	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height :	10.0m			
iv.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall greater than 5.0m in Height :	6.0m			
V.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall up to 5.0m in Height :	0.0m			
c. Pro	c. Projections into Setbacks – Maximum				
i.	Balconies , cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens:	2.0m			
ii.	Exterior wall treatments, insulation and rainscreen systems:	0.13m			

5. Motor Vehicle and Bicycle Parking

- a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.
- b. Notwithstanding the requirements in Part 5 of this bylaw, all motor vehicle parking must be located within a **Building**.

6. Lot Coverage and Open Space

(Intentionally left blank)

7. Lot Dimension and Area

(Intentionally left blank)

8. 5	8. Site Specific Regulations				
	Column A	Column B	Column C		
	Civic and Legal Address	Regulations	Conditions		
1.	1321 Blanshard Street LOT A OF LOTS 368-	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m			
	370, 385-387 VICTORIA, VIP83640	c. Bonus Density of Development for all uses: 5.0:1	i. At least 80% of the Floor Area is used for Office uses; ii. The south and west frontages of any Building on the site are glazed and used for Retail Trade or restaurant uses only; iii. Public art having a value of at least \$100,000 is provided on the site; and iv. At least 160 motor vehicle parking spaces are provided underground on the site and at least 125 of the spaces are made available for general public use after ordinary office hours.		
2.	1515 Douglas Street 750 Pandora Ave.	Note: In this subsection, the "Development Areas" are those of CORMORAN	,		
	LOT 1 OF LOT 1247, 1248 AND 1257 VICTORIA EPP27886 Development Area – A (DA-A) Development Area – B (DA-B)	1515 DA-A DA (2786.13m²) PANDORA A			

Development Area - A a. Maximum Building Height: 29.0m b. Maximum Density of Development: 2.91:1 c. Maximum Floor Area for Residential uses: in Development Area DA-A must not exceed 7.468m². d. Up to 258m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from floor area calculations. e. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the Owner who requires the parking spaces. f. Maximum Lot Coverage: 78% g. Bonus Density of Development: 3.7:1 a. At least 140 motor vehicle parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the Oity restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.			
2.91:1 c. Maximum Floor Area for Residential uses: in Development Area DA-A must not exceed 7,468m². d. Up to 258m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from floor area calculations. e. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the Owner who requires the parking spaces. f. Maximum Lot Coverage: 78% g. Bonus Density of Development: 3.7:1 a. Maximum Building Height: 56.5m b. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the City restricting the use of the Parking Area and an easement in favour of the City restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city restricting the use of the Parking Area and an easement in favour of the city rest	Development Area - A	a. Maximum Building Height: 29.0m	
uses: in Development Area DA-A must not exceed 7,468m². d. Up to 258m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from floor area calculations. e. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the parking spaces. f. Maximum Lot Coverage: 78% g. Bonus Density of Development: 3.7:1 i. At least 140 motor vehicle parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of two woner who requires the motor vehicle parking spaces.			
for mechanical equipment on the uppermost Storey of a Building may be excluded from floor area calculations. e. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the parking spaces. f. Maximum Lot Coverage: 78% g. Bonus Density of Development: 3.7:1 i. At least 140 motor vehicle parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		uses: in Development Area DA-A must	
be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the parking spaces. f. Maximum Lot Coverage: 78% g. Bonus Density of Development: 3.7:1 i. At least 140 motor vehicle parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		for mechanical equipment on the uppermost Storey of a Building may be excluded from floor area	
g. Bonus Density of Development: 3.7:1 i. At least 140 motor vehicle parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the	
parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by cyclists are provided on the site. Development Area - B a. Maximum Building Height: 56.5m b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		f. Maximum Lot Coverage: 78%	
b. Maximum Density of Development 2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		g. Bonus Density of Development: 3.7:1	parking spaces are provided underground on the site in addition to those otherwise required by Section 7 of this Part; ii. At least 34 Bicycle Parking Long-term spaces and 34 storage lockers for use by
2.86:1 c. Up to 400m² of Floor Area used for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.	Development Area - B	a. Maximum Building Height: 56.5m	
for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area calculations. d. Motor vehicle parking spaces may be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.			
be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.		for mechanical equipment on the uppermost Storey of a Building may be excluded from Floor Area	
e. Maximum Lot Coverage: 61%		be provided on a separate Lot within Development Area DA-A or DA-B, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the motor vehicle parking spaces.	
		e. Maximum Lot Coverage: 61%	

		m.Bonus Density of Development: 5.88:1	i. A public walkway with an average width of 3.7m and a minimum width at all points of 3m is constructed on the site to connect Pandora Avenue and Cormorant Street, and secured by a statutory right of way and covenant in favour of the City.
3.	1701 Douglas Street/770 Fisgard Street LOT 1 OF LOTS 692 TO 696 INCLUSIVE, AND OF LOTS 707 TO 711 INCLUSIVE, VICTORIA,EPP3862 (Development Area 1)	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m c. Motor vehicle parking spaces may be provided on a separate Lot within Development Area 1, 2 or 3, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the parking spaces. d. The only Building setback that is required is a setback from each of Herald, Blanshard, Fisgard and Douglas Streets of 1 cm for each 5cm of building Height that exceeds 10m. e. Bonus Density of Development for all uses: 3.26:1	i. At least 50% of the Floor Area of each development area is Residential; ii. A public walkway at least 3.7m wide is constructed on the site to connect Herald Street to Fisgard Street at a point approximately equidistant from Douglas and Blanshard Streets, and secured by a statutory right of way in favour of the City; and iii. The owner enters into a housing agreement with the City that requires at least 10% of Dwelling Units on the site to be adaptable units and that all Dwelling Units on the site be available for occupancy under a residential tenancy agreement.

4.	780 Fisgard Street LOT 2 OF LOTS 696 TO 698 INCLUSIVE, AND OF LOTS 705 TO 707 INCLUSIVE, VICTORIA EPP3862 EXCEPT PART IN AIR SPACE EPP38768 (Development Area 2)	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m c. Motor vehicle parking spaces may be provided on a separate Lot within Development Area 1, 2 or 3, including an air space parcel, if the parking site is charged by a covenant in favour of the City restricting the use of the Parking Area and an easement in favour of the owner who requires the parking spaces d. The only Building setback that is required is a setback from each of Herald, Blanshard, Fisgard and Douglas Streets of 1cm for each 5cm of Building Height that exceeds 10m. e. Bonus Density of Development: 4.88:1	i. At least 50% of the Floor Area of each development area is Residential; ii. A public walkway at least 3.7m wide is constructed on the site to connect Herald Street to Fisgard Street at a point approximately equidistant from Douglas and Blanshard Streets, and secured by a statutory right of way in favour of the City; and iii. The owner enters into a housing agreement with the City that requires at least 10% of Dwelling Units on the site to be adaptable units and that all dwelling units on the site be available for occupancy under a residential tenancy agreement.
5.	1700 Blanshard Street LOT A, OF LOTS 699 TO 700 INCLUSIVE, AND OF LOTS 703 TO 707 INCLUSIVE, VICTORIA, PLAN 13333, EXCEPT PART IN PLAN EPP3862 (Development Area 3)	a. Maximum Density of Development: 3.0:1 b. Motor vehicle parking spaces may be provided on a separate Lot within Development Area 1, 2 or 3, if the parking site is charged by a covenant in favour of the City restricting the use of the parking area and an easement in favour of the owner who requires the parking spaces. c. The only Building setback that is required is a setback from each of Herald, Blanshard, Fisgard and Douglas Streets of 1cm for each 5cm of Building Height that exceeds 10m.	

	d. Bonus Density of Development for all uses: 7.47:1	i. At least 50% of the Floor Area of each development area is Residential; ii. A public walkway at least 3.7m wide is constructed on the site to connect Herald Street to Fisgard Street at a point approximately equidistant from Douglas and Blanshard Streets, and secured by a statutory right of way in favour of the City; and iii. The owner enters into a Housing Agreement with the City that requires at least 10% of Dwelling Units on the site to be adaptable units and that all Dwelling Units on the site be available for occupancy under a residential tenancy agreement.
1406 Blanshard Street	a. Maximum Density of Development:	, 0
LOT 2 OF LOTS 147 & 148, VICTORIA, VIS6683	3.0:1 b. Maximum Building Height: 43.0m c. There are no minimum front, side or rear yard setbacks required	
	d. Bonus Density of Development for all uses: 6.06:1	i. At least 3700m² of Residential Floor Area is provided; ii. Retail Trade and restaurant uses only are operated at grade level; iii. Landscaped open space accessible to the public is provided between the Building on the site and the adjacent Streets; and iv. All motor vehicle parking spaces other than those for visitor use are provided underground.
1810 Blanshard Street LOT A, OF LOTS 717-720, VICTORIA, VIP52793	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit, and for Office uses is 1 space per 170m² of Floor Area.	
	d. Bonus Density of Development for all uses: 5.0:1	i. The site has an area of at least 2,000m²; ii. No fewer than 80 underground motor vehicle parking spaces are provided on the Lot; and iii. At least 10% of the area of the Lot adjacent to the intersection of Blanshard and Herald Streets is an open plaza to a Height of at least 5.5m above grade.
	LOT 2 OF LOTS 147 & 148, VICTORIA, VIS6683 1810 Blanshard Street LOT A, OF LOTS 717-720, VICTORIA,	1810 Blanshard Street LOT 2 OF LOTS 147 & 12. Maximum Building Height: 43.0m c. There are no minimum front, side or rear yard setbacks required 1810 Blanshard Street LOT A, OF LOTS 717-720, VICTORIA, VIP52793 A Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit, and for Office uses is 1 space per 170m² of Floor Area. 1. Maximum Density of Development: 3.0:1 2. Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit, and for Office uses is 1 space per 170m² of Floor Area. 3. Maximum Density of Development: 3.0:1 3. Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit, and for Office uses is 1 space per 170m² of Floor Area. 3. Maximum Density of Development: 3.0:1

8.	720 Broughton Street LOT A PLAN VIP59410 VICTORIA OF LOTS 57 58 59 AND 60	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit and for Office uses is 1 space per 95m² of Floor Area, and no other motor vehicle parking or Loading Spaces are required.	
		d. Bonus Density of Development for all uses: 4.6:1	i. The site has an area of at least 2,500m²; ii. All motor vehicle parking spaces are provided underground; iii. At least 425m² of open space is provided on the site; and iv. At least 50% of the site frontage on Douglas and Broughton Streets is in use for Retail Trade, restaurant or Financial Services uses having direct pedestrian access from one of those streets.
9.	732 Cormorant Avenue	a. Maximum Density of Development:	
	STRATA PLAN VIS5950	3.0:1 b. Maximum Building Height: 43.0m c. Residential uses are permitted on the First Storey. d. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.6 spaces per Dwelling Unit.	
		e. Bonus Density of Development for all uses: 4.75:1	i. At least 50% of the Floor Area on the site is Residential.
10.	809 Douglas Street LOT 1 OF LOTS 95-98	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 43.0m	
	AND 104, VICTORIA VIS6797	c. Bonus Density of Development for all uses: 5.5:1	i. At least 10,000m² of Residential Floor Area is provided; ii. Retail Trade and restaurant uses only are operated at grade level; iii. Landscaped open space accessible to the public is provided at grade level; iv. All motor vehicle parking spaces other than those for visitor use are provided underground; and v. Public art having a value of at least \$150,000 is provided on the site.

4.4	4405 D	- Madinian Bandle, CB 1	
11.	1405 Douglas Street LOT 1 OF LOTS 139 & 140, VICTORIA, PLAN 21972	a. Maximum Density of Development for all uses: 4:1 b. Maximum Building Height: 43.0m c. Individual Retail Trade and restaurant premises must have a Floor Area of at least 70m². d. Grade level Douglas Street site frontage and Johnson Street site frontage that is within 6m of Douglas Street may be used only for Retail Trade and restaurant uses. e. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit.	
12.	741 Fisgard Street LOT 684 & LOT 683, VICTORIA, EXCEPT PART SHOWN COLOURED RED ON PLAN 316 BL, THE E 1/2 OF LOT 685 AND THE W 1/2 OF LOT 685,	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 58.0m c. At least 140 motor vehicle parking spaces must be provided underground. d. At least 42 bicycle parking spaces must be provided. e. Bonus Density of Development for all uses: 7.6:1	A public walkway at least 3.7m wide is constructed on the
13	VICTORIA		site at mid-block to connect Fisgard Street to the southerly Boundary of the site, and secured by a statutory right of way in favour of the City; ii. A statutory right of way is granted to the City for the 2m wide portion of the site adjacent to Blanshard Street for sidewalk, bicycle lane and boulevard improvement uses; iii. A public walkway at least 3.7m wide is constructed on the site at mid-block to connect Fisgard Street to the southerly Boundary of the site, and secured by a statutory right of way in favour of the City; iv. A statutory right of way is granted to the City for the 2 m wide portion of the site adjacent to Blanshard Street for sidewalk, bicycle lane and boulevard improvement uses; v. Public art having a value of at least \$350,000 is provided on the site; and vi. The owner contributes at least \$100,000 to the City's Housing Reserve Trust Fund.
13.	834 Johnson Street	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 41.0m	

	STRATA PLAN EPS522	c. Bonus Density of Development for all uses: 5.76:1	i. The Floor Area of Office uses may not exceed 60% of the area of the site; ii. The Floor Area of non-Residential uses, excluding areas used for underground motor vehicle parking spaces, may not exceed 50% of the Floor Area on the site; iii. Non-Residential uses other than Home Occupations are not permitted above the second Storey; iv. The minimum number of offstreet motor vehicle parking spaces for Residential uses is 0.65 spaces per Dwelling Unit, and no motor vehicle parking spaces are required for non-Residential uses; and v. At least 15% of the area of the site must be open space.
14.	1250 Quadra Street LOT A PLAN 19445	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 37.0m	
	VICTORIA OF LOTS 311/314 849 Yates LOT 315 VICTORIA	c. Bonus Density of Development for all uses: 4.0:1	i. The owner enters into a housing agreement with the City that requires at least 33 Dwelling Units on the site to be rental units. ii. At least 35% of the area of the site is open space; and iii. All motor vehicle parking spaces are provided underground.
15.	1400 Quadra Street ⁷ LOT A OF LOTS 396, 397 AND 398 VICTORIA CITY PLAN EPP67310	a. Maximum Building Height : 43.0m	
		b. Bonus Density of Development for all uses: 5.5:1	i. The owner enters into a housing agreement with the City that requires all Dwelling Units on the site to be rental units in perpetuity. ii. Only Residential uses are permitted on Storeys above the First Storey of a Building.
		c. Storefront Cannabis Retailer is a permitted use ⁸	i. only one storefront cannabis retailer at a time is permitted on the lot; ii. the use does not occupy more than 200m²; and iii.the maximum store frontage of

⁷ Bylaw No. 18-115. Adopted Jan. 17, 2019. ⁸ Bylaw No. 20-078. Adopted Sept. 3, 2020. <u>CBD-2</u>

			the storefront cannabis retailer facing a street is 8.5m.
16.	835 View Street STRATA PLAN VIS3578	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 37.0m c. At least 39% of the area of the site must be open space. d. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.55 spaces per Dwelling Unit.	Ţ.
		e. Bonus Density of Development for all uses: 4.4:1	 For any Building with at least 8000m² of Floor Area used for Residential uses, and the proportion of Residential use of the site is unrestricted.
17.	728 Yates Street STRATA PLAN EPS2516	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 48.0m	
		c. Bonus Density of Development for all uses: 6.4:1	i. The façade of the Building at 738-740 Yates Street is conserved, including restoration of the brick Parapet and upper façade brick; ii. Grade level Yates Street site frontage and the site frontage on the walkway is used only for Retail Trade and restaurant uses; and iii. A landscaped area of at least 50m² is provided for public use between any Building on the site and Yates Street.
18.	743 Yates Street	a. Maximum Density of Development: 3.0:1	
	STRATA PLAN VIS4308	b. Maximum Building Height: 46.5m c. Bonus Density of Development for all uses: 5.4:1	i. At least 150m² of Floor Area is in use for child care services; ii. At least 50m² of open space is provided along each Lot Line that abuts a Street; iii. At least 43 motor vehicle parking spaces are provided in addition to those otherwise required by Section 7 of this Part; and iv. At least 50% of the site frontage on View and Yates Streets is in use for Retail Trade, Office or Financial Services uses having direct pedestrian access from one of those streets.

		d. Bonus Density of Development for all uses: 5.6:1	i. The conditions described above in sub sections (i.) thru (iv.) are met and an area equal to at least 20% of the site area is in use for an enclosed public arcade or mall.
19.	819 Yates Street LOT A, DISTRICT LOTS 306, 307, 324 & 325, VICTORIA, PLAN 33016	a. Maximum Density of Development: 3.0:1 b. Maximum Building Height: 55.0m c. Residential uses may be located on the First Storey. d. Buildings with frontage on Yates Street must be sited at least 1.4m from the Street to the 10m Height level and 3.5m from the Street above that level. e. Buildings with frontage on View Street must be sited at least 1.5m from the Street to the 10m Height level and 5.3m from the Street above that level. f. Buildings must be sited at least 3.0m from the easterly Boundary of the site.	
		g. Bonus Density of Development for all uses: 5.83:1	i. A public walkway at least 3.0m wide is constructed on the site to connect Yates Street to View Street along the easterly Boundary of the site, and secured by a statutory right of way in favour of the City. ii. At least 80% of the Floor Area is Residential iii. The owner enters into a housing agreement with the City that requires at least 10% of Dwelling Units on the site to be adaptable units and that all Dwelling Units on the site be available for occupancy under a residential tenancy agreement for at least 10 years following issuance of an occupancy permit for any Dwelling Unit; iv. Public art having a value of at least \$100,000 is provided on the site; and v. The owner contributes at least \$100,000 to the City's Housing Reserve Trust Fund.
20.	836 Yates LOT A OF LOTS 373 & 382, VICTORIA, PLAN 60321	a. Maximum Density of Development for all uses: 4.0:1 b. Maximum Building Height: 43.0m c. The minimum number of off-street motor vehicle parking spaces for Residential uses is 0.25 spaces per Dwelling Unit.	

4.34.7 Mixed Use Residential District-1 Zone (MRD-1)

1. Permitted Uses a. Assembly

b. Assisted Living Facility

c. Care Facility

d. Civic Facility

e. Financial Service

f. Food and Beverage Service

g. Home Occupation

h. Office

i. Personal Service

j. Residential

k. Residential Lock-off Unit

Lk. Retail Trade

m. Small-scale Commercial Urban Agriculture

n.l._Studio

e.m._Utility

1.1 Location and Siting of Uses and Structures

- a. Non-Residential uses, other than Home Occupation, are not permitted above the second Storey.
- b. A maximum 50% of the Floor Area may be used for non-Residential uses.

2. Density of Development

a. **Density of Development** - Maximum for **Office**:

0.6:1

3. Height - Maximum

a. Height - Maximum:

30.0m

b. Projections into **Height**:

i. Parapets:

1.0m

ii. Rooftop Structures:

5.0m

4. Setbacks and Projections

- a. Front Lot Line Setback Minimum
 - i. Buildings with Residential use on First Storey:
 - ii. Buildings with non-Residential use on First Storey: 0.5m
- b. Projections into Setbacks Maximum:
 - i. Balconies, cornices, guardrails, fin walls, slab edges,
 - eaves, window overhangs and sunscreens:
 - ii. Exterior wall treatments, insulation and rainscreen

systems:

0.6m 0.13m

3.5m

5. Motor Vehicle and Bicycle Parking

- a. Notwithstanding the requirements contained in Part 5 of this bylaw, no motor vehicle parking is required.
- Notwithstanding the requirements contained in Part 5 of this bylaw, all motor vehicle parking must be located within a <u>Building</u>.

4.44.8 Old Town District-1 Zone (OTD-1)

1. Permitted Uses		
a. Art and Cultural Facility	k. Food and Beverage Service	
a. <u>b.</u> Assembly	I. Home Occupation	
b.c. Assisted Living Facility	I.m. Hotel	
e.d. Brew Pub (beer, spirits, wine)	m.n. Office	
d.e. Care Facility	n.o. Personal Service	
e.fCivic Facility fCultural Facility	o. <u>p.</u> Residential	
g. Dock, Pier and Wharf	p. Residential Lock-off Unit	
g.h. Drinking Establishment	q. Retail Liquor Sale	
h.i. Equipment Rental	r. Retail Trade	
Financial Service	s. Small-scale Commercial Urban Agriculture	

u.t._Utility

1.1 Location and Siting of Uses and Structures

Food and Beverage Service

k.j._Home Occupation

- No First Storey Office use is permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway.
- b. The display of rental sports equipment and rental motorized vehicles, other than automobiles are permitted outside of a **Building** for the use of **Equipment Rental**.
- i. The production and manufacturing area for a Brew Pub (beer, spirits, wine) must not be located above the First Storey and is not permitted within 6m of the wall of any Building that abuts a Street or pedestrian walkway, except where the Brew Pub (beer, spirits, wine) is provided in conjunction with Retail Trade or Food and Beverage Service.
 - ii. Not more than 35% of the First Storey Floor Area of a Brew Pub (beer, spirits, wine) may be used for the production and manufacturing of beer, spirits, wine and other alcoholic beverages.
- d. Residential uses and Hotel guest rooms are not permitted on the First Storey of a Building, except where located directly adjacent to, and where direct access is provided to a lane, alleyway, through-block walkway or interior courtyard.

2.	2. Density of Development	
a.	Density of Development - Maximum:	3.0:1
b.	Density of Development - Maximum for Office within any Building constructed after 1914.	1.0:1

3.	3. Height - Maximum		
a.	Height - Maximum:	15.0m	
b.	Projections into Height :		
	i. Parapets:	1.0m	
	ii. Rooftop Structures:	5.0m	

4. Setbacks and Projections

- a. Projections into **Setbacks** Maximum:
 - i. Balconies, cornices, guardrails, fin walls, slab edges, eaves, window overhangs and sunscreens:
 - ii. Exterior wall treatments, insulation and rainscreen

systems:

0.6m 0.13m

5. Motor Vehicle and Bicycle Parking

- Motor vehicle parking is only required for any **Lot** that has an overall area of 1100m² or greater, and subject to paragraph (b), shall be provided in accordance with Part 5 of this bylaw.
- Notwithstanding the requirements in Part 5 of this bylaw, all motor vehicle parking must be located within a b. Building.

6. Lot Coverage and Open Space

(Intentionally left blank)

7. Lot Dimension and Area

(Intentionally left blank)

8.	8. Site Specific Regulations			
	Column A	Column B	Column C	
	Civic and Legal Address	Regulations	Conditions	
1.	10 Bastion Square Parcel E (DD 169756-I) of Lots 197, 198, 200 & 204	Off-street motor vehicle parking is not required		
2.	28 to 30 Bastion Square Lot 1 Plan VIP17052	a. Off-street motor vehicle parking is not required		
3.	1215 Broad Street Lot 1 Plan VIP64889	a. Maximum Building Height : 43.0m		
4.	1306-1324 Broad Street, 615- 625 Johnson Street and Parts of 622 and 630 Yates Street ⁹ Lot 159A, Victoria City, Except the Westerly 10 Feet,	0.00a. Dollus Delisity Ol	Rehabilitation and retention of the existing east and west Duck'sBuilding facades and the west rubble wall of the Duck's Carriage Factory building in accordance with Heritage Designation Bylaws No. 21-077 and 21-078	
	Lot 160A, Victoria City, Except the Westerly 10 Feet, Lot 2, District Lot 161-A, Victoria City, Plan 5500		ii. A public laneway with a width of 3.0m, constructed at the western boundary of the site for a length or 30.5m, and secured by a StatutoryRight-of-Way and covenant in favour of the City.	
	Lot 1, of Lots 161-A and 162-A, Victoria		iii. Payment of \$80,000 to the Victoria Housing Reserve Fund.	

⁹ Bylaw No. 21-075. Adopted Sept. 23, 2021.

OTD-1

	O:+ . DI 5500	I	
	City Plan 5500 Lot "A" of Lots 161-A		
	and 162-A. Victoria		
	City, Plan 3564		
5.	1415 to 1419 Broad Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 666 Plan CITY		
6.	525 Broughton Street	a. Maximum Density of Development for	
		all uses: 3.0:1	
7.	Strata Plan VIS730	Mariana Ballalla a Halada 04 0a	
/.	608 Broughton Street	a. Maximum Building Height: 34.0m	
	Lot 1 Plan EPS1336	b. Bonus Density of Development: 5.1:1	i. Retail Trade or restaurant provided as the principal ground level uses; and ii. A minimum of 45 motor vehicle parking spaces are provided, of which at least 35 are located underground and two are permitted to be stacked one behind the other.
8.	617 Broughton Street	a. Parkade is a permitted use. b. Maximum Density of Development:	
	Lot A Plan VIP14044	3.9:1	
9.	1 Centennial Square	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 2 Plan VIP76432	an 4363. 5.5.1	
10.	629 Chatham Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 633 Plan CITY		
11.	635 Chatham Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 632 Plan CITY		
12.	611 to 623 Chatham Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 634 & 635 Plan CITY		
13.	619 - 625 Courtney Street Lot 4 Plan VIS4624	a. Maximum Building Height: 20.3m b. Maximum Floor Area for Brew Pub (beer, spirits, wine): 250m²	
	201 1 1 1 1 1 1 1 1 1 2 1	c. Bonus Density of Development: 4.6:1	i. A minimum of 630m² of the
		d. Strata Hotel is a permitted use	First Storey area of a Building and at least 50% of the Building's interior First Storey area adjacent to Street frontage are devoted to Retail Trade or restaurant use.
14	631 - 639 Courtney Street 634/38 Humbolt Street 808 Douglad Douglas Street	The minimum number of off-street motor vehicle parking spaces for Residential Uses is 0.25 spaces per Dwelling Unit .	
	Lot 1 Plan 26451		

15.	818 Douglas Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 2 Plan VIP26451		
16.	850 Douglas Street	a. Maximum Building Height: 43.0m	
	Lot 1 Plan VIP16810		
17.	1150 Douglas Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot A Plan VIP48135		
18.	1200 Douglas Street	a. Maximum Building Height : 43.0m	
	Lot B Plan VIP48444		
19.	1214 Douglas Street	a. Maximum Building Height : 43.0m	
	Lot A Plan VIP48444		
20.	1222 Douglas Street	a. Maximum Building Height : 43.0m	
	S. Pt. Lot 426 & E. Pt. Lot 427 and Pcl. A of Lots		
	427/428 City Plan		
21.	1280 Douglas Street	a. Maximum Building Height: 43.0m	
	Lot 426 Plan CITY		
22.	1402 Douglas Street	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 200m²;
	The Easterly 60 Feet of Lot 671 Plan CITY	,	ii. Only one Storefront Cannabis Retailer at a time is operational on the Lot.
23.	1672 Douglas Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot A Plan VIP11299		
24.	1708 Douglas Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 609 & 610 Plan CITY		
25.	1720 Douglas Street	a. Maximum Density of Development for all uses: 3.0:1	
	LOT 611 & 612, VICTORIA, CITY		

26.	1802 Douglas Street	a. Maximum Building Height: 26.0m	
	Lot 1 Plan VIP36720	b. Bonus Density of Development: 5.0:1	i. At least 270m² of First Storey space is provided for Retail Trade or restaurant use; ii. At least 17m of linear Building Floor Area along Herald Street is used for Retail Trade or restaurant use; iii. At least 10% of the Lot Area adjacent to the Street intersection is maintained as a Street level open plaza to a distance of not less than 5.5m above Street level; and iv. A minimum of 60 underground on-site motor vehicle parking spaces are provided.
27.	1850 Douglas Street Lot A Plan VIP25475	a. Maximum Density of Development for all uses: 3.0:1	
28.	505 Fisgard Street Lot A Plan VIP42419	Maximum Floor Area used for the production and manufacturing of beer, spirits, wine and other alcoholic beverages is the lesser of 190.4m² or 46% of the site area.	
29.	517-519 Fisgard Street Lot 4 Plan EPS1833 524-528 Pandora Ave. Lot 2 Plan EPS1833 530 Pandora Ave. Lot 1 Plan EPS1833	a. Maximum Density of Development: 5.5:1 b. Parkade is a permitted use. c. Off-street motor vehicle parking is not required	
30.	618 Fisgard Street Lot 604 Plan CITY	a. Maximum Density of Development for all uses: 3.0:1	
31.	625 Fisgard Street Lot 1 Plan VIP76432	a. Maximum Density of Development for all uses: 3.0:1	
32.	638 Fisgard Street Lot 1 Plan VIP55957	a. Residential uses may be located on the First Storey except within 3m from any Street. b. Maximum Building Height: 22.0m c. Bonus Density of Development: 4.0:1	i. A minimum Density of Development of 2.0:1 is provided for Residential uses.
33.	520 Fort Street Lot A Plan VIP23498	a. Maximum Density of Development for all uses: 3.0:1	provided for Nestachilla ases.
34.	623 Fort Street	a. Bicycle Parking, Short-Term stalls are not required.	

	Lot A Plan VIP87839	b. Bonus Density of Development: 3.38:1 for all uses	i. At least 75% of the total Floor Area of the Building is provided exclusively for Office uses.
35.	685-695 Fort Street 1060-1080 Douglas Street	a. Maximum Building Height : 43.0m	
	Lot 1 Plan VIP16563		
36.	801 Government Street Lot A Plan VIP27815	Off-street motor vehicle parking is not required	
37.	888 Government Street Lot A Plan EPP69462	a. Maximum Floor Area for Brew Pub (beer, spirits, wine): 175m² b. Maximum Building Height: 17.7m c. Maximum Floor Area for Retail Liquor Sale: 50m² where provided as an accessory use to Brew Pub (beer, spirits, wine). d. Off-street motor vehicle parking is not required.	
		e. Bonus Density of Development: 4.0:1	 i. Rehabilitation of the façade of the existing Customs House on the westerly portion of the site in accordance with Heritage Revitalization Agreement Bylaw no. 15-057.
38.	900 Government Street Lot Plan VIP918 BL	a. Maximum Density of Development for all uses: 3.0:1	
39.	910 Government Street 955 Wharf Street 525 Broughton Street Strata Plan VIS612 Strata Plan VIS730	a. Maximum Density of Development for all uses: 3.0:1 b. A minimum of 220 motor vehicle parking spaces shall be provided c. A minimum of 15% of the total ground Floor Area abutting Wharf Street and Government Street shall be used for Retail Trade. d. A maximum of 85% of the total ground Floor Area abutting Wharf Street and Government Street shall be used for Office.	
40.	1001 Government Street	a. Maximum Building Height: 16.0m	
	Lot 7 & 8 Plan VIP2671	b. Maximum Density of Development: 4.1:1	i. Where Retail Trade, Offices and financial institutions have direct access to and are located along at least 50% of the Street frontage along Government Street.
41.	1230 Government Street	a. Maximum Density of Development for	
	Lot 1 Plan VIP7696	all uses: 3.0:1	
)TD.		1	Zoning Bylaw 2018 Blackline I 8

OTD-1

42.	1312 Government Street	a. Maximum Building Height: 18.6m	
	Lot 1 Plan EPS1881	b. Bonus Density of Development:	i. A conservation covenant of the
	1314 Government Street	3.85:1	existing Building is provided ii. A Housing Agreement is established to require that all
	Lot 2 Plan EPS1881 Portion on Roadway Lot Plan EPP37406		Residential dwellings in this Zone are provided as rental units.
43.	1411 Government Street	a. Maximum Density of Development: 3.32:1	
	Lot 1 Plan VIS4995		
44.	1450 Government Street	a. Maximum Density of Development: 2.2:1	
	Lot 1 Plan VIS6012	b. Maximum Building Height : 15.2m c. Maximum Lot Coverage : 70%	
	595 Pandora Ave.		
	Lot 1 Plan VIP77724		
	599 Pandora Ave.		
	Lot 2 Plan VIS6012		
45.	1701 Government Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot A Plan VIP2779		
46.	1725 Government Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 1 Plan EPS569		
47.	1885 Government Street	<u>a.</u> Maximum Density of Development: <u>for all uses:</u> 4.13:1	
	Lot A Plan VIP45681		
48.	461 Herald Street Lot A Plan VIP33307	Residential uses are prohibited Maximum Density of Development for Office and all other uses: 1.5:1	
	LOLA PIAIT VIPSSSUT		: At least 500m² of First Oteron
		c. Bonus Density of Development: 2.0:1	i. At least 500m² of First Storey area is used for Retail Trade or restaurant.
49.	517 Herald Street	a. Off-street motor vehicle parking is not required	
	Lot 1, Victoria, Plan 14527		
50.	530 - 532 Herald Street	a. Off-street motor vehicle parking is not required	
	Lot A Plan VIP68503	·	
51.	536 Herald Street	a. Off-street motor vehicle parking is not required	
	Lot A Plan VIP72416		
52.	601 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 3 Plan EPS569		

53.	610 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	LOT 620, 621, AND 622, VICTORIA		
54.	613 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 617 Plan CITY		
55.	618 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 623 Plan CITY		
56.	624 Herald Street Lot 624 Plan CITY	a. Maximum Density of Development for all uses: 3.0:1	
57.	648 - 652 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 3 Plan VIS5362		
58.	655 Herald Street Lot A Plan VIP42094	a. Maximum Density of Development for all uses: 3.0:1	
59.	658 Herald Street	a. Maximum Density of Development for all uses: 3.0:1	
	Lot 626 Plan City		
60.	681 Herald Street Lot 613 Plan CITY	a. Maximum Density of Development for all uses: 3.0:1	
C4		- Off short makes we high mentions in mak	
61.	521 Johnson Street Lot A Plan VIP34849	Off-street motor vehicle parking is not required	
62.	634 Johnson Street	a. Only the following uses are permitted:	
OZ.	Lot A Plan VIP34894	Hotel, Retail Trade and restaurant b. Maximum Density of Development: 5.23:1	
		c. Maximum Building Height: 23.0m	
63.	506 Pandora Ave.	a. The maximum Floor Area used for	
	Lot 1 Plan EPP35103	production or manufacturing within a Brew Pub (beer, spirits, wine) is the lesser of 190.4m ² or 44% of the Lot Area.	
		b. The maximum Floor Area for a Drinking Establishment is 146.2m ²	
64.	595 Pandora Ave.	a. Off-street motor vehicle parking is not required	
	Lot 1 Plan VIP77724		
65.	599 Pandora Ave. Lot 2 Plan VIS6012	Off-street motor vehicle parking is not required	
66		a Maximum Elear Area: 6702m²	
66.	603 Pandora Ave.	a. Maximum Floor Area: 6793m² b. Maximum Building Height: 23.1m c. Maximum Lot Coverage: 89%	


	Lot 1 Plan VIP7110	d. Bonus Density of Development: 4.57:1	i. Rehabilitation of the existing Plaza Hotel Building in accordance with Heritage Revitalization Agreement (603-607 Pandora Avenue) Bylaw No. 13-040; ii. Construction of a public plaza at the corner of Government Street and Pandora Avenue valued at least \$180,000; and iii. Payment to the City of Victoria of \$27,500 to contribute to the long term maintenance of the public water feature to be constructed as part of the public plaza.
67.	625 Pandora Street Lot 1 Plan VIP32978	a. Maximum Density of Development for all uses: 3.0:1	
68.	1441 Store Street	a. Maximum Density of Development: 4.0:1	
	Lot 1 Plan VIS1580		
69.	Lots 1 to 127 Plan EPS3614 456 Pandora Avenue Lots 1 to 127 Plan EPS3614	The grade of a Building means the elevation calculated to be the arithmetical average of the elevations of the highest and lowest points on the Street boundaries of the Lot on which the Building is situated. Off-street motor vehicle parking is not required	
70.	1622 - 1624 Store Street Lot A Victoria EPP70042	Off-street motor vehicle parking is not required	
71.	1624 Store Street Lot 1 Plan VIP5617	a. The grade of a Building means the elevation calculated to be the arithmetical average of the elevations of the highest and lowest points on the Street boundaries of the Lot on which the Building is situated.	
72.	Parcel A (DD 83205I) of Lot 126 City Plan	a. The grade of a Building means the elevation calculated to be the arithmetical average of the elevations of the highest and lowest points on the Street boundaries of the Lot on which the Building is situated.	

73.	1705 Store Street Lot 1 of Lot 451, 452, 467 & 468 Victoria City Plan VIP76332	a. Automotive Repair is the only permitted use on the south half of the Lot. b. Maximum Building Height: 11.0m c. Not more than one Building is permitted on the Lot. d. Minimum setback to any Street on the south half of the Lot: 4.5m e. Off-street motor vehicle parking is not required on the north half of the Lot.	
74.	1720 Store Street Lot A Plan VIP18303	a. Residential uses are prohibited b. Maximum Density of Development for Office and all other uses: 1.5:1 c. Off-street motor vehicle parking is not required d. Bonus Density of Development: 2.0:1	i. At least 500m² of First Storey area is used for Retail Trade or restaurant.
75.	407-409 Swift Street Lot 100 Plan VIS4930	a. Docks, public washrooms and showers are permitted uses. b. Maximum Floor Area used for production or manufacturing within a Brew Pub (beer, spirits, wine): 200m² c. Off-street motor vehicle parking is not required	
76.	440 Swift Street Lot A Plan VIP85421	a. Docks, public washrooms and showers are permitted uses. b. Maximum Density of Development: 1.5:1 c. Maximum Floor Area used for production or manufacturing within a Brew Pub (beer, spirits, wine): 200m² d. Off-street motor vehicle parking is not required	
77.	450 Swift Street Lot 1 Plan VIP36884	a. Docks, public washrooms and showers are permitted uses. b. Maximum Density of Development: 1.5:1 c. Maximum Floor Area used for production or manufacturing within a Brew Pub (beer, spirits, wine): 200m²	
78.	467 Swift Street Lot A Plan VIP49848	a. The grade of a Building means the elevation calculated to be the arithmetical average of the elevations of the highest and lowest points on the Street boundaries of the Lot on which the Building is situated.	
79.	650 View Street Lot C Plan VIP48444	a. Maximum Building Height : 43.0m	
80.	1019 Wharf Street Lot 1 Plan VIP21300	a. Off-street motor vehicle parking is not required	

_			
81.	503 Yates Street	a. Off-street motor vehicle parking is not required	
	Lot 1 Plan VIP7167	•	
82.	524 Yates Street	a. Off-street motor vehicle parking is not required	
	Lot 1 Plan VIS6630	·	
83.	566-68 Yates Street 10	a. Storefront Cannabis Retailer is a permitted use	i. Only one storefront cannabis retailer at a time is permitted
	PID: 001-011-219,		on the lot;
	The East 1/2 of Lot		ii. The use does not occupy more
	183, Victoria City,		than 151m ² .
	Except the South 56		
	Feet of the East 9		
	Inches Thereof		
84.	575 Yates Street	a. Off-street motor vehicle parking is not required	
	Lot 2 Plan VIP18712		
85	615 Yates Street	a. Off-street motor vehicle parking is not required	
	Lot 1 Plan VIP38582	required	
86.	1150 Douglas Street, 600-670 Fort Street, 1125-1199 Government Street and 647-655 ViewStreet ¹¹	a. Storefront Cannabis Retailer is apermitted use	The use does not occupy more than 155m2; and Only one Storefront Cannabis Retailer at a time is operationalon the Lot.
	Lot A (DD EC116724), Of Lots 121, 169, 169A, 170, 170A, 404, 405, 406, 411, 412, 413, 414 and 415, Victoria City, Plan 48135		
87.	901-919 Gordon Street, 617-635 Broughton Street and 620-628 Courtney Street ¹²	a. Storefront Cannabis Retailer is a permitted use	The use does not occupy more than 160m2; and Only one Storefront Cannabis Retailer at a time is operationalon the Lot.
	Lot A, of Lots 229, 230, 235, 236, 237 and 525, Victoria City, Plan 14044		

¹⁰ Bylaw No. 21-071. Adopted July 29, 2021.
11 Bylaw No. 20-125. Adopted Jan. 14, 2021.
12 Bylaw No. 20-117. Adopted Jan. 14, 2021.
0TD-1

4.9 Industry, Arts & Innovation – 1 Zone (IAI-1)



2. Permitted Uses		
a. Accessory Building	j. Light Industrial	
b. Art and Cultural Facility	k. Office	
c. Assembly	I. Personal Service	
d. Automotive Repair	m. Retail Trade	
e. Brew Pub (beer, spirits, wine)	n. Utility	
f. Civic Facility	o. Veterinary Clinic	
g. Drinking Establishment		
h. Food and Beverage Service		
i. Laboratory		

3. Setbacks and Projections		
a. Front Lot Line Setback - Minimum	<u>0m</u>	
b. Flanking Street Lot Line Setback -	<u>0m</u>	

Part 4 - Zones			
<u>Mini</u>	i <u>mum</u>		
c. Side	e Lot Line Setback - Minimum		
<u>i.</u>	Buildings up to 23.0m in Height:	<u>0.0m</u>	
<u>ii.</u>	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height:	<u>10.0m</u>	
<u>iii.</u>	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a non-Residential use with an exterior wall greater than 23.0m in Height:	<u>6.0m</u>	
d. Rea	r Lot Line Setback - Minimum	_	
<u>i.</u>	Buildings up to 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m in Height:	8.0m	
<u>ii.</u>	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 5.0m and up to 18.0m in Height:	8.0m	
<u>iii.</u>	Buildings greater than 23.0m in Height - for any portion of a Building supporting or sheltering a Residential use with an exterior wall greater than 18.0m in Height:	<u>10.0m</u>	
iv.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall greater than 5.0m in Height :	<u>6.0m</u>	
V.	Any portion of a Building supporting or sheltering a non- Residential use with an exterior wall up to 5.0m in Height :	<u>0.0m</u>	
	ections into Setbacks – Maximum		
S	ialconies, cornices, guardrails, fin walls, lab edges, eaves, window overhangs and unscreens:	2.0m	
	erior wall treatments, insulation and ainscreen systems:	<u>0.13m</u>	

4. Sub Area 1 (Light Industrial Employment Area)		
f. Additional permitted uses	i. Dock, Pier and Wharf ii. Equipment Rental iii. Heavy Industrial	
g. Density of Development – Maximum	3.0:1	
h. Mezzanine space located within the First Stor	ey is exempt from Floor Area.	
i. Lot Area on the ground floor that must be occupied by Light Industrial, Heavy Industrial, Automotive Repair, Laboratory or Equipment Rental Floor Area – Minimum	65%	
j. Height – Maximum	<u>30m</u>	
iv. Height of the First Storey – Minimum	<u>4.5m</u>	
v. Height of the First Storey where a mezzanine is included – Minimum	<u>6.0m</u>	
vi. Height for any Buildings or structures on a Dock, Pier and Wharf – Maximum	<u>6.0m</u>	
k. Lot Coverage – Maximum	90%	

5. Sub Area 2 (Douglas West)		
a. Additional permitted uses	i. Financial Service ii. Hotel iii. Retail Liquor Sales iv. Studio	
b. Location and Siting of Uses and Structures		
i. Studio is not permitted on the ground fl	<u>oor</u>	
c. Density of Development – Maximum	5.0:1	
d. Mezzanine space located within the First Sto	orey is exempt from Floor Area.	
e. Height – Maximum	<u>45m</u>	
f. Lot Coverage – Maximum	90%	

6. Sub Area 3 (Rock Bay Slope)			
a. Additional permitted uses	ii. Equi iii. Finar iv. Hom v. Hote vi. Resi	<u>dential</u> il Liquor Sale	!
b. Location and Siting of Uses and Structures			
i. A minimum of 65% of the Lot Area on the ground floor that m Automotive Repair, or Equipment Rental – Minimum ii. A minimum 65% of the second Storey Floor Area must be of Laboratory, Assembly or Personal Service iii. Residential is not permitted on the ground floor or second St	ccupied by Ligh	nt Industrial,	<u>-</u> _
			
iv. Notwithstanding paragraph iii., Studio is permitted on the sec	cond Storey of	a Building	
c. Density of Development – Maximum			
i. Density of Development – Maximum where there is no Residential use	<u>5.5:1</u>		
ii. Density of Development – Maximum where Building contains Residential or Studio use	4.0:1		
iii. Density of Development – Maximum where Building contains:	<u>5.5:1</u>		
A. Residential or Studio use and			
B. Art and Cultural Facility that occupies at least 5% of total Floor Area of the Building	<u>f</u> [
d. Mezzanine space located within the First Storey is exempt from FI	oor Area.		
e. Height			
<u>i. Height – Maximum</u>	<u>HA-2</u>	<u>HA-3</u>	<u>HA-4</u>
	<u>60m</u>	<u>50m</u>	<u>45m</u>
ii. Height of the First Storey – Minimum	<u>4.5m</u>		•
iii. Height of the First Storey where a mezzanine is included – Minimum	<u>6.0m</u>		
f. Lot Coverage – Maximum	80%		

7. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

<u>8. 5</u>	ite Specific Regulation	<u>s</u>	
	Column A	Column B	Column C
	Civic and Legal Address	Regulations	Conditions
1.	649 Bay Street and 2404 Douglas Street	a. Residential is permitted as a standalone use.	i. Maximum Density of Development for standalone Residential is 1.6:1.
2.	726 Discovery Street Lot A Victoria City District Plan EPP143247	Residential Dwelling Units located on the Lot may only be occupied pursuant to Residential Rental Tenure Bonus Density of Development: 3.5:1	and five adaptable Dwelling Units constructed in accordance with National Standards of Canada standards for barrier- free design iii. A mid-block crosswalk on Discovery Street adjacent to the development
3.	2000-2030 Douglas Street, 650-664 Discovery Street and 649 Pem Street Lot 1 Victoria City Plan EPP128447	a. Storefront Cannabis Retailer is a permitted use	i. The use does not occupy more than 72m²; ii. Be located on the ground floor; and iii. Only one Storefront Cannabis Retailer at a time is operationalon the Lot.
4.	2204-2224 Douglas Street Lot 1 Section 3 Victoria District Plan Vip75881	a. Vehicle Sales and Rental is a permitted use.	
<u>5.</u>	732 Field Street Lot 6, Block 1, Section 3, Victoria, Plan 779	a. Residential is permitted as a standalone use.	i. Maximum Density of Development for standalone Residential is 1.6:1.
<u>6.</u>	2014 Government Street Lot 3 Of Lots 518 & 519. Victoria, VIS7114	Residential is a permitted use. Residential is only permitted above the First Storey.	
<u>7.</u>	2520 Government Street Lot A Section 4 Victoria District Plan EPP137195	a. Vehicle Sales and Rental is a permitted use.	
8.	2546 Government Street Lot 1, Section 4, Victoria District, Plan VIP53335	a. Vehicle Sales and Rental is a permitted use.	
9.	2620 Government Street Lot 1 Section 4 Victoria District Plan 27423 Lot A (DD B1006) Block W	a. Vehicle Sales and Rental is a permitted use.	

Section 4 Victoria District Plan 33-A	
LOT A Section 4 Victoria District Plan 37129 Except Part In Plan VIP60234	

4.10 Marine Industrial – 1 Zone (MI-1)

1. Permitted Uses		
a. Accessory Building	g. Laboratory	
b. Civic Facility	h. Light Industrial	
c. Dock, Pier and Wharf	i. Marine Industrial	
d. Equipment Rental	j. Retail Trade	
e. Foodstand	k. Office	
f. Heavy Industrial	I. Utility	

1.1 Location and Siting of Uses and Structures

- a. Office is only permitted:
 - i. As an accessory use normally associated with a principal use; and,
 - ii. To occupy no more than 25% of the First Storey Floor Area
- b. Retail Trade is only permitted:
 - i. As an accessory use normally associated with a principal use; and,
 - ii. To occupy no more than 50% of the First Storey Floor Area
- c. Outdoor storage must:
 - Have a concrete or asphalt surface;
 - ii. Be graded and drained in accordance with sound engineering principles;
 - iii. Be separated by a landscape screen of at least 1.5m in height and 60cm in width where adjoining a Lot zoned for predominantly Residential purposes; and,
- iv. be separated from any **Street** by a landscape screen of at least 1.0m in width.

Density of Development a. Density of Development – Maximum b. Mezzanine space located within the First Storey is exempt from Floor Area.

<u>3.</u>	3. Height		
<u>a.</u>	Height – Maximum:	<u>15m</u>	
<u>b.</u>	Height for equipment, silos, Cisterns and other similar structures	<u>20m</u>	
<u>C.</u>	Height for any Buildings or structures on a Dock. Pier and Wharf – Maximum	<u>6m</u>	

4. Setbacks and Projections		
a. Front Lot Line Setback - Minimum	<u>0m</u>	
b. Side Lot Line Setback - Minimum	-	
i. Any portion of a Building less than 10m in Height when adjacent to a Lot zoned for Residential	<u>3m</u>	

MI-1 Page 100 of 115

	ii. Any portion of a Building 10m or higher when adjacent to a Lot zoned for Residential	<u>7.5m</u>
	iii. All other Side Lot Line Setback	<u>0m</u>
<u>C.</u>	Flanking Street Lot Line Setback - Minimum	<u>0m</u>
<u>d.</u>	Rear Lot Line Setback - Minimum	<u>0m</u>

5. Motor Vehicle and Bicycle Parking

a. All motor vehicle and bicycle parking shall be provided in accordance with Part 5 of this bylaw.

6. Lot Coverage a. Lot Coverage - Maximum 90%

<u>8. S</u>						
	Column A	Column B	Column C			
	Civic and Legal Address	Regulations	Conditions			
<u>1.</u>	2300-2330 Government Street	a. Brew Pub (beer, spirits, wine) is a permitted use.				
	LOT A, SECTIONS 3 & 4, AND OF DISTRICT LOT 121, VICTORIA, AND PART OF THE BED OF THE PUBLIC HARBOUR OF VICTORIA, PLAN 48591					

MI-1 Page 101 of 115

Part 5 - Requirements for Motor Vehicle and Bicycle

5.1 Off-Street Parking Regulations

1. Parking Requirements

1.1 Application of Requirements

- a) The minimum number of parking spaces required for each use must be calculated to the nearest whole number.
- b) Where a **Building** contains more than one use, the total number of parking spaces required shall be the sum of the number of parking spaces required for each use, or type of use, calculated separately.
- c) If a use is not specifically listed in Table 1 or Table 2 of this Part, the number of parking spaces required shall be calculated on the basis of a use or class of use that is most similar to the actual use, based on parking demand characteristics.
- Unless otherwise stated, all references to "floor area" in this Part shall be calculated as total Floor Area.
- e) For the purpose of calculating parking requirements under this Bylaw, in addition to all internal Floor Area, all outside seating and serving areas located on a lot and associated with a Brew Pub (beer, spirits, wine), Drinking Establishment or a Food and Beverage Service use shall be counted as Floor Area.
- Mhere a variance has been granted to reduce the required number of off-street parking spaces, the number of parking spaces required by section 1.2 of this Part shall be used to calculate the required number of Accessible Parking Spaces or Van Accessible Parking Spaces.

1.11.2 Required Vehicle and Bicycle Parking Spaces

a)g) The owner or occupier of any land or of any Building or other structure for each use present on the land or in the Building or other structure, must provide off-street vehicle parking spaces in accordance with Table 1.

Table 1: Minimum Number of Required Vehicle Parking Spaces

Column A	Column B	Column C			
Use or Class of Use	Minimum Parking Spaces	Minimum Visitor Parking Spaces			
Low Density Residential	Low Density Residential				
Single-Detached Dwelling or Duplex	1.0 space per Dwelling Unit	<u>n/a</u>			
Secondary Suite, Garden Suite or a Building constructed as a single-detached dwelling or duplex, to create a duplex, multiple dwelling, Assisted Living Facility or a Child Care Facility	<u>n/a</u>	<u>n/a</u>			
Condominium- (Dwelling Unit in a- Building regulated- by the Strata Property Act)Townhouse, houseplex or	0.65 <u>77</u> spaces per Dwelling Unit -thatis less than 45m ²	0.401 spaces per Dwelling Unit			

Part 5 - Requirements for Motor Vehicle and Bicycle

Heritage Conserving Infill				
	0.80 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²			
Multiple Dwellings	GRD-1 Zone	1.20 spaces per- Dwelling Unit thatis more than- 70m ² LVD-1 Zone, CVD-1 Zone, TCD-1 Zone, IAI-1 Zone, MI-1 Zone	CBD-1 Zone, CBD- 2 Zone, MRD-1 Zone, OTD- 1 Zone	
Apartment (Dwelling Unit secured as rental in perpetuity through a legal agreement) or	0.75 spaces per Dwelling Unit thatis less than 45m²	0.60 spaces per Dwelling Unit thatis less than 45m²	0.50 spaces per Dwelling Unit thatis less than 45m ²	0.10 spaces per Dwelling Unit
Residential Rental Tenure zoning)	0.90 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²	0.70 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²	0.60 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²	
	1.30 space per Dwelling Unit that ismore than 70m²	1.10 space per Dwelling Unit that ismore than 70m ²	1.0 space per Dwelling Unit that ismore than 70m ²	
Affordable Dwelling	0.20 spaces per Dwelling Unit thatis less than 45m ²			0.10 spaces per Dwelling Unit
Units secured in perpetuity through a legal agreement)	0.50 spaces per Dwelling Unit thatis equal to 45m² and up to 70m² 0.75 spaces per Dwelling Unit thatis more than			
All other multiple dwellings	70m² 0.85 spaces per Dwelling Unit thatis less than 45m²	0.70 spaces per Dwelling Unit thatis less than 45m ²	0.65 spaces per Dwelling Unit thatis less than 45m ²	0.10 spaces per Dwelling Unit
	1.00 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²	0.85 spaces per Dwelling Unit thatis equal to 45m² and up to 70m²	0.80 spaces per Dwelling Unit thatis equal to 45m^2 and up to 70m^2	
	1.45 spaces per Dwelling Unit thatis more than	1.30 spaces per Dwelling Unit thatis more than	1.20 spaces per Dwelling Unit thatis	

	<u>70m²</u> <u>70m²</u>		more than 70m ²				
Assisted Living Facility, Care Facility or transitional housing and emergency shelters	1 space per 80m² Floor Area		0.35 spaces per Dwelling Unit or residential unit		0.10 spaces per Dwelling Unit or residential unit		
Commercial	GRD-1 Zone		Zone, TCD-1	one, TCD-1 Zone, Zone, MRD-1		D-1 Zone, CBD-2 ne, MRD-1 Zone, OTD-1 Zone	
Drinking Establishment	<u>n/a</u>		1 space per 70m ² 1 space per 600 Floor Area Floor Area				
Financial Service	1 space per 37.5m Floor Area	<u>1²</u>	1 space per 40m ² 1 space per 5 Floor Area		ace per 50m² or Area		
Food and Beverage Service	1 space per 20m² Floor Area					pace per 40m ² por Area	
Hotel	0.25 spaces per room		-0.50 spaces per room			r room	
<u>Office</u>	1 space per 50m ² Floor Area		1 space per 55m ² Floor Area			1 space per 70m ² Floor Area	
Personal Service	1 space per 37.5m Floor Area	<u>1²</u>			_	1 space per 50m ² Floor Area	
Retail Trade	1 space per 37.5m Floor Area	<u>1²</u>				space per 80m² oor Area	
<u>Institutional</u>	GRD-1 Zone				o-1 Zone, CBD-2 e, MRD-1 Zone, o-1 Zone		
Art and Cultural Facility	1 space per 40m ² Floor Area		1 space per 80m² Floor Area				
<u>Assembly</u>	1 space per 80m² Floor Area						
Civic Facility	1 space per 80m² Floor Area						
Industrial							
Warehouse	1 space per 100m² Floor Area						
All other industrial uses	1 space per 140m² Floor Area						

b)h) The owner or occupier of any land or of any **Building** or other structure for each use present on the land or in the **Building** or other structure, must provide off-street bicycle parking spaces in accordance with Table 2 of this Part and calculated in accordance with Table 2 of this Part.

Table 2: Minimum Number of Required Bicycle Parking Spaces

Column A	Column B	Column C
Use or Class of Use	Minimum Number of Bicycle Parking, Long-Term Spaces	Minimum Number of Bicycle Parking Short-Term Spaces
Residential		
Single-Detached Dwelling or Duplex. Secondary Suite, Garden Suite	<u>n/a</u>	<u>n/a</u>
A Building constructed as a single-detached dwelling or duplex, to create a duplex, multiple dwelling. Assisted Living Facility or a Child Care Facility	1 space per Dwelling Unit, except where the Dwelling Unit has access to a private garage	<u>n/a</u>
Townhouse, houseplex or Heritage Conserving Infill	1 space per Dwelling Unit , except where the Dwelling Unit has access to a private garage	The greater of 6 spaces per Building or 0.1 spaces per Dwelling Unit
Condominium (Dwelling Unit in a	1 space per Dwelling Unit that is less than 45m ²	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
Building regulated by the Strata Property Act)	1.25 spaces per Dwelling Unit that is 45m² or greater	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
Apartment (Dwelling Unit secured as	1 space per Dwelling Unit that is less than 45m ²	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
rental in perpetuity through a legal agreement <u>) or</u> through Residential Rental Tenure zoning)	1.25 spaces per Dwelling Unit that is 45m² or greater	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
Affordable Dwelling	1 space per Dwelling Unit that is less than 45m ²	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
Units secured in perpetuity through a legal agreement)	1.25 spaces per Dwelling Unit that is 45m² or greater	The greater of 6 spaces per building or 0.10 spaces per Dwelling Unit
Assisted Living Facility	1 space per 20 Dwelling Units or residential unit	1 space per 50 Dwelling Units or residential units
Commercial		
Brew Pub (beer, spirits, wine)	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Drinking Establishment	1 space per 400m² of Floor Area , or part thereof	1 space per 100m² of Floor Area , or part thereof
Equipment Rental	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Financial Service	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Food and Beverage Service	1 space per 400m² of Floor Area plus outside seating and serving area, or part thereof	1 space per 100m² of Floor Area plus outside seating and serving area, or part thereof
Hotel	1 space per 25 rooms	1 space per 40 rooms
Office	1 space per 150m² of Floor Area , or part thereof	1 space per 400m² of Floor Area , or part thereof
Personal Service	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Retail Liquor Sale	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof

Commercial Continued		
Retail Trade	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Storefront Cannabis Retailer	1 space per 200m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
Institutional		
Assembly	-	1 space per 200m² of Floor Area , or part thereof
Civic Facility	1 space per 400m² of Floor Area , or part thereof	1 space per 400m² of Floor Area , or part thereof
Art and Cultural Facility	1 space per 450m² of Floor Area , or part thereof	1 space per 130m² of Floor Area , or part thereof
Care Facility	1 space per 700m² of Floor Area , or part thereof	1 space per 200m² of Floor Area , or part thereof
<u>Industrial</u>		
All industrial uses	1 space per 1,200m² of Floor Area, orpart thereof	6 spaces

2. Vehicle Parking Appearance

- a) Each vehicle parking space must be clearly delineated on the parking surface.
- b) Each visitor vehicle parking space required under this bylaw must be clearly identified for
- c)b) the sole use of visitors.
- d)c) __All vehicle parking spaces must be surfaced with asphalt, concrete, pavers, or permeable material that provides a durable, slip-resistant surface.¹³


3. Vehicle Parking Location and Dimensions


- All vehicle parking spaces required under this bylaw must be provided on the same Lot as the Building or use which they serve.

 as the Building or use which they serve.
- b) A vehicle parking space must have **Unobstructed Access**.
- All vehicle parking spaces and Drive Aisles must have dimensions not less than those identified in Figure 1 of this Part.
 identified in Figure 1 of this Part.

Figure 1: Minimum Parking Space and **Drive Aisle** Dimensions (all measurements in metres)


¹³ Bylaw No. 22-025. Adopted June 23, 2022.





- d) One way access and egress through the Parking Area is required where:
 - i) Moremore than one vehicle parking space is provided in the Parking Area, and
 - Thethe vehicle parking spaces are not configured parallel or perpendicular to the Drive Aisle.
- e) A vehicle parking space that abuts a structure on one side, such as a wall or column,
- fle) must have a minimum width of 2.7m.
- g) A vehicle parking space that abuts a structure on both sides, such as a wall or column,
- h)f) must have a minimum width of 3.0m.
- i)g) Where a vehicle parking space or **Drive Aisle** is located underground or covered by a roof, a minimum unobstructed height clearance of 2.1m must be provided between the floor and any mechanical equipment, or, if there is no mechanical equipment, between thefloor and the ceiling.
- Where a Drive Aisle or parking space is located within 6.0m of a Street Boundary it must comply with applicable grade requirements prescribed in this Part and the HighwayAccess Bylaw.
 - i) The maximum grade for a **Drive Aisle** or parking stall is 8%.
 - ii) He maximum grade for a **Driveway** is 15%.

Example: Maximum Grades for Parking Areas



Example parkade configuration

4. Electric Vehicle Charging Infrastructure Requirements 14

- a) The owner or occupier of any land or any Building or other structure, for each use present on the land or in the Building or other structure, must:
 - prevideProvide Energized Electric Vehicle Outlets for parking spaces in accordance with Table 3.
 - submit Submit a letter of assurance from a qualified registered professional that all Energized Electric Vehicle Outlets meet the specifications prescribed in the Electric Vehicle Charging Infrastructure Technical Bulletin (2020).
- a) Energized Electric Vehicle Outlets shall not be placed within the minimum vehicle
- b) _parking space dimensions or **Drive Aisle** identified in Figure 1, Part 5.
- c) Where an Electric Vehicle Energy Management System is implemented, the owner of the Building must submit a letter of assurance from a qualified registered professional that the Electric Vehicle Management System meets the requirements prescribed in the Electric Vehicle Charging Infrastructure Technical Bulletin (2020).
- d) Section 5.1.4 does not apply to visitor parking spaces.

Table 3: Minimum Number of Required Energized Electric Vehicle Outlets

Use or Class of Use	Minimum Number of Energized Electric Vehicle Outlets
Residential	
Single-Detached Dwelling or Duplex	1 per required vehicle parking space
Secondary Suite, Garden Suite or House Conversion	<u>n/a</u>
Townhouse, houseplex or Heritage Conserving Infill	1 per required vehicle parking space
Condominium (Dwelling Unit in a Building regulated by the <i>Strata Property Act</i>)	1 per required vehicle parking space
Apartment (Dwelling Unit secured asrental in perpetuity througha legal agreement)	1 per required vehicle parking space
Affordable (Affordable Dwelling Units secured in perpetuitythrough a legal agreement)	1 per required vehicle parking space
Assisted Living Facility	1 per required vehicle parking space
All other residential uses not specifically identified inthis table	1 per required vehicle parking space
Commercial	
Number of Vehicle Parking Spaces Provided	
<5	0
>5	1 Energized Electric Vehicle Outletor 5% of the total number of requiredvehicle parking spaces, whichever isgreater

¹⁴ Bylaw No. 20-075. Adopted Oct. 1, 2020.


5. Bicycle Parking Specifications


- All bicycle parking spaces required under this bylaw must be provided on the same Lot as the <u>BuildingBuilding</u> or use which they serve.
- b) Each Bicycle Parking, Short-Term space required under this bylaw must be:
 - i) designed and installed to the minimum dimensions shown in Table 3 of this Part;
 - ii) provided as a bicycle rack that is permanently anchored to the ground or a wall.
- c) Each Bicycle Parking, Short-Term space required under this Bylaw in association with a residential use must be located within a maximum distance of 15.0m from a Building entrance that is accessible by visitors.
- d) Notwithstanding section (c), where a minimum of 6 Bicycle Parking, Short-Term spaces are located within 15.0m of each Building entrance that is accessible by visitors, any additional required spaces may be provided in a location that is further than 15.0m from a Building entrance.
- e) Each **Bicycle Parking, Short-Term** space required under this Bylaw in association with a commercial or institutional use must be located a maximum distance of 15.0m from a **Building** entrance that is accessible by the pubic.
- f) Notwithstanding section (e), where a minimum of 6 Bicycle Parking, Short-Term spaces are located within 15.0m of each Building entrance that is accessible by the public, any additional required spaces may be provided in a location that is further than 15.0m from a Building entrance.
- g) Each Bicycle Parking, Short-Term space required under this bylaw in association with an industrial use must be located within a maximum distance of 15.0m from the primary Building entrance.

Table 4: Minimum Dimensions for Bicycle Parking (all minimum dimensions measured in metres)

	,			,
	Ground Anchored Rack Wall Mount		ited Rack	
Angle of Rack (in an aerial perspective, measured from the plane of the nearest wall of a Building)	>45 degrees	<45 degrees	>45 degrees	<45 degrees
Minimum stall depth	1.8	1.45	1.2	1.2
Minimum aisle width	1.5	1.5	1.5	1.5
Minimum distance between bicycle racks (for racks that accommodate no more than one bicycle)	0.45	0.65	0.45	0.65
Minimum distance between bicycle racks (for racks that accommodate two or more bicycles)	0.9	1.3	0.9	1.3
Minimum distance between bicycle racks and entrance door to bicycle storage facility	0.6	0.6	0.6	0.6

Example: Bicycle Parking, Short-Term Configuration








- h) Each Bicycle Parking, Long-Term space required under this bylaw must:
 - be designed and installed to the minimum dimensions shown in Table 4 of this Part;
 - ii) be provided as a bicycle rack that is permanently anchored to the ground or a
 - iii) have a minimum unobstructed height clearance of 2.1m between the floor and anymechanical equipment, or, if there is no mechanical equipment, between the floor and the ceiling;
 - be provided in a secure, weather-protected, dedicated bicycle parking facility accessible to residents, employees or other identified users of the Building;
 - v)
 —be located in a bicycle parking facility accessible through an entry door with a minimum width of 0.9m; and
 - vi) vi.—be located within one floor of **Finished Grade** and, if accessed by a stairwell only,the stairwell must include a ramp for bicycles.
- i) At least half of the Bicycle Parking, Long-Term spaces required under this bylaw

mustbe ground anchored.

Example: Bicycle Parking Long-Term Configurations







6. Bicycle Parking Exemptions

- a) Notwithstanding sectionPart 5.1.1(.2.(b):
 - Bicycle Parking, Short Term spaces are not required to be provided where the siting and design of a Building existing on the date of adoption of this bylaw physically prohibits such spaces from being provided on a Lot;
 - ii) No additional Bicycle Parking, Short Term or Bicycle Parking, Long Term spaces are required to be provided where only alterations or changes of use to aBuilding are proposed and the Building existed on the date of adoption of this bylaw; and
 - iii) If additions are proposed to a **Building** existing on the date of adoption of this bylaw, additional **Bicycle Parking**, **Short Term** and **Bicycle Parking**, **Long Term** spaces must be provided for the additional bicycle parking required with respect to the **Building** addition only.

7. Accessible Parking 15

7.1 Required Accessible Parking Spaces

a) 1.—The owner or occupier of any land or any Building or other structure, for each use listed in Table 5 present on the land or in the Building or other structure, must provide the corresponding minimum number of off-street Accessible Parking Spaces and Van Accessible Parking Spaces in accordance with Table 5. For example, if an owner is required to provide 27 vehicle parking spaces for a commercial use pursuant to Table 1, the owner must provide 1 Accessible Parking space,1 Van Accessible Parking Space and 25 vehicle parking spaces.

Table 5: Minimum Number of Required Accessible Parking Spaces and Van Accessible Parking Spaces

arking Spaces	Use or Class of Use:	
All residential uses liste	d in Table 1 except Assisted Li	ving Facility (see below)
All	commercial uses listed in Tab	le 1
Number of Parking Spaces	Minimum Number of	Minimum Number of Van
Required per Table 1	Accessible Parking Spaces	Accessible Parking Spaces
0-5 spaces	n/a	n/a
6-25 spaces	0	1
26-50 spaces	1	1
51-75 spaces	2	1
76-100 spaces	3	1
101 spaces or more	1 Accessible Parking Space	See section 7.1.2
·	for every 25 parking spaces	
Number of Visitor Parking	Minimum Number of Visitor	Minimum Number of Visitor
Spaces Required per Table	Accessible Parking Spaces	Van Accessible Parking
1		Spaces
0-5 spaces	n/a	n/a
6-25 spaces	0	1
26-50 spaces	1	1
51-75 spaces	2	1
76-100 spaces	3	1
101 spaces or more	1 Accessible Parking Space for every 25 parking spaces	See section 7.1.2
	Use or Class of Use:	
	Assisted Living Facility	
Number of Parking Spaces	Minimum Number of	Minimum Number of Van
Required per Table 1	Accessible Parking Spaces	Accessible Parking Spaces
See Table 1	15% of required vehicle	See section 7.1.2
	parking spaces	
Number of Visitor Parking	Minimum Number of Visitor	Minimum Number of Visitor
Spaces Required per Table 1	Accessible Parking Spaces	Van Accessible Parking Spaces
See Table 1	15% of required vehicle parking spaces	See section 7.1.2

2. Where:


 $^{^{\}rm 15}$ Bylaw No. 22-025. Adopted June 23, 2022.


- a) only one Accessible Parking Space is required, the space must be a Van Accessible Parking Space;
- b) between two and six Accessible Parking Spaces are required, a minimum of one of these spaces must be a Van Accessible Space;
- c) more than six Accessible Parking Spaces are required, the requirement for a Van Accessible Space is triggered at each multiple of six Accessible Parking Spaces, for example:
 - where 7-12 Accessible Parking Spaces are required, a minimum of two of these spaces must be Van Accessible Spaces;
 - where 13-18 Accessible Parking Spaces are required, a minimum of three of these spaces must be Van Accessible Spaces;
 - iiii) where 19-25 Accessible Parking Spaces are required, a minimum of four of these spaces must be Van Accessible Spaces.


7.2 Accessible Parking Dimensions and Specifications

- All Accessible Parking Spaces and Van Accessible Parking Spaces required under this Bylaw must be provided on the same Lot as the Building or use which they serve.
- b) Accessible Parking Spaces and Van Accessible Parking Spaces must have a maximum grade of 5% in any direction.
- c) Each Accessible Parking Space required under this Bylaw must be designed, marked, and installed to the minimum dimensions and specifications by the applicable configuration shown in Figure 2 of this Part.

Figure 2: Minimum Accessible Parking Space dimensions










d) Each Van Accessible Parking Space required under this Bylaw must be designed, marked, and installed to the minimum dimensions and specifications in accordance with the applicable configuration shown in Figure 3 of this Part.

Figure 3: Minimum Van Accessible Parking Space dimensions









- e) An access aisle must be included with each Accessible Parking Space with the specifications and minimum dimensions shown in Figure 2, Part 5 and with each Van Accessible Space with the specifications and minimum dimensions shown in Figure 3, Part 5.
- f) Where an Accessible Parking Space or Van Accessible Parking Space is situated immediately adjacent to another Accessible Parking Space or Van Accessible Parking Space, then the access aisle may be shared between the two spaces.


- g) Each Accessible Parking Space or Van Accessible Parking Space must be marked with the Dynamic Symbol of Access in accordance with the dimensions and specifications illustrated in Figures 2 and 3, Part 5.
- h) A wall mounted or standalone vertical sign must be installed at each Accessible Parking Space or Van Accessible Parking Space in accordance with the specifications illustrated in Figure 4, Part 5 and the lowest part of the sign must be located:
 - a) a minimum of 2.1m above Finished Grade, or
 - a minimum of 1.5m above Finished Grade when wall mounted or when the roof height of a parkade, carport or similar Building or structure in which the associated parking space is located prevents compliance with subsection (a).

Figure 4: Accessible parking sign specifications



Schedule A - CBD-2 Zone_ Height Areas Map





Schedule B - Small-Scale Commercial Urban Agriculture

1. Products

- Subject to subsection (b), only the following items may be cultivated, harvested, kept, sorted, cleaned and packaged as part of Small-scale Commercial Urban Agriculture:
 - i. Fruits
 - ii. Vegetables
 - iii. Edible flowers
 - iv. Edible fibre
 - v. Edible seeds
 - vi. Nuts
 - vii. Seedlings and cuttings of edible plants
 - viii. Culinary herbs
 - ix. Eggs
 - x. Honey
 - xi. Mushrooms
- b. Plants regulated under the Controlled Drug and Substances Act (Canada) may not be produced as part of **Small-scale Commercial Urban Agriculture**

2. Sale on Lot

Sale of products of Small-scale Commercial Urban Agriculture is permitted on a Lot on which Small-scale Commercial Urban Agriculture occurs, regardless of whether Retail Trade is permitted, provided it occurs:

- a. within a Foodstand located in the Front Yard; or
- b. as a component of any of the following permitted uses of the **Lot**:
 - i. Retail Trade
 - ii. Food and Beverage Service
 - iii. any other use which permits the sale of the items in section 1(a)

3. Foodstand


A Foodstand must not:

- a. Exceed an area of 1.85m² and a Height of 3.35m
- b. Be located within 0.60m of a Lot Line
- c. Be fully enclosed
- d. Remain on the Front Yard without items for sale in excess of eight consecutive days
- e. Hold, shelve or otherwise display an item unless it:
 - i. is listed in section 1(a) of this Schedule;
 - ii. was harvested on the Lot on which the Foodstand is located; and
 - iii. is displayed and sold in raw, unprocessed form.
- f. ____No more than one **Foodstand** may be used or erected on one **Lot**.

Schedule C - <u>Density Benefits</u> <u>Maximum Floor Space Ratio</u> for <u>Affordable Housing Development</u>

Density Benefits Zoning Bylaw Requirements for General Residential District - 1 Zone

1. For the purposes of section 3.2.1.a.ii., the maximum **Density of Development** for residential use of a **Lot** is shown on the below map.



Conditions	Maximum Density of Development
a. A Lot that is in a Priority Growth Area and meets either	2.6:1
of the following conditions:	2.0.1
i. All Dwelling Units on the Lot are secured by legal	
agreement as rental tenure in perpetuity or secured	
as Residential Rental Tenure zoning, or	
ii. The Building on the Lot was constructed prior to	
January 1, 2026, and all Dwelling Units on the Lot	
are secured by legal agreement as rental tenure for	
the greater of sixty years or the life of the Building .	
b. A Lot that is in a Priority Growth Area and meets either	2.6:1
of the following conditions:	
i. At least 0.5% of the total Floor Area of the	
Residential component of the development on the	
Lot is occupied by Below-market Homeownership	
<u>Units, or</u>	
ii. 0.5% of the total Floor Area of the Residential	
component of the development on the Lot is less	
than 300 square metres, and the owner provides a	
cash-in-lieu contribution at a rate of \$107.64 per	
square meter of Floor Area above the maximum	
Density of Development prescribed for that Lot in	
Part 4, subject to section c.	
c. The dollar amount set out in section b.ii. shall be adjusted	
annually on January 1 of each year by adding to the dollar	
amount specified an amount calculated by multiplying the	
dollar amount as of the previous January 1 by the annual	
percentage increase in the CPI for the most recently	
published twelve-month period.	
d. A Lot that is in a Priority Growth Area and all Dwelling	<u>2.75:1</u>
Units are within an Affordable Housing Development.	
e. A Lot that qualifies and utilizes the full density under a. or	2.75:1
b., and provides a minimum of 15% of the total Dwelling	
Units with at least three Bedrooms.*	
f. A Lot that is within the 200-meter Tier of a Transit	<u>3.51:1</u>
Oriented Area, and all Floor Area above the maximum	
Density of Development prescribed for that Lot in Part	
4 is Residential and within an Affordable Housing	
Development.	


Table 1: Density Conditions

b) Methodology for determining estimated capital costs and cash-in-lieu contribution for section b.ii.:


The analysis identified a conservative capital cost commensurate with 75% of estimated land lift for mid-rise wood frame strata housing applications seeking the maximum density levels of the bylaw. Aligning the required level of capital costs to 75% of the land lift associated with the increase in density maintains motivation for applicants to pursue the bonus density. Analysis suggested that the 75% of the land lift equates to the capital costs of providing 0.5% of total floor area as below-market homeownership unit(s) based on the case studies included in the financial analysis. The estimated capital costs associated with the required below-market homeownership unit(s) were then translated into an equivalent cash-in-lieu contribution of \$107.64 per square metre above the base density.

* For greater certainty, cash-in-lieu cannot be provided as an alternative to providing 15% of **Dwelling Units** as three **Bedrooms**.

Schedule D - Priority Growth Areas



Schedule E - Transit Oriented Areas



Schedule F - Transit Priority Network



READ A FIRST TIME the	12th	day of	July	2018
READ A SECOND TIME the	12th	day of	July	2018
PUBLIC HEARING HELD on the	26th	day of	July	2018
READ A THIRD TIME the	26th	day of	July	2018
ADOPTED on the	26th	day of	July	2018

"CHRIS COATES"

CITY CLERK

"LISA HELPS"

MAYOR