

- SURFACE DETAIL**
- STORM DRAIN MANHOLE
 - STORM DRAIN VENT
 - CATCH BASIN
 - DRAIN CLEANOUT
 - DRAIN LATERAL
 - SANITARY SEWER MANHOLE
 - SANITARY SEWER VENT
 - SEWER CLEANOUT

- LEGEND**
- CYCLE TRACK PICKET
 - HYDRO MANHOLE
 - HYDRO POLE
 - HYDRO POLE WITH DIP
 - JOINT POLE
 - HYDRO POLE WITH LIGHT
 - HYDRO SERVICE BOXES
 - HYDRO VAULT

- SEWER LATERAL
- WATER VALVE ON MAIN
- WATER SERVICE VALVE
- WATER METER
- BOULEVARD SERVICE
- FIRE HYDRANT
- REDUCER
- LIGHT MANHOLE
- LIGHT PULL BOX - SIDEWALK

- TEL MANHOLE
- TEL POLE
- TEL POLE WITH DIP
- TEL POLE WITH LIGHT
- TEL SERVICE BOXES
- TEL VAULT
- POLE ANCHOR
- HYDRO/TEL POLE TO BE RELOCATED

- SIGNAL PULL BOX - SIDEWALK
- LIGHT/SIGNAL PULL BOX - STREET
- LIGHT POLE (STEEL)
- SIGNAL POLE (STEEL)
- LIGHT/SIGNAL POLE (STEEL)
- CLUSTER LAMP - TYPE A
- CLUSTER LAMP - TYPE B
- STREET SIGN
- PARKING METER

- HYDRO/TEL POLE TO BE REMOVED
- GAS METER
- GAS VALVE
- GAS SNIFFER
- TEST HOLE
- FENCE LINE
- RETAINING WALL
- TREE
- ROCK OUTCROP

ENGINEERING AND PUBLIC WORKS

NO.	REVISION	DESCRIPTION	DATE
03	REVISED	60% DESIGN DRAWING	2016-JAN-11
02	ISSUED FOR	60% DESIGN DRAWING	2015-NOV-12
01	ISSUED FOR	40% DESIGN DRAWING	2015-NOV-04

GENERAL NOTES

- ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCD) & CITY SUPPLEMENTARY SPECIFICATIONS.
- USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
- MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 WORKING AROUND TREES.
- UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
- ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
- ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).



PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

PANDORA AVENUE TWO WAY CYCLING FACILITY

CITY OF VICTORIA

C50



LEGEND

SURFACE DETAIL				

ENGINEERING AND PUBLIC WORKS

NO.	REVISION DESCRIPTION	DATE
03	REVISED 60% DESIGN DRAWING	2016-JAN-11
02	ISSUED FOR 60% DESIGN DRAWING	2015-NOV-12
01	ISSUED FOR 40% DESIGN DRAWING	2015-NOV-02

GENERAL NOTES

1. ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCD) & CITY SUPPLEMENTARY SPECIFICATIONS.
2. USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
3. MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 - WORKING AROUND TREES.
4. UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
5. ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
6. ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).

PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

DRAWING TITLE
PLAN-PROFILE FROM STA. 0+445 TO 0+590

PROJECT
PANDORA AVENUE TWO WAY CYCLING FACILITY

CHECKED BY
RA

CITY ENGINEER
BT

APPROVED BY
C53 OF XX

SCALE
H 1:200 V 1:40



DRAWN BY
RA

DATE
2016-JAN-11

CITY OF VICTORIA

C53

DRAWING NUMBER



LEGEND

SURFACE DETAIL											
	STORM DRAIN MANHOLE		HYDRO MANHOLE		WATER VALVE ON MAIN		TEL MANHOLE		SIGNAL PULL BOX - SIDEWALK		HYDRO/TEL POLE TO BE REMOVED
	STORM DRAIN VENT		HYDRO POLE		WATER SERVICE VALVE		TEL POLE WITH DIP		LIGHT/SIGNAL PULL BOX - STREET		GAS METER
	CATCH BASIN		HYDRO POLE WITH DIP		WATER METER		TEL POLE WITH LIGHT		SIGNAL POLE (STEEL)		GAS VALVE
	DRAIN CLEANOUT		JOINT POLE		BOULEVARD SERVICE		TEL SERVICE BOXES		LIGHT POLE (STEEL)		GAS SNIFFER
	DRAIN LATERAL		HYDRO POLE WITH LIGHT		FIRE HYDRANT		TEL VAULT		LIGHT/SIGNAL POLE (STEEL)		TEST HOLE
	SANITARY SEWER MANHOLE		HYDRO SERVICE BOXES		REDUCER				CLUSTER LAMP - TYPE A		FENCE LINE
	SANITARY SEWER VENT				LIGHT MANHOLE		POLE ANCHOR		CLUSTER LAMP - TYPE B		RETAINING WALL
	SEWER CLEANOUT		HYDRO VAULT		LIGHT PULL BOX - SIDEWALK		HYDRO/TEL POLE TO BE REPLACED		STREET SIGN		TREE
									PARKING METER		ROCK OUTCROP

ENGINEERING AND PUBLIC WORKS

	SIGNAL PULL BOX - SIDEWALK		HYDRO/TEL POLE TO BE REMOVED
	LIGHT/SIGNAL PULL BOX - STREET		GAS METER
	LIGHT POLE (STEEL)		GAS VALVE
	SIGNAL POLE (STEEL)		GAS SNIFFER
	LIGHT/SIGNAL POLE (STEEL)		TEST HOLE
	CLUSTER LAMP - TYPE A		FENCE LINE
	CLUSTER LAMP - TYPE B		RETAINING WALL
	STREET SIGN		TREE
	PARKING METER		ROCK OUTCROP



GENERAL NOTES

1. ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCQ) & CITY SUPPLEMENTARY SPECIFICATIONS.
2. USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
3. MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 - WORKING AROUND TREES.
4. UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
5. ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
6. ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).

















































PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

DRAWING TITLE: PLAN-PROFILE FROM STA. 0+735 TO 0+875			
PROJECT: PANDORA AVENUE TWO WAY CYCLING FACILITY			
CHECKED BY: RA	CITY ENGINEER: BT	APPROVED BY: C55 OF XX	SCALE: H 1:200 V 1:40
DRAWN BY: RA	DESIGN BY: BT	SHT. No. C55 OF XX	DATE: 2016-JAN-11
		DRAWING NUMBER	



LEGEND

SURFACE DETAIL												
	STORM DRAIN MANHOLE		HYDRO MANHOLE		Y	SEWER LATERAL		TEL MANHOLE		SIGNAL PULL BOX -SIDEWALK		HYDRO/TEL POLE TO BE RELOCATED
	STORM DRAIN VENT		HYDRO POLE		W	WATER VALVE ON MAIN		TEL POLE		LIGHT/SIGNAL POLE BOX -STREET		GAS METER
	CATCH BASIN		HYDRO POLE WITH DIP		W	WATER METER		TEL POLE WITH DIP		LIGHT POLE (STEEL)		GAS VALVE
	DRAIN CLEANOUT		JOINT POLE		B	BOULEVARD SERVICE		TEL POLE WITH LIGHT		SIGNAL POLE (STEEL)		GAS SNIFFER
	DRAIN LATERAL		HYDRO POLE WITH LIGHT		F	FIRE HYDRANT		TEL SERVICE BOXES		LIGHT/SIGNAL POLE (STEEL)		TEST HOLE
	SANITARY SEWER MANHOLE		HYDRO SERVICE BOXES		R	REDUCER		TEL VAULT		CLUSTER LAMP - TYPE A		FENCE LINE
	SANITARY SEWER VENT		HYDRO VAULT		L	LIGHT MANHOLE		POLE ANCHOR HYDRO/TEL POLE TO BE RELOCATED		CLUSTER LAMP - TYPE B		RETAINING WALL
	SEWER CLEANOUT				S	LIGHT PULL BOX -SIDEWALK		PARKING METER		STREET SIGN		TREE
										ROCK OUTCROP		

ENGINEERING AND PUBLIC WORKS

	SIGNAL PULL BOX -SIDEWALK		HYDRO/TEL POLE TO BE REMOVED
	LIGHT/SIGNAL PULL BOX -STREET		GAS METER
	LIGHT POLE (STEEL)		GAS VALVE
	SIGNAL POLE (STEEL)		GAS SNIFFER
	LIGHT/SIGNAL POLE (STEEL)		TEST HOLE
	CLUSTER LAMP - TYPE A		FENCE LINE
	CLUSTER LAMP - TYPE B		RETAINING WALL
	STREET SIGN		TREE
	PARKING METER		ROCK OUTCROP



GENERAL NOTES

1. ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCD) & CITY SUPPLEMENTARY SPECIFICATIONS.
2. USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
3. MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 - WORKING AROUND TREES.
4. UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
5. ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
6. ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).

PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

DRAWING TITLE PLAN-PROFILE FROM STA. 0+875 TO 1+025			
PROJECT PANDORA AVENUE TWO WAY CYCLING FACILITY			
CHECKED BY RA	CITY ENGINEER F. WORK	APPROVED BY: BT	SCALE H 1:200 V 1:40
DRAWN BY RA	DESIGN BY BT	SHT. No. C56 OF XX	DATE 2016-JAN-11



LEGEND

SURFACE DETAIL		CYCLE TRACK PICKET		SEWER LATERAL		TEL MANHOLE		SIGNAL PULL BOX - SIDEWALK		HYDRO/TEL POLE TO BE REMOVED	
⊙	STORM DRAIN MANHOLE	⊙	HYDRO MANHOLE	Y	WATER VALVE ON MAIN	⊙	TEL POLE	⊙	LIGHT/SIGNAL PULL BOX - STREET	⊙	GAS METER
⊙	STORM DRAIN VENT	⊙	HYDRO POLE	⊙	WATER SERVICE VALVE	⊙	TEL POLE WITH DIP	⊙	LIGHT POLE (STEEL)	⊙	GAS VALVE
⊙	CATCH BASIN	⊙	HYDRO POLE WITH DIP	⊙	WATER METER	⊙	TEL POLE WITH LIGHT	⊙	SIGNAL POLE (STEEL)	⊙	GAS SNIFFER
⊙	DRAIN CLEANOUT	⊙	JOINT POLE	⊙	BOULEVARD SERVICE	⊙	TEL SERVICE BOXES	⊙	LIGHT/SIGNAL POLE (STEEL)	⊙	TEST HOLE
⊙	DRAIN LATERAL	⊙	HYDRO POLE WITH LIGHT	⊙	FIRE HYDRANT	⊙	TEL VAULT	⊙	CLUSTER LAMP - TYPE A	⊙	FENCE LINE
⊙	SANITARY SEWER MANHOLE	⊙	HYDRO SERVICE BOXES	⊙	REDUCER	⊙	POLE ANCHOR	⊙	CLUSTER LAMP - TYPE B	⊙	RETAINING WALL
⊙	SANITARY SEWER VENT	⊙	HYDRO VAULT	⊙	LIGHT MANHOLE	⊙	HYDRO/TEL POLE TO BE RELOCATED	⊙	STREET SIGN	⊙	TREE
⊙	SEWER CLEANOUT	⊙		⊙	LIGHT PULL BOX - SIDEWALK	⊙		⊙	PARKING METER	⊙	ROCK OUTCROP

ENGINEERING AND PUBLIC WORKS

NO.	REVISION	DESCRIPTION	DATE
03	REVISED	60% DESIGN DRAWING	2016-JAN-11
02	ISSUED FOR	60% DESIGN DRAWING	2015-NOV-12
01	ISSUED FOR	40% DESIGN DRAWING	2015-NOV-04



GENERAL NOTES

- ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCD) & CITY SUPPLEMENTARY SPECIFICATIONS.
- USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
- MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 - WORKING AROUND TREES.
- UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
- ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
- ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).

PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

DRAWING TITLE: PLAN-PROFILE FROM STA. 1+025 TO 1+170			
PROJECT: PANDORA AVENUE TWO WAY CYCLING FACILITY			
CHECKED BY:	CITY ENGINEER:	APPROVED BY:	SCALE:
RA	F. WORK	BT	H 1:200 V 1:40
DRAWN BY:	DESIGN BY:	SHT. No.:	DATE:
RA	BT	C57 OF XX	2016-JAN-11



LEGEND

SURFACE DETAIL		CYCLE TRACK PICKET		SEWER LATERAL		TEL MANHOLE		SIGNAL PULL BOX - SIDEWALK		HYDRO/TEL POLE TO BE REMOVED	
⊙	STORM DRAIN MANHOLE	⊙	HYDRO MANHOLE	⊙	WATER VALVE ON MAIN	⊙	TEL POLE	⊙	LIGHT/SIGNAL PULL BOX - STREET	⊙	GAS METER
⊙	STORM DRAIN VENT	⊙	HYDRO POLE	⊙	WATER SERVICE VALVE	⊙	TEL POLE WITH DIP	⊙	LIGHT POLE (STEEL)	⊙	GAS VALVE
⊙	CATCH BASIN	⊙	HYDRO POLE WITH DIP	⊙	WATER METER	⊙	TEL POLE WITH LIGHT	⊙	SIGNAL POLE (STEEL)	⊙	GAS SNIFFER
⊙	DRAIN CLEANOUT	⊙	JOINT POLE	⊙	BOULEVARD SERVICE	⊙	TEL SERVICE BOXES	⊙	LIGHT/SIGNAL POLE (STEEL)	⊙	TEST HOLE
⊙	DRAIN LATERAL	⊙	HYDRO POLE WITH LIGHT	⊙	FIRE HYDRANT	⊙	TEL VAULT	⊙	CLUSTER LAMP - TYPE A	⊙	FENCE LINE
⊙	SANITARY SEWER MANHOLE	⊙	REDUCER	⊙	REDUCER	⊙	POLE ANCHOR	⊙	CLUSTER LAMP - TYPE B	⊙	RETAINING WALL
⊙	SANITARY SEWER VENT	⊙	HYDRO SERVICE BOXES	⊙	LIGHT MANHOLE	⊙	HYDRO/TEL POLE TO BE RELOCATED	⊙	STREET SIGN	⊙	TREE
⊙	SEWER CLEANOUT	⊙	HYDRO VAULT	⊙	LIGHT PULL BOX - SIDEWALK	⊙		⊙	PARKING METER	⊙	ROCK OUTCROP

ENGINEERING AND PUBLIC WORKS

NO.	REVISION	DESCRIPTION	DATE
03	REVISED	60% DESIGN DRAWING	2016-JAN-11
02	ISSUED FOR	60% DESIGN DRAWING	2015-NOV-12
01	ISSUED FOR	40% DESIGN DRAWING	2015-NOV-04

GENERAL NOTES

- ALL MATERIALS AND CONSTRUCTION TO MEET THE MASTER MUNICIPAL CONSTRUCTION DOCUMENTS (MMCD) & CITY SUPPLEMENTARY SPECIFICATIONS.
- USE EXTREME CAUTION WHEN WORKING NEAR UTILITIES.
- MAINTAIN 5.0 m PROTECTED ROOT ZONE (PRZ) AROUND ALL TREES. REFER TO SUPPLEMENTAL DRAWING SD P2 - WORKING AROUND TREES.
- UTILITIES AND STRUCTURES SHOWN ON THIS PLAN ARE PLOTTED USING HISTORICAL DATA. THE CITY OF VICTORIA CANNOT GUARANTEE THE ACCURACY OF THE DEPTH AND LOCATIONS OF UTILITIES AND STRUCTURES.
- ANY PROPOSED CHANGE MUST BE APPROVED BY PROJECT MANAGER PRIOR TO CONSTRUCTION. ALL CHANGES MUST BE NOTED ON THE CONSTRUCTION PLANS.
- ELEVATIONS SHOWN US THE CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28).

PASSED FOR CONSTRUCTION

APPROVED: _____
SECTION: _____
DATE: _____

DRAWING TITLE

PLAN-PROFILE FROM STA. 1+310 TO 1+420

PROJECT

PANDORA AVENUE TWO WAY CYCLING FACILITY

CHECKED BY

RA

CITY ENGINEER

F. WORK

APPROVED BY:

BT

SCALE

H 1:200 V 1:40

DRAWN BY

RA

DESIGN BY

BT

SHT. No.

C59 OF XX

DATE

2016-JAN-11

CITY OF VICTORIA

C59

DRAWING NUMBER