NO. 17-085

A BYLAW OF THE CITY OF VICTORIA

The purposes of this Bylaw are to amend the Zoning Regulation Bylaw by creating the R3-Q Zone, Quebec Street Multiple Dwelling District, and to rezone land known as 345 Quebec Street from the T-1, Zone, Limited Transient Accommodation District to the R3-Q Zone, Quebec Street Multiple Dwelling District.

The Council of The Corporation of the City of Victoria enacts the following provisions:

- 1 This Bylaw may be cited as the "ZONING REGULATION BYLAW, AMENDMENT BYLAW (NO. 1113)".
- 2 Bylaw No. 80-159, the Zoning Regulation Bylaw, is amended in the Table of Contents of Schedule "B" under the caption <u>PART 3 – MULTIPLE DWELLING ZONES</u> by adding the following words:
 - "3.113 R3-Q Quebec Street Multiple Dwelling District"
- 3 The Zoning Regulation Bylaw is also amended by adding to Schedule B after Part 3.112 the provisions contained in Schedule 1 of this Bylaw.
- 4 The land known as 345 Quebec Street, legally described as Lot A of Lots 926, 927, 928, 929, 930, 945 and 954, Victoria City, Plan 24914 and shown hatched on the map attached to and forming part of this Bylaw as Appendix 1, is removed from the T-1 Zone, Limited Transient Accommodation District, and placed in the R3-Q Zone, Quebec Street Multiple Dwelling District.

READ A FIRST TIME the	10 th	day of	August	2017
READ A SECOND TIME the	10 th	day of	August	2017
Public hearing held on the		day of		2017
READ A THIRD TIME the		day of		2017
ADOPTED on the		day of		2017

CITY CLERK

Schedule 1 PART 3.113 – R3-Q ZONE, QUEBEC STREET MULTIPLE DWELLING DISTRICT

3.113.1 Permitted Uses in this Zone

The following uses are the only uses permitted in this Zone:

- a. Multiple dwelling
- b. Accessory building subject to the regulations in Schedule "F"

3.113.2 Lot Area

a. Lot area (minimum)

1,850m²

b. Lot width (minimum)

35 m average lot width

3.113.3 Floor Area, Floor Space Ratio

a. Floor Area

No <u>self-contained dwelling unit</u> within the first 3 storeys in a <u>building</u> shall have a floor area of less than 26m², and 33m² above the third storey, reckoned exclusively of the width or thickness of the exterior walls of the unit and of the floor area or areas of any and all <u>balconies</u>.

b. Floor space ratio (maximum)

i. Subject to subsection (ii), the <u>floor space ratio</u> of a <u>building</u> on a <u>lot</u> shall not exceed the ratio that corresponds to the number of <u>storeys</u> in the <u>building</u>, as follows:

Storeys	Floor Space Ratio
1	0.3 to 1.0
2	0.6 to 1.0
3	0.9 to 1.0
4	1.2 to 1.0
5	1.2 to 1.0
6 or more	1.2 to 1.0

ii. If there is more than one <u>building</u> on the <u>lot</u>, the <u>floor space ratio</u> for any <u>building</u> on the <u>lot</u> shall be determined by the ratio that corresponds to the number of <u>storeys</u> in the highest <u>building</u> on the <u>lot</u>.

Schedule 1 PART 3.113 – R3-Q ZONE, QUEBEC STREET MULTIPLE DWELLING DISTRICT

5.113.	4 Height, Storeys	
a.	Principal <u>building</u> height (maximum)	21.50m
3.113.	5 Setbacks, Projections	
a.	Front yard setback (minimum)	4.0m
	Except for the following maximum projections into the setback:	
	Steps less than 1.7m in <u>height</u>	2.0m
	Canopies	2.0m
b.	<u>Rear yard</u> (south – facing Kingston St.) <u>setback</u> (minimum) for those portions of the <u>building</u> equal to or below 4.5m in <u>height</u>	Nil
C.	<u>Rear yard</u> (south – facing Kingston St.) <u>setback</u> (minimum) for those portions of the <u>building</u> above 4.5m in <u>height</u>	6.0m
d.	<u>Side yard setback</u> from interior <u>lot lines</u> (minimum) for those portions of a <u>building</u> equal to or below 9.0m in <u>height</u>	Nil
e.	<u>Side yard setback</u> from interior <u>lot lines</u> (minimum) for those portions of a <u>building</u> above 9.0m in <u>height</u>	7.5m
f.	<u>Side yard</u> <u>setback</u> on a flanking street for a <u>corner lot</u> (minimum)	4.0m
g.	Any <u>balcony</u> or deck that faces a <u>street boundary</u> may project into a <u>setback (</u> maximum)	1.0m

Words that are <u>underlined</u> see definitions in Schedule "A" of the Zoning Regulation Bylaw

Schedule 1

PART 3.113 – R3-Q ZONE, QUEBEC STREET MULTIPLE DWELLING DISTRICT

3.113.6 Site Coverage, Open Site Space

a. Site Coverage (maximum)

i. Subject to subsection (ii), the <u>site coverage</u> of a <u>building</u> containing one or more <u>dwelling units</u> on a <u>lot</u> shall not exceed the percentage that corresponds to the number of <u>storeys</u> in the <u>building</u>, as follows:

Storeys	Maximum Site Coverage
1	30%
2	30%
3	30%
4	30%
5	24%
6 or more	20%

ii. If there is more than one <u>building</u> on a <u>lot</u>, the aggregate <u>site coverage</u> of all the <u>buildings</u> shall not exceed the percentage that corresponds to the number of <u>storeys</u> in the highest <u>building</u> on the lot.

b. Open site space (minimum)

30.0%

Schedule "C"

3.113.7 Vehicle and Bicycle Parking a. Vehicle parking (minimum) 0.81 spaces per dwelling unit b. Visitor Parking (minimum) 5% of the total number of parking spaces required c. Bicycle parking (minimum) Subject to the regulations in

d. No car shelter shall exceed 3m in height.

