

Council Report For the Meeting of July 27, 2017

 To:
 Council
 Date:
 July 13, 2017

From: Jonathan Tinney, Director, Sustainable Planning and Community Development

Subject: Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street – Application Ready to Proceed to Public Hearing

RECOMMENDATION

That Council give first and second reading of the Zoning Regulation Bylaw Amendment (Bylaw No. 17-075), and first, second and third reading to Bylaw No. 17-076 to authorize the Housing Agreement.

Following consideration of the Rezoning Application No. 00487, that Council consider this updated motion with respect to Development Permit Application No. 000434:

"That Council authorize the issuance of Development Permit Application No. 00434 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all *Zoning Regulation Bylaw* requirements, except for the following variances:
 - i. Part 3.112.5: reduce the rear yard setback from 10.0m to 9.15m;
- 3. The Development Permit lapsing two years from the date of this resolution."

EXECUTIVE SUMMARY

The purpose of this report is to present Council with an update regarding the Rezoning Application for the properties located at 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street. The proposal is for a six-storey, multiple dwelling consisting of approximately 48 dwelling units, ten of which would be secured as rental in perpetuity (letter attached).

In accordance with Council's amended motion of May 25, 2017 included below, the necessary conditions that would authorize the approval of the rezoning for the subject properties have been fulfilled. The Committee of the Whole report dated, May 11, 2017 together with the meeting minutes, are attached. The amended motion from the May 25, 2017, COTW meeting was:

Rezoning Application No. 00487

- 1. That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- 2. Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - a. Housing Agreement to secure the rental of 10 units in perpetuity and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- 3. The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the City of Victoria Density Bonus Policy and to the satisfaction of City Staff.
- 4. Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m² of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- 3. The Development Permit lapsing two years from the date of this resolution."

New Standard Zone

Staff have created a new standard zone called the URMD Zone, Urban Residential Multiple Dwelling District that coincides with the Urban Place Guidelines and density provisions established for properties designated *Urban Residential* in the Official Community Plan. This approach has the benefit of reducing the number of site specific zones as well as ensuring that specific siting requirements associated with this proposal are not entrenched in the *Zoning Regulation Bylaw*. Any deviations from the new URMD Zone would be treated as variances.

With respect to this proposal, a variance to reduce the rear yard setback from 10m to 9.15m would be required and has been identified in the updated motion for Council's consideration. The proposed rear yard setback is supportable given the proposed building articulation, extensive landscaping along the rear property line and the significant elevation change between the subject properties and the properties to the north. This setback has not changed from what was presented to Council, as noted above, it is simply a matter of addressing it through a variance process rather than entrenching it in the zone.

Public Hearing Conditions

With regard to the pre-conditions that Council set in relation to this Application, staff can report that:

- a Statutory Right-of-Way along Johnson Street and Chambers Street frontage has been registered on title
- a Housing Agreement to secure the rental of 10 units in perpetuity with no prohibition on the rental of the other dwelling units in the building has been prepared and will be registered on title following the adoption of the Bylaw to authorize the Housing Agreement.

The recommendation provided for Council's consideration contains the appropriate language to advance this Application to a Public Hearing.

Respectfully submitted,

Leanne Taylor Senior Planner, Development Services Division

. (hegg

Jonathan Tinnay Director

Jonathan Tinney, Director Sustainable Planning and Community Development

Report accepted and recommended by the City Manager:

Date: ______ July 18,2017

List of Attachments

- Attachment A: Minutes from the Council Meeting dated May 25, 2017
- Attachment B: Minutes from the Committee of the Whole Meeting dated May 25, 2017
- Attachment C: Letter form the Applicant dated June 8, 2017
- Attachment D: Committee of the Whole report dated May 11, 2017.

REPORTS OF COMMITTEES

2. Committee of the Whole – May 25, 2017

2. <u>Update on Rezoning Application No. 00487 and Development Permit Application No.</u> 000434 for 1144, 1148, 1152, and 1154 Johnson Street and 1406 Chambers Street

Motion:

It was moved by Councillor Coleman, seconded by Councillor Alto:

Rezoning Application No. 00487

- That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - a. Housing Agreement to secure the rental of 10 units in perpetuity and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- 3. The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the *City of Victoria Density Bonus Policy* and to the satisfaction of City Staff.
- Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m² of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148. 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- 3. The Development Permit lapsing two years from the date of this resolution."

Carried Unanimously

4.2 Update on Rezoning Application No. 00487 and Development Permit Application No.000434 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street (Fernwood)

Committee received a report dated May 11, 2017 from the Director of Sustainable Planning and Community Development providing information regarding the Rezoning and Development Permit Applications for the properties located at 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street which was postponed by Council on February 25, 2017 pending review and recommendations by the Advisory Design Panel.

Committee discussed:

- Concerns with the shading on neighbouring homes.
- Council's ability to lengthen the time the 10 rental units will be available.

Motion:

It was moved by Councillor Alto, seconded by Councillor Thornton-Joe, Rezoning Application No. 00487

- That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - Housing Agreement to secure the rental of 10 units for a minimum of 10 years and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- 3. The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the *City of Victoria Density Bonus Policy* and to the satisfaction of City Staff.
- 4. Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m2 of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- 3. The Development Permit lapsing two years from the date of this resolution."

<u>Amendment:</u> It was moved by Councillor Loveday, seconded by Mayor Helps, that the motion be amended as follows:

Rezoning Application No. 00487

- 1. That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- 2. Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - Housing Agreement to secure the rental of 10 units for a minimum of 10 years in perpetuity and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- 3. The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the *City of Victoria Density Bonus Policy* and to the satisfaction of City Staff.
- 4. Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m2 of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- 3. The Development Permit lapsing two years from the date of this resolution."

On the amendment: CARRIED UNANIMOUSLY 17/COTW

Committee discussed:

- Creating a policy which will lock in rental units below market rate to secure housing that is affordable.
- Concerns with the loss of single family homes in the area.

Councillor Loveday withdrew from the meeting at 10:11 a.m. and returned at 10:11 a.m.

Committee discussed:

- Ensuring that staff reports include whether the zoning allows for transient uses.
- Possibility for the houses in the area to be heritage designated.

Main motion as amended:

Rezoning Application No. 00487

- That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - a. Housing Agreement to secure the rental of 10 units for a minimum in perpetuity and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- 3. The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the *City of Victoria Density Bonus Policy* and to the satisfaction of City Staff.
- 4. Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m2 of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- 3. The Development Permit lapsing two years from the date of this resolution."

On the main motion as amended: CARRIED UNANIMOUSLY 17/COTW

Councillor Lucas withdrew from the meeting at 10:17 a.m. due to a pecuniary conflict of interest with the following item, as she is the general manager of a hotel that holds a liquor licence.

Councillor Coleman withdrew from the meeting at 10:17 a.m.



PROPOSED DEVELOPMENT

1144, 1148, 1152, AND 1154 JOHNSON STREET | 1406 CHAMBERS STREET

RESIDENTIAL | 6 STOREY | 48 CONDOMINIUM UNITS

CURRENT ZONING R3-1 | SITE SPECIFIC ZONING

June 8, 2017

City of Victoria 1 Centennial Square Victoria, British Columbia V8W 1P6

Dear Mayor Helps and the City of Victoria Counsel:

Re: The Landis - 1144, 1148, 1152, 1154 Johnson Street / 1406 Chambers Street Development Permit No.: 00434 | Zoning No.: 00487

Please accept this letter as part of our Rezoning and Development Permit Application for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street, a proposed forty-eight (48) unit, residential condominium.

Further to the meeting of the Committee of the Whole on the 25th day of May, 2017, Kang and Gill Construction Ltd. agrees to dedicate a total of twenty percent (20%) of the total units, as rental dwellings in perpetuity. The same would be secured by way of a Covenant.

We thank you for your time and consideration with regards to this matter.

Sincerely,

Carly Abrahams Development Manager



Committee of the Whole Report For the Meeting of May 25, 2017

To:	Committee of the Whole	Date:	May 11, 2017
From:	Jonathan Tinney, Director, Sustainable Plannin	g and Comr	nunity Development
Subject:	Update on Rezoning Application No. 00 Application No. 000434 for 1144, 1148, 115 1406 Chambers Street.		

RECOMMENDATION

Rezoning Application No. 00487

- That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council, and a Public Hearing date be set.
- Preparation of the following documents, executed by the applicant to the satisfaction of City Staff:
 - a. Housing Agreement to secure the rental of 10 units for a minimum of 10 years and that future strata bylaws cannot prohibit from renting residential strata units
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment.
- The applicant provide an amenity contribution in the amount of \$43,056.00 toward the Local Amenities Reserve Fund in accordance with the *City of Victoria Density Bonus Policy* and to the satisfaction of City Staff.
- Following consideration of Rezoning Application No. 00487, if approved, that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m² of exposed shored face during construction, to the satisfaction of the City staff.

Development Permit Application No. 000434

That Council, after giving notice and allowing an opportunity for public comment at a meeting of Council and after the Public Hearing for Rezoning Application No. 00487, if it is approved, consider the following motion:

"That Council authorize the issuance of Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped March 24, 2017
- 2. Development meeting all Zoning Regulation Bylaw requirements
- The Development Permit lapsing two years from the date of this resolution."

EXECUTIVE SUMMARY

The purpose of this report is to provide an update to Council regarding the Rezoning and Development Permit Applications for the properties located at 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street. In accordance with Committee of the Whole's (COTW) motion of February 25, 2016 (minutes attached), the application has been referred to the Advisory Design Panel with a request that the Panel pay particular attention to:

- 1. The transition to the buildings along Pandora Avenue and Chambers Street.
- 2. Overall massing, architectural elements and finishes to ensure the integration with the local neighbourhood.

In response to the direction above, the applicant chose to redesign the building, and overall, the new building design addresses the concerns raised by Council and staff. The Advisory Design Panel (ADP) also reviewed the application and recommended to Council that the applicant strengthen the expression of the building entranceway, clarify the expression of the Johnson and Chambers Street corner of the building, and investigate further daylighting of the stairwells.

BACKGROUND

On February 25, 2016, COTW considered the staff reports related to Rezoning Application No. 00487 and Development Permit Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street. Council passed a motion postponing consideration of the Rezoning and Development Permit Applications, and referred the Applications to the Advisory Design Panel for review and recommendation.

Description of Proposal

The applicant chose to redesign the building in response to feedback provided by Council at the Committee of the Whole meeting on February 25, 2016. This rethink of the building occurred prior to attending the ADP meeting on February 22, 2017. Further revisions from the feedback provided by the ADP have also been incorporated in the design.

The proposal is still for a six-storey, multiple-dwelling consisting of approximately 48 dwelling units; however, the applicant is proposing the following changes with respect to site planning, architecture and landscape design:

- mid-rise building form consisting of contemporary architectural features, including a flat . roofline, contemporary-style windows and materials, and substantial glazing
- · exterior building materials consisting of brick, preformed metal panel, cementitious panel, window wall/aluminium frame, transparent glass guardrail, translucent glass guardrail, and natural fir wood
- stepping back the building at the third and sixth storeys
- · floor to ceiling windows and pre-formed metal panels to accentuate the south east corner of the building (Johnson and Chambers)
- two levels of underground parking with access off of Chambers Street
- main residential entryway fronting Johnson Street
- exterior entrances and large patios for all ground-oriented units

- pedestrian access from Johnson Street to the ground-oriented units located on the north . side of the building via a gated pedestrian walkway
- substantial landscaping around the perimeter of the site and along the south-facing, . rooftop patios
- climbing vines on the north and west elevations. .

The following differences from the existing zone are being proposed and would be accommodated in either the new zone or variances as part of the concurrent Development Permit Application:

- increase the maximum FSR from 1.6:1 to 2:1
- reduce the minimum front, side and rear yard setbacks
- increase maximum site coverage from 30% to 41% .
- reduce the amount of open site space from 60% to 52%. .

Sustainability Features

As indicated in the applicant's letter dated December 20, 2016, the following sustainability features are associated with this Application:

- meets Built Green standards
- energy and water conservation
- use of low emitting materials to improve air-guality in the building
- re-use and recycling of construction products.

Active Transportation Impacts

The application proposes the following features which support active transportation:

- a total of 48 Class 1 bicycle parking spaces located in a secure, enclosed bicycle storage room in the parking mezzanine
- six Class 2 bicycle parking spaces located at the main entrance to the building.

Data Table

The following data table compares the new proposal with the original proposal, as well as, to the existing R3-1 Zone, Multiple Dwelling District. An asterisk is used to identify where the proposal is less stringent than the existing zone.

Zoning Criteria	New Proposal	Original Proposal (February 25, 2016)	Existing Zone R3-1 Zone
Site area (m²) - minimum	2000.07	2000.07	920.00
Number of units	48	48	N/A
Density (Floor Space Ratio) - maximum	2.00:1*	2.00:1*	1.6:1 (if parking is provided underground)
Height (m) - maximum	18.29	21.73*	18.50
Storeys - maximum	6.00	6.00 (7.00 storeys including a small mechanical penthouse)	N/A

Zoning Criteria	New Proposal	Original Proposal (February 25, 2016)	Existing Zone R3-1 Zone
Site coverage % - maximum	41.00*	41.01*	32.00
Open Site Space % - minimum	52.00*	30.00*	60.00
Setbacks (m) - minimum Front (Johnson St) Rear Side (west) Side (Chambers St)	6.00* 9.14* 9.14* 6.00*	4.56* 10.08 to building face or 0.79* to trellis 9.61* to building face 8.71*	7.50 9.88 9.88 9.88
Parking - minimum	57	57	57
Visitor parking (minimum) included in the overall units	6	6	6
Bicycle parking stalls (minimum) Class 1 Class 2	48 2 racks of 6 spaces	48 2 racks of 6 spaces	48 2 racks of 6 spaces

Referral to the Advisory Design Panel

The revised application was referred to the ADP at a meeting held on February 22, 2017. The Panel was asked to provide comments on the following:

- the transition to the adjacent buildings along Pandora Avenue and Chambers Street
- overall massing, architectural elements and finishes to ensure integration with the local neighbourhood.

The minutes from the meeting are attached for reference and the following motion was carried (unanimous):

"It was moved by Erica Sangster, seconded by Jesse Garlick, that the Advisory Design Panel recommend to Council Development Permit Application No. 000434 for 1144 – 1154 Johnson Street & 1406 Chambers Street be approved as proposed with the following recommendations:

- Strengthening the expression of the building entranceway
- Clarifying the expression of the Johnson and Chambers Street corner of the building
- Investigating further daylighting of the stairwells"

The Applicant's detailed response to the Panel's recommendation (dated May 3, 2017) is attached to this report. In summary, the applicant has responded to the ADP's recommendation as follows:

- windows were added at the ground floor and planters extended across the exterior of the amenity room to reach out towards the primary building entry doors to help further distinguish the ground level semi-public spaces from the residential floors stacked above
- a glass canopy was added above the front entryway to further accentuate the main residential entryway

additional windows were added for further daylighting of the stairwells.

In addition to the revisions specifically related to the recommendations from the ADP, the Applicant has also incorporated the following revisions:

- the individual townhouse units have received additional detailing in the form of woodfinish entry doors with glass inserts
- accent lighting bollards used to accentuate the entryways and highlight the extensive vegetation and approach along each stair and terrace have been added
- windows at the upper wall of the north elevation have been enlarged to break up the blank wall
- permeable surface treatment for the ground floor terraces has been introduced
- eaves at level 6 have been changed from the light-tone cementitious panel to the midtone grey to match the walls of levels 4 and 5
- hard and soft landscaping has been further enhanced to define the main residential entryway.

Staff are satisfied that the changes noted above address the recommendations made by the Panel, and the additional refinements related to the entryways, blank wall on the north elevation, surface treatment, and landscaping result in a greater level of consistency to the Design Guidelines.

ANALYSIS

Consistency with Design Guidelines

The Official Community Plan, 2012 identifies this property in Development Permit Area 16: General Form and Character. The applicable Design Guidelines include Advisory Design Guidelines for Buildings, Signs and Awnings (1981), Design Guidelines for Multi-Unit Residential, Commercial and Industrial Development (2012) and Guidelines for Fences, Gates and Shutters (2010).

Overall, this new design addresses the concerns raised by Council and staff that were related to the transition of the buildings along Pandora Avenue and Chambers Street, and the overall massing, architectural elements and finishes of the original building design.

Directly north of the subject property are four single-family dwellings. These properties are in the R3-1 Zone, Multiple Dwelling District. The Applicant has responded to this transition by maintaining a 9.14m rear yard setback and stepping back the building at the third and sixth storeys in order to mitigate the visual impact of the contrast in massing between the proposed building and the existing houses, and to allow for building articulation and landscaping. The height of the building has also been reduced from 21.73m to 18.29m. Due to a significant elevation change between the subject property and the properties to the north, the immediate neighbours to the north would only have direct view of the second storey. A partial yew hedge punctuated by ornamental grasses and shade-adapted shrubs are being proposed along the north property line to provide a vegetative screening.

The applicant has introduced various architectural features that visually break up the building into human-scaled proportions. This includes introducing a building base that is well-articulated along the façades facing Johnson and Chambers Streets, stepping back the upper floors, articulating windows on the north elevation and accentuating the corner of the building with floor

to ceiling windows and pre-formed metal panels. Overall, the proposed development is consistent with the DPA 16 objectives for redevelopment and a high-quality of urban design.

Density Bonus Policy

When this Rezoning Application was presented to Council in February 2016, it was subject to a Land Lift Analysis. However, in October 2016 Council adopted the City of Victoria Density Bonus Policy, which would apply to this proposal. The Policy identifies an amenity contribution target (fixed rate target) for standard rezoning of properties designated "Urban Residential" in the OCP of \$53.82 per m². Based on the bonus density calculation, the applicant would be required to provide an amenity contribution in the amount of \$43,056.00 towards the Local Amenities Reserve Fund and to the satisfaction of City Staff. The applicant has indicated to staff that they choose to provide the fixed rate amenity contribution instead of pursuing an economic analysis.

CONCLUSIONS

The revised proposal to construct a six-storey, multiple-dwelling at 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street is consistent with the design guidelines contained in DPA 16, and includes high-quality building materials and appropriate landscape finishes. Overall, staff are satisfied that the recommendations from the ADP and staff comments have been addressed. The revised plans are an improvement from the original submission and have a greater consistency with the relevant Guidelines. Staff recommend for Council's consideration that the application proceed to a Public Hearing.

ALTERNATE MOTION

That Council decline Rezoning Application No. 00487 and DPV Application No. 000434 for the properties located at 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street.

Respectfully submitted,

eanne Tavlor Senior Planner **Development Services Division**

Jonathan Tinney, Director Sustainable Planning and Community Development Department

Report accepted and recommended by the City Manager:

Date:

List of Attachments:

- Subject Map
- Aerial Map
- Letter from applicant to Mayor and Council dated December 20, 2016
- List of Sustainability Features dated December 20, 2016
- Staff report to Advisory Design Panel, dated February 15, 2017 and copy of plans presented to Advisory Design Panel, dated December 20, 2016
- Minutes from Advisory Design Panel meeting of February 25, 2017
- Letter from applicant with summary of changes, dated May 3, 2017
- Minutes from Committee of the Whole Minutes dated February 25, 2016
- Correspondence (Letter received from residents)
- Committee of the Whole reports dated February 11, 2016
- Plans date stamped March 24, 2017.







1144-1154 Johnson Street and 1406 Chambers Street Rezoning #00487 Bylaw #



1

architecture + design inc.

12 December 2016

City of Victoria 1 Centennial Square Victoria, BC V8W 1P6

Dear Mayor Helps and City of Victoria Council.

Re: 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street per Zoning No. 00487 and Development Permit No. 00434

 $3c^{\circ}$ 1°

Thank you for taking the time to review our proposed project for the subject site encompassing 1144-1154 Johnson Street and 1406 Chambers Street. We are the architecture firm that has been retained by the Owner to update the project design based City Staff comments concerning the previous submission. Below is a project description that identifies the architectural design intent, the relationship to the Neighbourhood Plan and Design Guidelines, the design considerations in response to the engagement with the Fernwood Residents' Association and City Staff, and the overall benefits for the existing and evolving community within the context of the City of Victoria.

Context

The proposed project is partially a ground-level parking lot set within the Southwest quadrant of the Fernwood neighbourhood in Victoria. Bordering both Johnson and Chambers streets, the proposed project is siled on a sloped geography with 1 ½ to 2 ½ - storey houses and a 3 - storey apartment building at the higher elevation overlooking the property from the North side. The neighbouring houses and apartment building maintain generous rear yards at the interface with the subject site and front onto the Harris Green Park along Pandora Street.

Along the blocks to the East and to the South of the proposed project (across Chambers Street and Johnson Street respectively), a limited number of parking lots, ½ to 2½ - storey houses, and a vast number of 3 to 6 - storey multi-unit residential buildings line the streets.

To the East of the subject site is a ground level parking lot that services the neighbourhood medical-related facilities, followed by a 3 ½ - storey multi-unit residential building. At the far East-end of the block (intersection of Johnson and Cook Streets) a large parking lot servicing the historic mid-century Medical Arts Building is set to be redeveloped as "The Wade" multi-unit residential development and will encompass the enline end of the block. Across the intersection to the East of the 1100 block of Johnson Street is a relatively recently developed 10 - storey mixed-use multi-unit residential building.

The proposed project has been designed with great consideration to the existing and future context, and consultation has been underlaken with City Staff and the community to help ensure an appropriate architectural response for the subject site.

Proposed Project Massing and Scale

The proposed project is a 6 - storey multi-unit residential building. Owing to the context, both today and in years past, the proposal emphasizes the concept of a 'liveable neighbourhood'. The focus on groundoriented neighbourhood development while fulfilling sustainable housing density is consistent with the community vision through the design of the building massing, the historic material references, the variation of unit sizes, and the design of ground level landscape that creates a warm and inviting neighbourhood feel along the evolving Johnson Street and bike lane corridor.

The proposed building is articulated with a series undulating massing elements that reduce the overall scale of the building by creating a more immediate engagement with the site at the lower level, while receding in a series of vertical steps until the top floor is not visible if one is to stand at the farefront of the building. The ground level interface of the proposed building at the sidewalks along Johnson and Chambers Streets is punctuated with a row of 2 - storey lightly coloured warm grey brick massing elements and windows that reflect the rhythm of single-family houses that stood along Johnson Street many years earlier.

8 - 1009 Expo Boulevard Vancouver BC Canada V6Z 2V9 t: 604.678.5638 kokaarchitecture.ca

!

architecture + design inc.

The third floor the building is defined by a warm while metal frame with columns that drop to the ground level and facilitate to distinguish the rhythm on the 2 - storey townhouse-like modules below. The metal framework extends to the Southeast corner of the building where it changes orientation and forms light arch-like massing elements towards the street intersection and signals the location of the primary building entrance.

Along the South and East elevations the building steps back yet again at the fourth and fifth levels with undulating walls that form balconies and semi-private terraces, while contributing to visual interest and participating in the break up of sound waves from vehicles along Johnson Street. At the fourth and fifth levels of the South elevation, the walls form a saw-tooth pattern that facilitates to preserve privacy for the houses to the North by redirecting views out from the suites to the Northwest towards the trees in Harris Green Park. Finally at the sixth floor the building dramatically steps back in order to reduce the appearance of the building from the permitted six storeys (50 ft. height) to a more modest five storeys (50 ft. height) in order to acknowledge the varying housing scales of the neighbourhood context.

Materiality and Landscaping

In keeping with the scaled-back massing that steps to acknowledge the neighbourhood housing scales, great emphasis was placed on the interface of the building material features and landscaping to create tactile surfaces for both the inhabitant and pedestrian along the newly proposed wider green strips of the sidewalk boulevards.

High quality platinum grey coloured brick adds finer texture along the Johnson and Chambers Street frontages via the projecting 2 - storey townhouse-like massing elements, reflecting a single-family housing module and emphasizing a historic neighbourhood feel for residents. The brick is further brought to the forefront of the terraces along the planters and planting strips that create the buffer between the public sidewalk and the semi-private terrace spaces. Landscaping including tall ornamental grasses, Heather and Lavender add to the transitioning planting areas between semi-private and public zones, while at the same time adding to the overall width of the landscaped street boulevard.

The lavish West side yard and North rear yard landscape features contribute to the transitioning grades that require the retention of a retaining wall that separates the houses at the higher elevation to the North from the subject site. The retaining wall is lined with a warm wood fence, a series of trees, Yew hedges strips, tall omamental grasses, ferns, and shade-adapted shrubs to facilitate pleasant screening solutions between properties.

Warm while preformed metal panels and warm shades of grey cementitious facade materials with a linear horizontal emphasis are incorporated at various locations to emphasize the stepping and undulations in the building facade. The scales of the panels are determined by the module of several stacked bricks in order to maintain relationships between material elements, while growing in dimension to match the scale of the overall building.

The metal panels and brick create the backdrops for two green walls of trained lvy incorporated along the North and West building elevations in locations where windows are minimized to reduce the appearance of direct visual interface between neighbouring properties.

Further punctuation of detailed material elements is found in high quality glass and anodized aluminum coloured metal finishes. These elements are incorporated in the window wall system and main building entry, as well as the guardrails and canopy features at the numerous balcony and terrace locations.

Dwelling Units, Density, and Affordability

The proposed project is comprised of 48 accessible dwelling units and a strata amenity room with a 2:1 Floor Space Ratio. The building is composed of a healthy mix of studios, 1-bedroom and 2-bedroom suites. The units vary in sizes from approximately 43 m² to 112 m², with a ratio of about 1/3 two-bedroom units and approximately 2/3 one-bedroom and studio units. A covenant is proposed to dedicate a minimum of 20% of the units for rental dwellings.

In addition, storage spaces are also provided at the parkade mezzanine level for residential, building maintenance, and general strata uses.

architecture + design inc.

Neighbourhoad Plan, and although limited commercial would be consistent with the OCP, they may not be viable in this location. Consider eliminating the retail in favour of residential. Townhouse style units at grade fronting Johnson may be better suited to this frontage.

Response: No relait units are include in the proposal. Townhouse-like units have been incorproated along Johnson and Chambers Streets.

- Comment: Consider providing garage entrance closer to Chambers in order to reduce or eliminate the driveway behind the building.
 - Response: A garage entrance was providing per City of Victoria Engineering requirements and BC Transporation Act regulations.
- Comment: Please reconsider the transition between the building with the lower scale residential buildings on Pandora by introducing stepbacks at the upper levels similar to the front elevation. Response: The building is set back at multiple levels in response to the concern. Note that the 'lower scale' houses to the North of the subject site are at a higher elevation than the proposed building, which also mitigates the difference in building scales. Please refer to the
 - building elevations for additional clarity. Comment: Please reconsider the transition at the corner of Chambers and Johnson by
- Comment: Please reconsider the transition at the corner of Chambers and Johnson by introducing a stepback at the upper levels.
 - Response: The proposed building is set back at the upper level to give the appearance that it is a 5 - storey building instead of 6 - storeys. In addition, each stacked floor is set back at the Southeast corner and the building is given a sense of visual lightness through the use of glass guardrails and windows wall that visually wrap the building corner.
- Comment: Please consider redesigning the entrance to the residential lobby to ensure a positive street relationship and to address potential CPTED issues.
 - Response: The entrance to the residential lobby has been completely redesigned for a positive street relationship and the clear line of sight mitigates any CPTED issues.
- Comment: Please consider providing additional landscaping space around the building. It is
 noted that currently the majority of ground level outdoor space is dedicated to circulations.
 Response: The ground level outdoor space has been redesigned and the bulk of the areas is
 now dedicated to landscaping space.
- Comment: Please consider increasing the amount of space and bins dedicated to recycling and garbage bins to ensure the area will be functional for the size of building.
 - Response: The amount of space and bins dedicated to recycling and garbage bins has been redesign to provide increased area that will be functional for the building size.
- Comment: Please provide additional details regarding the treatment of the rooftop garden and the mechanical penthouse.
 - Response: The top floor has been redesigned with greater setbacks to reduce opportunities for undesirable overlooks to the neighbouring properties and as a result no longer includes a rooftop garden. In lieu, planter boxes have been provided along the guardrails of the two uppermost suites.
- · Comment: Please provide a lighting plan.
 - Response: A detailed lighting plan will be provided with consideration to CPTED and the miligation of urban light pollution.
- Comment: Please ensure that all hard and soft surface treatments are labelled on the landscape plan.
 - Response: Hard and soft surface treatments are indicated on the landscape plan.
 - Comment: Please show the proposed Class-2 blcycle racks on the site plan. The location should be easily accessible.
 - Response: Six Class-2 bicycle racks are indicated on the site plan adjacent to the primary building entrance.
- Comment: Please label all materials on the elevation plans. Please confirm that the windows are clear glass.
 - Response: All materials are labeled on the elevation drawings. Windows are clear glass. Comment: Please ensure that the renderings and elevation plans are consistent with respect to
 - building materials, windows, etc.
 - Response: The renderings and elevation plans are consistent with respect to building materials, windows, etc.
- Comment: A site specific zone will be created for this proposal. Please consider removing the "proposed variances" section from the letter to Mayor and Council. Response: No "proposed variances" section is included in this letter.
- 8 1009 Expo Boulevard Vancouver BC Canada V62 2V9 t: 604.678.5638 kokaarchitecture.ca

architecture + design inc.

Transportation Features

All parking corresponding to the proposed project is located below grade. The ratio of parking stalls to units is 1.2 parking spaces per unit and the requirement has been met in full for a total of 58 parking spaces, including 1 required accessible parking stall.

The parkade entry is situated at the Northeast comer of the subject site along Chambers Street, per Engineering requirements corresponding to regulations outlined in the BC Transportation Act that prohibits the opportunity for parking access to the parkade along Johnson Street.

Bicycle parking meets the required 1:1 ratio of spaces to units and is located at the parkade mezzanine level with direct roll-in / roll-out access to help encourage bicycle travel, particularly given the nearby benefit of the Johnson Street bike lane. In addition, 6 Class 2 bike spaces are located near the primary building entrance along Johnson Street.

Owing to the various transportation options in the area, as well as the access to amenilies within a two kilometre radius, the need for individual car travel is reduced for future residents that have the ability to opt for public transportation, bicycle travel, or basic pedestrian mobility.

Crime Prevention Through Environmental Design (CPTED)

Design features are incorporated into the architectural and landscape design to facilitate neighbourhood and resident safely and security through environmental design. Ground-orient units with generous patios create buffers between the public and private building interface, while at the same time creating a sense of 'eyes on the street' to help minimize opportunities for unseen criminal activity. Landscaping and walkways are designed to allow for clear lines of sight, along with ground oriented lighting planning that mitigates blinding lights and dark corners. In addition, secure underground vehicle and bicycle parking is providing with radio control access.

Infrastructure

The proposed project will utilize existing service infrastructure and will contribute to the expansion of portions of the infrastructure based on municipal requirements. The improvement will be of greatest visual notice to the community via the widening and streetscape improvements along the Johnson and Chambers Street boulevards.

Sustainability

The proposed project commits to incorporating Sustainable design principles, such as minimized water usage, recyclable materials, native landscape planting, and energy efficiency, in order to achieve a minimum of Built Green Gold.

Artificial light planning on the subject site will also be restricted to mitigate urban light pollution.

Community Benefits

In the short term the proposed project offers individuals the opportunities for neighbourhood employment during the duration of construction, along with the corresponding spin off economic benefits to local businesses that provide services to construction staff. In the longer term residents in the community are provided with the opportunity for additional modestly priced market and rental housing to help service the median income bracket for the area.

In addition to the direct potential benefits through employment and housing, the proposed project benefits the community through the improvement of infrastructure, the creation of a neighbourly streetscape, and by offering Sustainable design building stock that helps to reduce the City of Victoria's environmental footprint in lieu of the existing ground level parking lot.

Response to Development Services Division Comments from Previous Application

- Comment: Please consider obtaining the property at 1039 Johnson Street to ensure that this
 property is not "orphaned" making future development difficult.
 - Response: In spite of best efforts, the property was not available for purchase.
- Comment: Retail units in this area of Fernwood, are not anticipated in the Fernwood

architecture + design inc.

Conclusion

The proposed project offers a mix of historic and modern massing elements, scales, landscaping features, traditional material references, and Sustainable design features that respond to the immediate and broader context of the subject site. With acknowledgment of existing and future contextual considerations, the project provides positive impacts for the community that will help to enhance the neighbourhood through economic growth and additional housing opportunities.

The newly designed proposed project has taken into consideration and has addressed the previous comments from City Staff, in addition to acknowledging community considerations that are in the purview of the Architect and Owner to address.

We thank you for taking the time to review and consider the details of our proposed project. Should you have any questions, please do not hesitate to contact us.

Respectfully,

Kardunk

Joseph Kardum ARCHIECT ABC LEED AP Principal koka architecture + design inc.



SUSTAINABILITY STATEMENT

1144 JOHNSON STREET - LOT 1038, VICTORIA DISTRICT 1148 JOHNSON STREET - LOT B, DISTRICT LOT 1037 VICTORIA DISTRICT 1152 JOHNSON STREET - LOT 1036, VICTORIA DISTRICT, PARCEL A 1154 JOHNSON STREET - PARCEL A, LOT 1036, VICTORIA DISTRICT, DD68545-I 1406 CHAMBERS STREET - LOT A, VICTORIA DISTRICT, PLAN VIP 8773

APPLICANT | KANG AND GILL CONSTRUCTION LTD.

RESIDENTIAL | 6 STOREY | 48 CONDOMINIUM UNITS

ENVIRONMENTAL INDICATORS

Ecological Protection and Restoration

This development incorporates environmentally sustainable landscaping. The same will include pervious paving and the addition of drought tolerant plants and trees.

Green Design and Construction

This development will be built to meet a BUILT GREEN™ Standard.

Water Efficiency

Reducing water usage decreases the impact on the water supply systems and sewage disposal infrastructure. This development will incorporate the following to help conserve water usage within the building:

- All toilets will be low-flow, dual flushing, and Energy Star® approved.
- All fixtures will be low-flow, water efficient, and Energy Star® approved.

Materials and Resources

With careful selection of materials and construction waste management, resource use and pressure on landfills can be decreased significantly. This development will incorporate the following to help with waste management and sustainability:

When possible, demolition and construction waste will be recycled.



- Materials with high recycled content and from rapidly renewable resources will be donated for reuse by others.
- Materials with high recycled content and from rapidly renewable resources will be used wherever possible. Examples: insulation and flooring material.
- Kitchens and the parkade will include areas for recycling and composting.
- Durable materials will be used to prolong lifespan.

Indoor Environmental Quality

Reducing emissions is essential for the protection of human health and the environment. Improving ventilation and specifying low-emitting materials can improve indoor air quality significantly. This development will incorporate the following to improve air quality:

- A proper selection of non-off-gassing materials. Examples: carpet underlay and insulation.
- Only paints, adhesives and sealants with low VOC's will be used.
- Carbon monoxide detectors will be provided.
- All HVAC systems will include proper filters.
- Ventilation throughout all hunits will be improved and all ventilation fans will be Energy Star®
 approved.
- Programmable humidistats will control ventilation, conserve energy and better regulate temperatures.

Energy

This development will incorporate the following to help conserve energy within the homes:

- Programmable thermostats will conserve energy and better regulate temperatures.
- All doors and windows will meet a Zone A Energy Star® Rating.
- All appliances and fixtures will be Energy Star® approved.

SOCIAL INDICATORS

Community Character and Liveability

This forty-eight (48) unit, six (6) storey building, would provide a diverse mix of housing options, including various rental units which would benefit both a growing neighbourhood and aging population. This development would provide a pedestrian friendly streetscape, enhanced sidewalks, and would encourage the use of pre-existing bicycle transit. The result of efficient land use would create a development that is attractive, energy efficient, and affordable; a gateway for sustainable living. This site is well situated to take advantage of existing retail, entertainment, neighbouring parkland, and public transportation.



ECONOMIC INDICATORS

Employment

The development would use local contractors and workers.

Efficient Infrastructure and Operational Cost Savings

This development would use existing municipal infrastructure.

The expansion would enhance the streetscape and contribute to a growing neighbourhood.



Advisory Design Panel Report For the Meeting of February 22, 2017

To:	Advisory Design Panel	Date:	February 15, 2017
From:	Leanne Taylor, Senior Planner		
Subject:	Rezoning Application No. 00487 and Develo 1148, 1152, 1154 Johnson Street and 1406 Cl	A REPORT OF A REPORT OF A REPORT	and a second

RECOMMENDATION

Recommend to Council that Development Permit Application No. 000434 for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street be approved with changes recommended by the Advisory Design Panel.

EXECUTIVE SUMMARY

The Advisory Design Panel (ADP) is requested to review a Development Permit Application for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street Road and provide advice to Council.

The proposal is for a six-storey, multiple-unit dwelling consisting of approximately 48 dwelling units. The following policy documents were considered in assessing this Application:

- The Official Community Plan (OCP, 2012)
- Multi-Unit Residential, Commercial and Industrial Design Guidelines (2012)
- Guidelines for Fences, Gates and Shutters (2010)
- Advisory Design Guidelines for Buildings, Signs and Awnings (2006).

COUNCIL DIRECTION

Council has asked the ADP to consider this application with specific attention to:

- · the transition to the buildings along Pandora Avenue and Chambers Street
- the overall massing, architectural elements and finishes with particular attention to the relationship with the local neighbourhood.

BACKGROUND	•
Project Details:	
Applicant:	Ms. Carly Abrahams Kang and Gill Construction Ltd.
Architect:	Mr. Joseph Kardum, AIBC, LEED AP koka architecture + design inc.
Development Permit Area:	Development Permit Area 16: General Form and Character
Heritage Status:	N/A

The following data table compares the proposal with the existing R3-1 Zone, Multiple Dwelling District. An asterisk is used to identify where the proposal is less stringent than the existing Zone.

Zoning Criteria	Proposal	Existing Zone R3-1 Zone	OCP Policy
Site area (m²) - minimum	2000.07	920.00	
Number of units - maximum	48	N/A	
Density (Floor Space Ratio) - maximum	2.00:1*	1.6:1 (if parking is provided underground)	1.2:1 (base) 2.0:1 (max)
Height (m) - maximum	18.29	18.50	
Storeys - maximum	6.00	N/A	
Site coverage % - maximum	40	32.00	
Open Site Space % - minimum	52	60	2
Setbacks (m) - minimum Front (Johnson Street) Rear Side (west) Side (Chambers St)	6.00* 9.14* 9.14* 6.00*	7.50 9.88 9.88 9.88 9.88	
Parking - minimum	57	57	
Visitor parking (minimum) included in the overall units	6	6	
	48 2 racks of 6 spaces	48 2 racks of 6 spaces	

Advisory Design Panel

Development Permit Application for 1144-1154 Johnson Street & 1406 Chambers Street Page 2 of 5

February 22, 2017

Description of Proposal

The proposal is for a six storey multiple unit dwelling consisting of approximately 48 dwelling units. The development has a proposed floor space ratio (FSR) of 2.00:1. The proposed site plan, architecture and landscape design include the following details:

- mid-rise building form consisting of contemporary architectural features, including a flat roofline, contemporary-style windows and materials, and substantial glazing
- exterior building materials consisting of brick, preformed metal panel, cementitious panel, window wall/aluminum frame, transparent glass guardrail, translucent glass guardrail, and natural fir wood.
- · two levels of underground parking with access off of Chambers Street
- main residential entryway fronting Johnson Street
- · exterior entrances and large raised patios for all ground-oriented units
- pedestrian access from Johnson Street to the ground-oriented units located on the north side of the building by through way of a gated pedestrian walkway
- substantial landscaping around the perimeter of the site and along the south-facing, rooftop patios
- climbing vines on the north and west elevations
- a total of 48 Class 1 bicycle parking spaces located in a secure, enclosed bicycle storage room in the parking mezzanine and six Class 2 bicycle parking spaces located at the main entrance to the building.

Sustainability Features

As indicated in the applicant's letter dated December 20, 2016, the following sustainability features are associated with this Application:

- meets Built Green standards
- energy and water conservation
- use of low emitting materials to improve air quality in the building
- · re-use and recycling of construction products.

Consistency with Design Guidelines

The Official Community Plan (2012) Urban Place Designation for the subject property is Urban Residential, which supports a multi-unit residential building up to approximately six storeys provided that the architecture, landscape and urban design respond to the established place character of the neighbourhood. The OCP also identifies this property in Development Permit Area 16: General Form and Character. The objectives of this DPA are to support multi-unit residential developments that provide a sensitive transition to adjacent and nearby areas that have a current built form of three storeys, or lower, and integrate new development in a manner that is complementary and responds to the place character through a high quality of architecture, landscape and urban design.

The applicant chose to redesign the building in response to feedback provided by Council at the Committee of the Whole meeting on February 25, 2016. Generally, this new design addresses the concerns raised by Council and staff that were related to the transition of the buildings along Pandora Avenue and Chambers Street, and the overall massing, architectural elements and finishes of the original building design.

Directly north of the subject property are four single-family dwellings. These properties are in the R3-1 Zone, Multiple Dwelling District. The applicant has responded to this transition by maintaining a 9.14m rear yard setback and setting back the building at the third and sixth storeys in order to allow for building articulation and landscaping. Due to a significant elevation change between the subject property and the properties to the north, the immediate neighbours to the north would only have direct view of the second storey. A partial yew hedge punctuated by ornamental grasses and shade-adapted shrubs are being proposed along the north property line to provide a vegetative screening.

The applicant has introduced various architectural features that visually break up the building into human-scaled proportions. This includes introducing a building base that is well-articulated along the façades facing Johnson and Chambers Streets, stepping back the upper floors, articulating windows on the north elevation and accentuating the corner of the building with floor to ceiling windows and pre-formed metal panels. Overall, the proposed development is consistent with the DPA 16 objectives for redevelopment and a high quality of urban design.

ISSUES

The issues associated with this project are:

- · ground floor treatment at the corner of Johnson and Chambers Street
- entryways on Johnson Street
- application of materials and palette.

ANALYSIS

Ground floor treatment at the corner of Johnson and Chambers Street

The *Multi-Family, Commercial and Industrial Design Guidelines* contain language that distinctive massing, building articulation and architectural treatments should be incorporated for corner sites. The applicant has incorporated design features to accentuate the corner of the building; however, the Advisory Design Panels (ADP) input on this aspect of the design with special attention to the ground floor treatment at this corner would be welcomed.

Design of the entryways on Johnson Street

The building base (first and second storeys) is designed to have the "look and feel" of groundoriented townhouse units with individual entrances facing the streets and a separate main entrance for the residential building fronting Johnson Street. The *Multi-Family, Commercial and Industrial Design Guidelines* contain language that entrances for pedestrians are legible and prominent. Initial comments from staff relating to the residential entryways include exploring ways to further emphasize the main residential entrance on Johnson Street to ensure a straight line of site into the lobby, as well as, adding some architectural detailing to the entrances of the ground-oriented units. ADP's input on this aspect of the design with respect to enhancing the residential entryways is welcomed.

Use of materials and palette

The Multi-Family, Commercial and Industrial Design Guidelines encourage exterior building materials that are high quality and durable, and enhance and articulate street frontages.

February 22, 2017

Overall, staff support the choice of materials; however, the mid-tone grey cementitious panel is quite dark and there may be an opportunity to reduce the amount of dark panel or incorporate a different type of material to lighten up the building. ADP's input would be welcomed on this aspect of the design with respect to materiality.

OPTIONS

- Recommend to Council that Development Permit Application No.000434 for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street be approved as presented.
- Recommend to Council that Development Permit Application No.000434 for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street be approved with changes recommended by the Advisory Design Panel.
- Recommend to Council that Development Permit Application No.000434 for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street does not sufficiently meet the applicable design guidelines and polices and should be declined.

CONCLUSION

This Application is generally consistent with the applicable design guidelines within DPA 16. The Application can benefit from further design refinement to improve consistency with the relevant design guidelines, particularly in relation to ground floor treatment at the corner of Chambers and Johnson Street, design of the entryways and the use of materials and palette. ADP's comments on these as well as any other aspects of the design that may require some refinement, are welcomed.

ATTACHMENTS

- Aerial Map
- Zoning Map
- Letter from Applicant received December 20, 2016
- Sustainability statement received December 20, 2016
- Plans for Development Permit Application No.000434 dated December 20, 2016.

S:\TEMPEST_ATTACHMENTS\PROSPERO\PL\DP\DP000434\ADP REPORT TEMPLATE.DOC



johnson + chambers

koka

PROJECT TEAM:

Owner Kong & Gil Construction Ud. 105-937 Duntord Avenue Victoria, BC V98 254

Carly Abrahams Development Manager cabrahams@kangandgil.com (250) 570-3140

Architect Isses architecture + design Inc. Suite & - 1029 Expo Soulevard Vancouver, BC, V62 ZV9 1: (604) 678-5638 e: info@kokoarchitecture.ca

Joseph Kardum Architect (.kardumilikakaarchitecture.ca (604) 418-7449

Sinuctural Read Jones Christofferson Ltd. Sulle 220 - 645 Type Road Victoria, BC, V9A 6X5 I: (250) 388-7794 e: victoria@rjc.ca

Leon Piett Siructurot Engineer e: Ipiett@rjc.co (778) 746-1136

Civit McElhanney Consuling Services Ltd. Suite 500 - 3960 Quadra Street Victoria, BC, VBX A3 1: (250) 370-9221 e: victoria@mcelhanney.co

Nathan Dunlap Civil Engineer et novnlap@mcelhanney.ca (778) 746-7417

Landscape LADR Landscape Architects 28-495 Dupplin Road Victoria, 8C, V82 188 t: (250) 598-0105 e: admin@ladr.ca

Bev Windjack Landscape Architect e: bwindjack@lacifa.ca

TABLE OF CONTENTS

A.001	CONTACT LIST AND TABLE OF CONTENTS
A.002	PROJECT DATA
A.003	DESIGN RATIONALE
A.004	SITE CONTEXT
A.005	CONTEXT MAP
A.006	CONTEXT PHOTOS
A.007	CONTENT PHOTOS
A.008	CONTEXT PHOTOS
A.009	SITE SURVEY
A.010	SITE PLAN
110.4	MEIZANINE
A.012	PARKING
A.013	LEVEL 1
A.014	LEVEL 2
A.015	LEVEL 3
A.016	LEVEL 4
A.017	LEVEL 5
A.018	LEVEL 6
A.017	ROOF PLAN
A.020	ELEVATION: SOUTH
A.021	ELEVATION: NORTH
A.022	ELEVATION: EAST
A.023	ELEVATION: WEST
A.024	SECTION: LONGITUDINAL (N-S)
A.025	SECTION: CROSS/STAIR (E-W)
A.026	ELEVATIONS (EAST & SOUTH)
A.027	ELEVATIONS (WEST & NORTH)
A.025	SHADOW STUDY
A.029	RENDERINGS
A.030	LANDSCAPE CONCEPT PLAN

koka

Mail 1 Mail Street on the pro-Landstreet by Statistical Statistics Statistical Statistics Statistical Statistics Statis

ting menerg hartene aug denge an Crearge et ann fine areas toget

terete Portalizzie

Anter to send the grant of the send of the

Notes to conserve all press johnson +

chambers

FANGADILI

enda antónes L'as-dilla ----- Trape & laite Cristeren Inper

1998 daveration .01 (1916, 1921) Dia CTI 102 (1916, 1921) Dia CTI 102 (1916, 1921) Dia (1923) Dia 102 (1916, 1923) Dia (1923) 103 (1916, 1923) Dia (1916, 1917) 103 (1916, 1923) Dia (1917) 103 (1917) Dia (1917) Dia (1917) 103 (1917) Dia (1917) Dia (1917) 103 (1917) Dia (1917) Dia (1917) Dia (1917) 103 (1917) Dia (1917) Dia (1917) Dia (1917) 103 (1917) Dia (1

CONTACT LIST AND TABLE OF CONTENTS

A.001

PROJECT DATA

e & Charlies in

Addressing Civic Address

1144-1154 Johnson Sheat -1456 Chardwar Sheat Victora, 3C 101 1035 VICTORS CIT. (US & DSIMILT 101 1032 VICTORS CIT. (US & DSIMILT 101 1032 VICTORS CIT. (US & DSIMILT ANDCL A, ED 465-451 OF 1031 1034 4 1037 VICTORS CIT. (US & ISSIE 4 1037 VICTORS CIT. (UA VICTORS LegalAddess R3-1, R3-2 Multiple Dune8 2000m² 21 3199 3m 405 (p)11 1m² 525 (1 Ce²m²) 1829m 2445m 6 ille bi loring the na C le Area: por loace Rah skal Race Area le Coverage (

530m 814m 632m 814 Porting Slots Below Grod Vision's Slots 38 148 Junita 1 2 e (10% of fetal 3akg 1 Class I - 48 (1 per Jrift Class 2 - 6 (at Entry)

latotilia, of Jr. Iz.	48	
init types	Studio	3
	I Bectoom	
	1 Bectroom - Den	32
	2 Bectoom	7
	28egroom + Den	

Menmum unit foor seep (mt); 43 Cm Bitvelios 407 & 500? To tal residential floor area (mr) 3382.0m

toning No. 20487 Development Permit No. 00404

Type of Start					-		
	-	Barting Pl	-				in second 1
	-						
Jonevelore	-						
Kibarg Das no					Part	**	-
						of Dance A.	_
-						and the Party of the local division of the l	
	-		_				
	*					6 **	*1 **
			-111-5-1				
Rentlined Tim 3				Witness I trave		-	
			1.22				
					-		
No-ormanic Care Presentation	-			i will			
No-to-to-to-Caro Names of Party of Part				94 fant a 5			
Van er van de la fange Anne 1922	1111						100
Vananser Andrease And	1111;						
Van er van de fange Anne 1985 Van Blante al sere	1111;						100
Vananser Andrease And	111111						1 1 N
Variantia Can National Ant Handata Aning Anno 1987 Varianti Ani I	111111111			92 foreit 12 forei 12 for 1 for 2	Auction Brown Are Bastor Lys		
Anternation Cont Anternational Anternational Anternational Anternational Anternational Anternational Anternational Anternational Anternational	111111				in here		
Vanorena Series Anterioren Anno Anterioren Anno Anterioren Anno Anterioren Anterior Anterioren Brange Brange Statu Brange Statu Senaren Vanoren	111111111			92 foreit 12 forei 12 for 1 for 2	Auction Brown Are Bastor Lys		
Anternation Cont Anternational Anternational Anternational Anternational Anternational Anternational Anternational Anternational Anternational	111111111			92 foreit 12 forei 12 for 1 for 2	Auction Brown Are Bastor Lys		
Vanorena Series Anterioren Anno Anterioren Anno Anterioren Anno Anterioren Anterior Anterioren Brange Brange Statu Brange Statu Senaren Vanoren	111111111			92 foreit 12 forei 12 for 1 for 2	Auction Brown Are Bastor Lys		

web.

koka

00 T.1: = 1:#:

New be defined a particular and the defined and the second and the

johnson + chambers

Britt BEDavid Tiss - 110: samma Tagat & Tela Cramber Breat Hartune DC

Begid Stammarken (201 1994 ACCOMA CCV (201 1994 ACCOMA CCV (201 1994 ACCOMA CCV (201 1994 ACCOMA CCV (201 1994 ACCO ACCO ACCO (201 1994 ACCO ACCO ACCO ACCO (201 ACCOMA CCV ACCO ACCO (201 ACCOMA CCV ACCO (201 ACCO

PROJECT DATA

	· March Street	MILLION AND									Constanting of the local division of the loc	1		Revenuelly! head		Selet Area	
LordPo		and.												700 8000	ger Bard	Anter Beart	
-	-	-									884			2.448	-	1.000	
-														**1.0	*7*	27* 4	
Lovers					-												
391	-	-		-	-	-	-	-			1100		100	6,10	1,148	T down	
														101-4	-	F	
Louis	-	-	-	-	-												
1971	-	-		-	-	-	-	-					1075	8.241	1,158	1,311	
-					-								-	344.4			
131 181	- 100				-		-	-	-								
100	414	-	140		-	-	-	-	-	-148			1875		1.008	1.400	
-									-					~*		**	
and a	-	-			-					-						-41	
397	674		-	- 14	-		-		-	-	1004		195	1.700	1,004	6.754	
2	1.0	1.1	1.00	10	1.20		100	100		100	1000			79.0	80.7	***	
and i			-		-		-		-	-					201		
-	14	- 10	-	-			-			-			22	1.094	1.010	6.716	
18	-	-	-	-	-	-	-		_							124	
																There a	a lotter
											1	Buttheater	(11)	16.79	1.000	10	Concession in the local division in the loca
· Boore											3			22121	410.4	14.0	1000
					-						3	Site Street		* all manual	First Artes	Puring Adds	Phone
												21,3121,2	190	2.0	-	al Bell	
												2.00	- 22	11	1793	A.018.7	
												Trained Stationers	_	Andre Datast	and him	August and and	
												Inter Address	-	Saffie Typest	Aug. 215	Safe Spinkers	Pergerba
												- Ing Area	37	Puts	Arg. 205	Sale Revision	~
												- Ing Aven	37	Bude .	A-5.809	Sale Spectra	-
												harden	*	Bude Haster-	A410		485
												her some	n	Bude .		-	-

Garged tilfan kanadinistes ordinsiden ister geleneen, dezere gill kanas, teleford solder die deverse, songe festens beitasperet ist erweisie oor beset-te solge: Na van genet fentiet (oder einer oordinge einer souteneten, sie perjet festelst (oder in open fei wa reweiselike na oordinge oordinge oordinge einer reweiselike is storet solden oordinkop eineren solder (in wijk) oppolytickt.

signed proposed project has 'ream vito consideration 3 the provinces community from City Stoff, in coddron to 3 community considerations that bet in the pursee of the legitizent to external.

policy (policy) (provided pr

to the East and in the Journ of the programed project. If these and Johnson These respectively, a Similar Annota to 2 A - However, and a soft monker of 2 is 4 - Fore-to 2 A - However, and a soft monker of 2 is 4 - Fore-al buildings the the theory.

of "Ne staged bits of ground held polyng bit that social contraveloperating display. How the result of the stage all cohords of the bits of the stage of the table of the stage of the stage of the stage of the stage stage of the stage of the stage of the stage stage of the stage of the stage of the stage stage of the stage of the stage of the stage stage of the stage of the stage of the stage stage of the stage stage of the stage o

or preject into taken titelignets with great constructions its the Subse constant, and consultations in the been surveitedeen with 9 the community in helic weare an appropriate architectural metablect inte.

ning and loafs

societi a se-ulorer multiv Loch tessyard in year con Freedoe neightouticod. 1 development units Vite-

beahted. The facult in gru-t white Vitring submobile hear the veels fraugh the device of an indexerces, the vicitiate of an indexerces the viceolets of woman

BRICK: Worm grey METAL PANEL: Aluminium Worm while

CEMENTROUS BOARD: Mid-Ione gray

for promised or the test to be reading on the measurement in the balance and the test of the read to be a second at the test of test o

Sold State

34 C region ordered of the levels is the bulk bolingers for become under the the level of the level work of the second cold the two forms

sendierce, a taket of tren L terr, and rodo-casoled "I between proceder

hangkundston, sollertn in the area, an well as the mine a here kilamaine rocks, the mere ber insorated for LALIs incarent that here the addity for got to bonde travel, or backs potitivisjon methility.

koka

8

fastues are roa to fooliade rep energementy -bulles behaven pre the credity pre the credity

1

and bus, treate the bootstatistic has great with paralest thing the harm and mut building devotions written are minimized to test, the the oppenditions face beforeen neighbourngperface

nn er denledig envende detenieren i Navez in reger gydrift. Gelumenum schundenietelfnetete Tresse element ete 9 enregen wolf toler proderigenbulding etenis. 5 conregel festivete al tre nurseout billizite gro tenoce

The properties project of using entries severe inductive and an contrast in the elements of periods of the inductive based on encryclarecoverses. The inductive under difference of the element of the severe of the inductive and encounter the of the conversion of the severe of the inductive inductive the conversion of the severe of the inductive inductive the conversion of the severe of the inductive inductive the severe and Company Tavel Basel Basel.

-

sproper i company si i a construit e desponde company. Private e ma 2 i fare bace bace to a subcompany technique company y neu dividue i dentitaire and Scatterian faith free chicks. An occumentarie i a company and an a subcompany and en properties and a subcompany and a subcompany.

ואריספו ובסכרי כיר סיר ביטולפול מי זיש בכירסטו וווונטיויש כאילול די למיצ חטישיטיעי, זדים פריטים ואפוס אפו

Anticky Spreckmeng on the subject size will de voluming in polition

And a grant of the second

ł

The processor project cannot to incomparing Surfamiliar reco-processors, such as monotodie work, teoder to dotte matterial, recine transaction planning, one rungs attempting, teoder to do were a dimmini at Surfamen Gold.

1

10/001

consectionalistic in the internation project in Sections grades and point of powerg stable to strate a failed of 28 paramy indicates per unit and in hose beam mark in a 1.1 fairs a failed of 28 paramy indicates per unit and accessible poster g Matt

Commerty Fandh In his pict was, he approximation of an invitation of an experiment for experiments and approved and particular and approximation and he access configuration of access-access the length screening and previous services and access and approximation and previous services and access and approximation of a previous services and access and access and access and access previous services and access and access and access and previous services and access and access and access previous services and access to access and access previous and access to access the access access access of an experimental access to access access access of access and access to access access access of access and access to access access access of access access access access access of access access access access access of access access access access of access access access access of access acces

enty i studied of the instituted come of the subject ste then 3044, per forgenening requirement considering is pointing occess in the BC forgenetics Act the portion the largoning occess in the policidal doing Johnson Total.

nodolismi ku disci polarididar vitin in Agiran silayora si noda savar. Ina proposala privici polaridi in se comunica pri agira pri agirangen de la seguna Agirangen. Ina decidar a la secularia de avegina Agirangen. Se del de la decidar de la secularia de la decidar de la decidar Ina decidar assemble de comunicación a real de la decidar en remandad hostanta in face al tras polares granda de la decida de la decidar decidar de la decidar decidar de la decidar de la decidar decidar de la decidar decidar de la decidar decidar decidar decidar decidar de la decidar deci

Johnson + chambers

The second secon

Engineen the request. Case of reason found an exclusion reason reason of level is in deal within a field occase. Is real reactor from the reactivity gives on matters are realized reactor from the optimizer is Case. 25 ke reactor are included many holding and reactor along alterna Start many holding and the start of the start start many holding and the start of the start start many holding and the start start start many holding and the start start start many holding and the start start start start many holding and the start start start start many holding and the start start start start start start many holding and the start start

GLASS GUARDRAIL: Transporent Glass Aluminum Frame





11 RATIONALE

A.003






















































































Tit 25:01

- ------johnson + chambers FAMO + QULL Standards Handlig same hage A hills (hereiter - Sad Manuel)

Context Photos ---------





of site along Chambers 51 at Pa ca 51 rds sub

koka

Tiles . ------

-

11:15 200 F 18.

nden ha soner gestione aug an eine an eine sta ----

15 mm- 10

johnson + chambers

----ande antenan Line-fille gerrore inger Linte Crossman tener tionen bC

tepid der meten LED Hits und Other Cri-LED Hits und Other And Or Critics (Critics And Or Critics (Critics And Or Critics (Critics And Or Critics And Or Critics (Critics And Or Critics (Critics And Or Critics (Critics (Crit New Inter Street

Content Photos

= A.007



form to rear an an Aprile to survey to all press

 bigdi Basersker

 07. 1996 VICTURA CT/

 08.4 mithem

 09.4 junt

 109.4 junt

true anna anna FRAST IN 13 Des 2015





ste Ste Survey



























.























-

ectes Incrine Toute Anna Ber menning eremetic and despense (remetic for an element of the second se

Refer to antenna and other fore to prove to all pass Johnson + chambers

54.H.G. 6.H.111 anne addition 1184-1184 annes Tapar 5 Ialls (Territor (Tapar Manan gC

Nexes and fire

nte Rendenngs - A.029



MINUTES OF THE ADVISORY DESIGN PANEL MEETING HELD WEDNESDAY FEBRUARY 22, 2017 AT 12 P.M.

1. THE CHAIR CALLED THE MEETING TO ORDER AT 12:04 P.M.

Panel Members Present:	Christopher Rowe; Justin Gammon; Cynthia Hildebrand; Patricia Graham; Jesse Garlick; Erica Sangster; Mike Miller
Absent:	Ann Katherine Murphy; Renee Lussier
Staff Present:	Leanne Taylor - Senior Planner Quinn Anglin - Secretary, Advisory Design Panel

2. Minutes from the Special Meeting held January 11, 2017.

Action:

It was moved by Jesse Garlick, seconded by Patricia Graham, that the Minutes of the Meeting of Advisory Design Panel held January 11, 2017 be adopted as presented.

CARRIED UNANIMOUSLY

Minutes from the Meeting held January 25, 2017.

Action:

It was moved Jesse Garlick, seconded by Patricia Graham, that the Minutes of the Meeting of Advisory Design Panel held January 25, 2017 be adopted as presented.

CARRIED UNANIMOUSLY

3. APPLICATIONS

1144 – 1154 Johnson Street & 1406 Chambers Street for Development Permit #000434 and Rezoning #00487

The City is considering a rezoning application to permit construction of a 6-storey, 48 unitresidential building. Applicant Meeting attendees:

CHRISTOPHER WINDJACK	LADR LANDSCAPE ARCHITECTS
BEV WINDJACK	LADR LANDSCAPE ARCHITECTS
CARLY ABRAHAMS	KANG AND GILL CONSTRUCTION
LUICA KALABRIC	KANG AND GILL CONSTRUCTION
HARMAN KAO	KOKA ARCHITECTURE + DESIGN INC.
JOSEPH KARDUM	KOKA ARCHITECTURE + DESIGN INC.

Ms. Taylor provided the Panel with a brief introduction of the Application and the areas that Council is seeking advice on, including the following:

- the transition to the buildings along Pandora Avenue and Chambers Street
- the overall massing, architectural elements and the finishes with particular attention to the relationship with the local neighbourhood.

Joseph Kardum then provided the panel with a detailed presentation of the site and context of the proposal

Christopher Windjack then provided the Panel with a detailed presentation of the landscape plan proposal.

Questions of clarification were asked by the Panel on the following;

- What the summary of Council and City staff concerns are?
 - transitions to the buildings along Pandora Avenue and Chamber Streets, the overall massing, architectural elements and the finishes with particular attention to the relationship with the local neighbourhood
 - concerns of ground floor treatment at the corner of Johnson and Chambers Street, the main entryway off Johnson street and the materiality of the building (particularly the mid tone grey – possibility to lighten it up or another alternative)
- Design rationale of the corner expression of the building?
 - Focus was heavier on the residential single family house scale at grade through the rest of the project and wanted to break from that a little, it was also related to the massing and it was determined that the most successful place to do that was at the corner. They started with punching out with the white material to allow more light and glazing; for a contemporary feel but with a more traditional style of massing
- If there is any opportunity to have the ground floor corner units lifted out of the ground further?
 - It was examined but they ran into a struggle structurally with lifting the building up more and building higher, further to, it would have impacts on neighbouring properties to the north
- Function of the amenity unit at ground floor level?
 - It is off to the side of the lobby, a social room to be used for meetings/parties
- The rationale of planting the fins all the way down to the ground?
 This was done to denote the entryway in respect to staff concerns
- Where is the material of wood natural fir applied?
 - o The fencing

- Is the dark charcoal color applied on the top of the building the same as the bottom color?
 - o Yes
- Has the ramp been approved by the Engineering Department?
 o Yes
- Are there stairwell windows?
 - o Yes
- What is the programmed use of the back pathway?
 - Acts as an extension of the units and their gardens, to be a green buffer used an access point for the back units
- Are the windows in darker sections white frame? Aluminum?
 - They will be a lighter window frame and consistent throughout the building, a silvery window frame to help punch out the windows
- Was there consideration to giving exterior access to the last ground floor unit on the back?
 - Yes, and at one point it did have access but a miscalculation was made on slope and therefore it had to be removed
- Was there consideration to the idea that people may possibly just cut across or directly through the area that is soft-scaped on the corner?
 - Yes, but people do tend to stay on the sidewalk when it is an urban environment, but there may be an opportunity to expand the sidewalk there.

Panel Members discussed:

- the planting of fins choking off the entryway, could possibly be more successful if they were removed to open it up a bit more and additional hardscaping
- fins seem redundant
- stronger expression of entryway needed, the base feels like it is missing something, could potentially benefit with more definition between the ground floor and upper residential units
- corner is not performing as well as it should, not consistent with the rest of the building
- overall, is a well put together building
- consideration to elevate the entry way which could potentially help simplify the corner
- is sensitive to the neighbourhood, to residential, and streetscape
- · the overlook from the building being significant, but the shadow study is minimal
- no issues with the dark palette, it helps the white areas and brick pop
- cleaning up the cornice line at the 5th floor may help the corner to be further successful
- no issues with the townhouse entryways off Johnson Street
- the windows in the stairwells could be more usable, have more light or glazing

Action:

MOVED / SECONDED

It was moved by Erica Sangster, seconded by Jesse Garlick, that the Advisory Design Panel recommend to Council Development Permit Application No. 000434 for 1144 – 1154 Johnson Street & 1406 Chambers Street be approved as proposed with the following recommendations;

- Strengthening the expression of the building entranceway
- Clarifying the expression of the Johnson and Chambers Street corner of the building
- Investigating further daylighting of the stairwells

CARRIED UNANIMOUSLY

3. ADJOURNMENT

The Advisory Design Panel meeting of February 22, 2017 adjourned at 1:15 pm.

st.ph.Rove

Christopher Rowe, Chair

architecture + design inc.

03 May 2017

Committee of the Whole City of Victoria 1 Centennial Square Victoria, BC V8W 1P6



Dear Committee of the Whole,

Re: Conditions to be met prior to Committee of the Whole for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street per Zoning No. 00487 and Development Permit No. 00434

Thank you for taking the time to review our proposed project response to the application review process for the subject site encompassing 1144-1154 Johnson Street and 1406 Chambers Street. The following are the questions or comments identified by City Staff along with our corresponding responses. For visual clarity, this letter is intended to be read with the corresponding drawings titled: Johnson + Chambers, Rezoning / DP Application Set – R.01, 22 march 2017 (and follow up set R.02, 28 April 2017).

Development Services Division Comments:

1) Please explore ways to further emphasize the main residential entrance on Johnson Street. If will be important to ensure a straight line of site into the lobby.

- Per sheets A.031, A.013, A.010, A.020, and A.022, the residential entry has been further emphasized in the following manner:
 - The concrete signage plinth supporting the entry element fins has been extended southwards to further distinguish the primary building entry with the numeric address and building name.
 - Direct lines of sight into the lobby have been enhanced with additional glazing provided to the East of the glazed entry doors.
 - The planter at the exterior of the amenity room has been extended to the West in order to tie the common area of the building entry to the common area of the amenity room.
 - In-ground LED lighting has been added along the entry path to the entry lobby.
 - The distinct metal and glass entry canopy has been designed with a light appearance above the entry door consistent with the project's material palette to help denote the primary building entry.

2) Please consider some detailing of the entrances to the individual townhouse units. This could be accomplished through accent materials or a different material for the front doors.

 Per sheets A.013, A.029, and A.020, the individual townhouses have received additional detailing in the form of wood-finish entry doors with glass inserts, lighting bollards designating each unit adjacent to unit's entry gate, an entry light fixture adjacent to each entry door, and accent lighting to highlight the extensive vegetation and approach along each stair and terrace.

3) Please provide more extensive context elevations (streetscape) showing the proposal in relationship to the neighbouring properties on Johnson Street and Chambers Street.

 Per sheets A.027, A.028, and A.031, extensive context elevations (streetscapes) have been provided identifying the relationships of the neighbouring properties on Johnson and Chambers Streets. In addition, please refer to the bird's eye massing views of the proposed project in context, per sheet A.033.

4) Please consider enlarging the window and/or adding spandrels to the blank wall on the north elevation to break it up.

- Per sheet A.030, windows have been enlarged at the upper wall of the North elevation. The lower
 portion of the wall remains reserved for vegetative screening.
 - Note that overlooks towards the Northern neighbours was originally identified by City Staff as a
 concern that should be addressed. As a result the quantity of glazing was consciously limited to
 avoid the perception of overlooks.

architecture + design inc.

5) Please ensure floor plans and elevations are consistent with respect to window placement and size, and balconies. Some inconsistencies have been discovered on the majority of floor plans.

- The floorplans and elevations are now consistent with respect to the window placement and size, as well as the balconies. Please refer to sheets A.013, A.014, A.015, A.016, A.017, A.018, A.019, A.021, A.022, and A.023.
- Planters at the level 5 roof have also been added in the level 6 plan for consistency. Please refer to sheet A.018.

6) Please ensure the materials are consistent on the renderings and elevation drawings.

 Per sheets A.029, A.030, and A.031, the materials are consistent on the renderings and elevation drawings.

7) Please provide a lighting plan.

- A lighting plan has been provided. Please refer to sheet A.035.
- 8) Please consider permeable patio pavers for the ground floor terraces.
 - Permeable patio pavers have been noted at the ground floor terraces. Please refer to sheet A.036.

Engineering and Public Works Department Comments:

9) Location of proposed bicycle parking does not appear to be easily accessible. Reducing the distance and door access to bike parking is strongly recommended.

- Per sheet A.011, the proposed bicycle parking is easily accessible from the parking entry ramp after one passes through the security gates. The corridor to the bicycle room includes two security doors for occupant safety, both of which are accessible via automatic door operators.
 - Note that the proposed bicycle room locations and access from the exterior is far shorter than most conventional buildings since bicycle rooms are typically found at the furthest
- reaches of the parkades within most projects. The proposed bicycle parking is also easily accessible from the elevators.

Parks Division Comments:

- 10) No objection to application.
 - No response required.

11) The new boulevards on Johnson Street and Chambers Street have significantly increased in size in this proposal, adding 7 new trees and 150m2 grass, an increase from three existing trees. The larger grass and treed boulevard areas will require more parks maintenance resources, on the proposed right-of-way. The City will consider this "untaxed" existing boulevard becoming a "taxed" boulevard as all of the surrounding properties are taxed and this could simply be added to the City inventory and maintained by the City in perpetuity. The proposed boulevard is a great improvement over the existing one, as it adds a safer sidewalk environment with landscaping that separates pedestrians from a busy arterial street.

No response required.

Zoning Plan Check Comments:

12) Provide the average setback for the street wall at Johnson Street.

- Please refer to sheets A.002 and A.010 for the average street wall setback at Johnson Street.

13) The proposal requires 6 visitor parking for the residential units. Please identify these spaces on the parking plan.

Per sheet A.012, 6 residential visitor parking spaces have been identified on the parking plan.

14) Provide open site space calculation.

Please refer to sheet A.002 for the open site space calculation.

architecture + design inc.

15) Bicycle parking spaces do not match the numbers shown. (Page A.011 notes 26+31 = 57 & Page A.012 notes 67 bicycle stalls).

 Per sheets A.002 and A.011, the typo identifying the number of bicycle parking spaces has been corrected. The total number of bicycle parking spaces is 53 in the bicycle rooms, with 6 additional spaces at the building entry.

16) Update Project Data table to reflect new data (eg. Counted 53 Class 1 bicycle stalls, Data Table shows 48 parking stalls)

Per sheet A.002, the Project Data table have been updated to reflect the new data.

17) Show entryway canopy on site plan and dimension to property line.

 Per sheet A.010, the entryway canopy has been identified on the site plan with dimensions to the South property line along Johnson Street.

18) To determine whether the parkade is subject to setbacks, provide a section that shows existing grade and the relationship between the parkade.

- Please refer to sheet A.034 for a section that idenlifies the existing grade and the relationship to the parkade structure.
- 19) Provide dimensions for the clearances in the parkade area and ramp areas.
 - Please refer to sheet A.024 and A.034 for dimensions identifying clearances in the parkade area and ramp areas.

20) Provide the slope of the ramp and aisle on the west side of the parkade.

 Please refer to sheet A.011 for the slope of the ramp and aisle on the West side of the parkade.

Advisory Design Panel Discussion Points that Resulted in Modifications to the Proposed Project:

21) Consider matching the upper eaves of the building at levels 5 and 6 with the mid-tone grey of the level 4 and 5 walls below. This will add emphasis to the line of the level 3 horizontal beam, as well as the townhouse brick typology at levels 1 and 2.

Persheets A.029 and A.030, the eave at level 5, as well as level 6, have been changed to the mid-tone
grey to match the walls of levels 4 and 5.

22) Consider enhancing the landscaping and modifying the 90 degree angled sidewalk intersection at the Southeast corner of the property.

 Per sheet A.036, the landscaping has been enhanced to further define the building corner and a bench has been added adjacent to the intersection of the two sidewalks.

23) The planting of the fins possibly choking off the entryway, could possibly be more successful if they were removed to open it up a bit more and additional hardscaping.

- Per sheets A.010 and A.036, additional hardscape has been integrated into the landscaping in order to
 open up the entryway.
- Windows were added along the ground floor and also extended the planter across the exterior
 of the amenity room to reach out towards the primary building entry doors. As the vertical wall
 fins pass by the glass and the planter, they now have a lesser and lighter presence during the
 entry sequence owing to the removal of the solid wall between them.
- The wall fins were retained at the ground floor because: they are intended to be structural elements that help support the large balconies at the corner units above; they help thermally break the balconies from the primary building face as part of the design intent to help maximize the energy efficiency of the building through better detailing; they help block heat gain from the late afternoon Westerly Summer sun to the corner bedrooms and the living room areas above; and they block views between adjacent units or private areas within the same unit. In addition, after testing numerous options before and after the ADP to define the corner entry, we found the architectural expression of the building corner was most successfully achieved with the retention of the vertical fins to the ground floor rather than truncating the structure at the second floor.

architecture + design inc.

Advisory Design Panel Recommendations that Resulted in Modifications to the Proposed Project:

24) Strengthening the expression of the building entranceway.

- The expression of the building entryway has been strengthened to open up the entry towards the public interface with hardscape and softscape improvements that are integrated into the landscape, as well as refinements to the entry canopy. Please refer to Item 1 noted above for a more detailed accounting of the improvements.
- 25) Clarifying the expression of the Johnson and Chambers Street corner of the building.
 - The expression of the Johnson and Chambers Street corner of the building has been clarified with: hardscape and softscape improvements that are integrated into the landscape, as well as refinements to the entry canopy and wall detailing that lighten up the building structure. Please refer Items 1, 22, and 23 noted above for a more detailed accounting of the improvements.

26) Investigating further daylighting of the stairwells.

 Per sheet A.030, windows have been enlarged at the North and West building elevations in order to allow for increased daylight into the stairwells.

Once again, thank you for taking the time to review our responses. Should you have any questions, please do not hesitate to contact us.

Sincerely,

Kardull

Joseph Kardum ARCHITECT AIBC LEED AP Principal koka architecture + design inc.

4.1 Rezoning Application No. 00487 for 1144, 1148, 1152, and 1154 Johnson Street and 1406 Chambers Street

Main motion as amended:

That Council postpone consideration of the following motion pending consideration of ADP recommendations:

- That Council instruct staff to prepare the necessary Zoning Regulation Bylaw Amendment that would authorize the proposed development outlined in Rezoning Application No. 00487 for 1144, 1148, 1152 and 1154 Johnson Street and 1406 Chambers Street, that first and second reading of the Zoning Regulation Bylaw Amendment be considered by Council and a Public Hearing date be set once the following conditions are met:
 - a. Provision of a third-party land lift analysis to determine the value of any increase in density that exceeds the floor space ratio of 1.6:1 FSR with a contribution of 75% of the value of any identified land lift to be contributed to and divided equally between the Parks and Greenways Acquisition Reserve Fund and the Victoria Housing Reserve Fund, to be secured to the satisfaction of the Director of Sustainable Planning and Community Development.
- That Council consider giving the Zoning Regulation Bylaw Amendment final reading conditional upon the registration of the following:
 - Housing Agreement to secure the rental of 10 units for a minimum of 10 years and that future strata bylaws cannot prohibit from renting residential strata units;
 - b. Statutory Right-of-Way of 2.45m on Johnson Street and 3.37m on Chambers Street for sidewalk realignment of to the satisfaction of the Director of Sustainable Planning and Community Development.
- Following consideration of Rezoning Application No. 00487, and if approved that Council authorize staff to prepare and enter into an Encroachment Agreement for a fee of \$750 plus \$25 per m2 of exposed shored face during construction, to the satisfaction of the City staff.

On the main motion as amended: CARRIED UNANIMOUSLY 16/COTW

4.1 Development Permit with Variances Application No. 000434 for 1144, 1148, 1152, and 1154 Johnson Street and 1406 Chambers Street

Main motion as amended:

That Council refer the Application to the Advisory Design Panel to provide recommendations back to Committee of the Whole, with a request that the Panel pay particular attention to:

- 1. The transition to the buildings along Pandora Avenue and Chambers Street.
- 2. Overall massing, architectural elements and finishes with particular attention to the relationship with the local neighbourhood.

Following this referral, and after the Public Hearing for Rezoning Application No. 00487, if it is approved, that Council consider the following motion:

"That Council authorize the issuance of Development Permit with Variances Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped February 5, 2016.
- 2. Development meeting all Zoning Regulation Bylaw requirements.
- 3. The Development Permit lapsing two years from the date of this resolution."

On the main motion as amended: CARRIED 16/COTW

<u>For:</u> Against: Mayor Helps, Councillors Alto, Loveday, and Thornton-Joe Councillors Coleman, Madoff, and Young

Leanne Taylor

From:	Michael Jones
Sent:	March 2, 2017 10:20 AM
To:	Marianne Alto (Councillor); Chris Coleman (Councillor); Ben Isitt (Councillor); Jeremy
	Loveday (Councillor); Margaret Lucas (Councillor); pmaddoff@victoria.ca; Charlayne
	Thornton-Joe (Councillor); Geoff Young (Councillor); Leanne Taylor
Subject:	REGARDING HEIGHT VARIANCE FOR THE DEVELOPMENT AT:, 1144, 1148, 1152, AND
	1154 JOHNSON STREET &1406 CHAMBERS STREET:

REGARDING HEIGHT VARIANCE FOR THE DEVELOPMENT AT:

1144, 1148, 1152, AND 1154 JOHNSON STREET &1406 CHAMBERS STREET:

Dear Mayor, Council & Planning:

As we approach another public meeting regarding the proposed Kang & Gill development at the above address(es), we must speak out once again regarding policy at City Hall & impact on the "welfare, enjoyment and comfort" of the existing neighbourhood. Specifically, we want to discuss the perceived 'need' for a 6 story building.

The Kang & Gill project stands out among all projects east of Cook Street, either recently completed, currently under construction or in the planning stages by virtue of it's proposed height:

- The Maddison at Oak Bay & Richmond is 4 stories
- Black & White at Cook & Fort is 4 stories
- On the Park at Elford & Pandora- 4 stories
- The Wade, next door at Cook & Pandora 4 stories
- the recently completed block at Chambers & Pandora 5 stories

Somehow, each of these developers felt these heights to be adequate to render a reasonable profit.
This Council has spoken out repeatedly about the impact that development will have on existing gardens in this, 'The City of Gardens': (horticulturalists have advised that the southern portions of these properties will have to be replanted as the existing 'full sun' species die off). Additionally, there have been concerns about impact in the 'transition zones' (albeit here) between the core and the residential community.

Even before the city mandated 1 metre move north, this building will leave the neighbouring houses to the north *completely in the dark* for several weeks around the Winter Solstice. That is: **No sunlight!**

If you care to look at these gardens, you will find among *them* models of food production & highly developed aesthetics (both sought after features of this council). These gardens will be in the dark even longer than the houses which share them.

On considering a variance for height, one cannot imagine a motive other than avarice for compromising the neighbourhood in this way. After all, the rest of the development community in this area have decided that maximum dollars, (either in their bank accounts of in the tax base) are not the bottom line & that aesthetics is a strong variable in this equation.

Sincerely....

The residents of 1100 Block Pandora



Committee of the Whole Report For the Meeting of February 25, 2016

To:	Committee of the Whole	Date:	February 11, 2016	
From:	Jonathan Tinney, Director, Sustainable Planning and Community Development			
Subject:	Development Permit with Variances Applica 1152 and 1154 Johnson Street, and 1406 Cha			

RECOMMENDATION

That Council refer the Application to the Advisory Design Panel, with a request that the Panel pay particular attention to:

- 1. The transition to the buildings along Pandora Avenue and Chambers Street.
- Overall massing, architectural elements and finishes to ensure the integration with the local neighbourhood.

Following this referral, and after the Public Hearing for Rezoning Application No. 00487, if it is approved, that Council consider the following motion:

"That Council authorize the issuance of Development Permit with Variances Application No. 000434 for 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street, in accordance with:

- 1. Plans date stamped February 5, 2016.
- 2. Development meeting all Zoning Regulation Bylaw requirements.
- 3. The Development Permit lapsing two years from the date of this resolution."

LEGISLATIVE AUTHORITY

In accordance with Section 489 of the *Local Government Act*, Council may issue a Development Permit in accordance with the applicable guidelines specified in the *Community Plan*. A Development Permit may vary or supplement the *Zoning Regulation Bylaw* but may not vary the use or density of the land from that specified in the Bylaw.

EXECUTIVE SUMMARY

The purpose of this report is to present Council with information, analysis and recommendations for a Development Permit Application for the properties located at 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street. The proposal is to construct a seven-storey multi-unit residential building consisting of approximately 48 residential dwelling units.

The following points were considered in assessing this Application:

- The proposed building is subject to the design guidelines contained in Development Permit Area 16: General Form and Character and is consistent with the Urban Place Designation in the Official Community Plan.
- The Fernwood Neighbourhood Plan supports multi-unit residential buildings up to three
 or four storeys while the OCP supports mid-rise, multi-unit buildings up to approximately
 six storeys. Furthermore, the current zoning of the subject properties (R3-1 Zone,
 Multiple Dwelling Unit) allows a density of up to 1.6:1 FSR provided that all the parking is
 located underground and also up to a height of six storeys.
- Although the building is technically seven storeys, with the seventh storey accommodating the small mechanical penthouse, the building would only contain six storeys of habitable space.

BACKGROUND

Description of Proposal

The proposal is for a seven-storey multi-unit residential building consisting of approximately 48 residential dwelling units. Specific details include:

- · mid-rise building form with frontage along Johnson Street and Chambers Street
- main entrance to the building is off of Johnson Street
- exterior materials include HardiePanel siding and brick facing around the first and second storey windows and the main entryway into the building
- · a mixture of clear and translucent glass balconies with aluminum guardrails
- ground- floor units would have individual patios and a large communal courtyard would be provided on the west side of the building
- a roof top terrace with wooded planters and trellis system to provide space for urban agriculture
- substantial landscaping around the perimeter of the building
- each entrance includes a publicly accessible Class 2 bicycle rack for six bikes
- three bike rooms with space for 48 bikes would be provided in the underground parking area
- provision of 57 parking spaces underground, of which six are dedicated as visitor and the driveway into the site would be accessed off Chambers Street
- a shadow study prepared by the architect demonstrates that the shadow of the building would have the most impact on the neighbouring properties to the north during the winter months.

Sustainability Features

As indicated in the applicant's letter received February 5, 2016, the following sustainability features are associated with this Application:

- energy and water conservation
- · low emitting materials to improve air quality in the building
- re-use and recycling of construction products.

Active Transportation Impacts

The Application proposes the following features which support active transportation:

- 48 Class 1 bicycle parking spaces in bike rooms located in the underground parking area
- two Class 2 bicycle racks.

ANALYSIS

Development Permit Area and Design Guidelines

The Official Community Plan (OCP) identifies this property within Development Permit Area 16: General Form and Character. The OCP and the design guidelines support a multi-unit residential building up to approximately six storeys provided that the architecture, landscape and urban design respond to the established place character of the neighbourhood. Although the building is technically seven storeys, with the seventh storey accommodating the small mechanical penthouse, the building would only contain six storeys of habitable space.

The applicant has made several design modifications to the building to bring the proposal more in line with the strategic direction in the OCP and the design guidelines for multi-unit residential, such as:

- accentuating the ground level by providing raised patio spaces and private entryways to the units and a distinctive front entryway into the main building
- adding brick facing around the windows on the first and second storeys of the building to enhance the relationship of the building with the public realm
- stepping back the fifth and sixth storeys (a small degree), and enhancing the landscaping around the perimeter of the site.

However, staff recommend for Council's consideration that further refinements to the design of the building should be considered following the review of the Advisory Design Panel. Staff recommend that the Panel should pay particular attention to:

- the transition to the buildings along Pandora Avenue and Chambers Street
- overall massing, architectural elements and finishes to ensure integration with the local neighbourhood.

Regulatory Considerations

As indicated in the rezoning report, staff is proposing to create a new standard zone that coincides with the policy direction for properties designated Urban Residential in the OCP and located on a secondary arterial road. In crafting a new standard zone, staff would take into account existing built form in the neighbourhood and key design objectives in the OCP. With this approach, deviations from the proposed *Zoning Regulation Bylaw* required to accommodate this proposal would be addressed as variances to this Development Permit Application; however, these cannot be finalized until a new standard zone is prepared. Therefore, a follow-up Council report detailing the variances will be provided at first and second reading of the Zoning Regulation Bylaw Amendment should Council choose to advance this Application.

CONCLUSIONS

The proposed multi-unit residential development at 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street would support the planning objectives for the OCP and the design guidelines as they relate to built form. The proposal is generally consistent with the relevant design guidelines, however, staff recommend for Council's consideration that further refinements to the design are necessary to ensure that some key design objectives are met. The Application would therefore benefit from a review by the ADP.

ALTERNATE MOTION

That Council decline Development Permit Application No. 000434 for the properties located at 1144, 1148, 1152 and 1154 Johnson Street, and 1406 Chambers Street.

Respectfully submitted,

Leanne Taylor Senior Planner Development Services Division

Jonathan Tinney, Director Sustainable Planning and Community Development Department

Report accepted and recommended by the City Manager:

Date:

List of Attachments

- Zoning map
- Aerial photo
- Letter to Mayor and Council dated February 4, 2016
- Sustainability Statement received February 4, 2016
- Letter from the Fernwood Neighbourhood Association received September 11, 2015
- Arborist Report by Talbot Mackenzie & Associate, received December 16, 2015
- Plans for Rezoning Application No. 00487 and Development Permit Application No. 000434 received February 5, 2016.





N

1144-1154 Johnson Street and 1406 Chambers Street Rezoning #00487 Bylaw #







PROPOSED DEVELOPMENT

(REVISED FROM 06/07/15)

1144 JOHNSON STREET - LOT 1038, VICTORIA DISTRICT 1148 JOHNSON STREET - LOT B, DISTRICT LOT 1037 VICTORIA DISTRICT 1152 JOHNSON STREET - LOT 1036, VICTORIA DISTRICT, PARCEL A 1154 JOHNSON STREET - PARCEL A, LOT 1036, VICTORIA DISTRICT, DD68545-I 1406 CHAMBERS STREET - LOT A, VICTORIA DISTRICT, PLAN VIP 8773

APPLICANT | KANG AND GILL CONSTRUCTION LTD.

RESIDENTIAL | 6 STOREY | 48 CONDOMINIUM UNITS

CURRENT ZONING R3-1 | SITE SPECIFIC ZONING

February 4, 2016

City of Victoria 1 Centennial Square Victoria, British Columbia V8W 1P6

Dear Mayor Helps and the City of Victoria Counsel:

Re: The Landis - 1144, 1148, 1152, 1154 Johnson Street / 1406 Chambers Street Development Permit No.: 00434 | Zoning No.: 00487

Please accept this letter as part of our Rezoning and Development Permit Application for 1144, 1148, 1152, 1154 Johnson Street and 1406 Chambers Street, a proposed forty-eight (48) unit, residential condominium. The proposed development is located within the area of Fernwood and is consistent with the Official Community Plan, Fernwood Neighbourhood Plan, and the Urban Place Designations.

Our vision is to construct a development that is both attractive and sustainable. Through a series of presentations and consultation with the Staff of the City of Victoria, the Fernwood Residents' Association, and the Community this development has taken shape.

This proposed development includes bachelor, one, two, and three bedroom units. In designing this development, Kang and Gill Construction Ltd. has considered all factors. The same includes: site coverage, setbacks, design, function, sustainability, infrastructure, transportation and parking, affordability, security, and the overall presence in the neighbourhood.

Site Coverage and Setbacks

An appropriate setback along the south property line (Johnson Street) adds key interest to the streetscape and encourages interaction at the street level. This includes street level walk-ups to various units.

Rear setbacks, privacy fencing, and enhanced landscaping along the north property line create distinct separation between the proposed building and the neighbouring residential properties.

The fifth (5th) and sixth (6th) floors along the south and north exposures are setback. This creates both a visual interest and allows for appropriate transition between the proposed building and neighbouring residential properties.

Design and Function

This development incorporates a contemporary design, with a tradition colour scheme. Varying setbacks, textures, and tones create contrast and a visual interest. Variations in roof lines compliment neighbouring residential properties. Exterior finishes include: aluminum panels, hardy plank, hard panel, and accents of tile.

This development incorporates age and disability friendly design, suited to a diverse population.

Sustainability*

This development incorporates sustainable design, green building practices and materials, and has an emphasis on energy efficiency.

*For more information, please refer to the attached Sustainability Statement.

Infrastructure

This development would use existing municipal infrastructure and would further expand existing infrastructure and services. The expansion would enhance the streetscape and contribute to a growing neighbourhood.

Transportation and Parking

The proposed development includes fifty-three (53) secure underground parking stalls, with designated stalls for visitor and commercial use and a bicycle facility capable of accommodating fifty-one (51) bicycle racks. A separate stairwell is located on the southwest corner of the property for easy access to and from the underground parkade to the surface level.

Convenient and efficient transportation access encourages opportunities for cycling, walking, and public transit use.

Affordability

With the close proximity to the downtown core and the blend of bachelor, one, two, and three bedroom units, this development has something for everyone.

As part of this development, we propose a Covenant in which we will dedicate a minimum of twenty percent (20%)* of the total units, as rental dwellings.

Neighbourhood

This site is well situated to take advance of neighbouring parkland, galleries, museums, schools, and public transportation.

Security

Safety and security is a top priority during the design and construction process. Numerous enhanced security selections have been incorporated into this development. The same includes: secure underground parking, designated residents parking, clear and visible walkways, and a remote access system.

We thank you for your time and consideration with regards to this matter.

Sincerely,

Carly Abrahams Development Manager /ca

References:

Official Community Plan (2012)

- Pg. 36, Section 6, Map 2
- Pg. 48, Section 6, Map 3
- Pg. 145, Section 21
- Pg. 144, Map 22

Fernwood Neighbourhood Plan (October 1994)

Urban Place Designations



SUSTAINABILITY STATEMENT

1144 JOHNSON STREET - LOT 1038, VICTORIA DISTRICT 1148 JOHNSON STREET - LOT B, DISTRICT LOT 1037 VICTORIA DISTRICT 1152 JOHNSON STREET - LOT 1036, VICTORIA DISTRICT, PARCEL A 1154 JOHNSON STREET - PARCEL A, LOT 1036, VICTORIA DISTRICT, DD68545-I 1406 CHAMBERS STREET - LOT A, VICTORIA DISTRICT, PLAN VIP 8773

APPLICANT | KANG AND GILL CONSTRUCTION LTD.

RESIDENTIAL | 6 STOREY | 48 CONDOMINIUM UNITS

ENVIRONMENTAL INDICATORS

Ecological Protection and Restoration

This development incorporates environmentally sustainable landscaping. The same will include pervious paving and the addition of drought tolerant plants and trees.

Green Design and Construction

This development will be built to meet a BUILT GREEN™ Standard.

Water Efficiency

Reducing water usage decreases the impact on the water supply systems and sewage disposal infrastructure. This development will incorporate the following to help conserve water usage within the building:

- All toilets will be low-flow, dual flushing, and Energy Star® approved.
- All fixtures will be low-flow, water efficient, and Energy Star® approved.

Materials and Resources

With careful selection of materials and construction waste management, resource use and pressure on landfills can be decreased significantly. This development will incorporate the following to help with waste management and sustainability:

When possible, demolition and construction waste will be recycled.



- Materials with high recycled content and from rapidly renewable resources will be donated for reuse by others.
- Materials with high recycled content and from rapidly renewable resources will be used wherever possible. Examples: insulation and flooring material.
- Kitchens and the parkade will include areas for recycling and composting.
- Durable materials will be used to prolong lifespan.

Indoor Environmental Quality

Reducing emissions is essential for the protection of human health and the environment. Improving ventilation and specifying low-emitting materials can improve indoor air quality significantly. This development will incorporate the following to improve air quality:

- A proper selection of non-off-gassing materials. Examples: carpet underlay and insulation.
- Only paints, adhesives and sealants with low VOC's will be used.
- Carbon monoxide detectors will be provided.
- All HVAC systems will include proper filters.
- Ventilation throughout all hunits will be improved and all ventilation fans will be Energy Star® approved.
- Programmable humidistats will control ventilation, conserve energy and better regulate temperatures.

Energy

This development will incorporate the following to help conserve energy within the homes:

- Programmable thermostats will conserve energy and better regulate temperatures.
- All doors and windows will meet a Zone A Energy Star® Rating.
- All appliances and fixtures will be Energy Star® approved.

SOCIAL INDICATORS

Community Character and Liveability

This forty-eight (48) unit, six (6) storey building, would provide a diverse mix of housing options, including various rental units which would benefit both a growing neighbourhood and aging population. This development would provide a pedestrian friendly streetscape, enhanced sidewalks, and would encourage the use of pre-existing bicycle transit. The result of efficient land use would create a development that is attractive, energy efficient, and affordable; a gateway for sustainable living. This site is well situated to take advantage of existing retail, entertainment, neighbouring parkland, and public transportation.



ECONOMIC INDICATORS

Employment

The development would use local contractors and workers.

Efficient Infrastructure and Operational Cost Savings

This development would use existing municipal infrastructure.

The expansion would enhance the streetscape and contribute to a growing neighbourhood.



SUSTAINABILITY STATEMENT

1144 JOHNSON STREET - LOT 1038, VICTORIA DISTRICT 1148 JOHNSON STREET - LOT B, DISTRICT LOT 1037 VICTORIA DISTRICT 1152 JOHNSON STREET - LOT 1036, VICTORIA DISTRICT, PARCEL A 1154 JOHNSON STREET - PARCEL A, LOT 1036, VICTORIA DISTRICT, DD68545-I 1406 CHAMBERS STREET - LOT A, VICTORIA DISTRICT, PLAN VIP 8773

APPLICANT | KANG AND GILL CONSTRUCTION LTD.

RESIDENTIAL | 6 STOREY | 48 CONDOMINIUM UNITS

ENVIRONMENTAL INDICATORS

Ecological Protection and Restoration

This development incorporates environmentally sustainable landscaping. The same will include pervious paving and the addition of drought tolerant plants and trees.

Green Design and Construction

This development will be built to meet a BUILT GREEN™ Standard.

Water Efficiency

Reducing water usage decreases the impact on the water supply systems and sewage disposal infrastructure. This development will incorporate the following to help conserve water usage within the building:

- All toilets will be low-flow, dual flushing, and Energy Star® approved.
- All fixtures will be low-flow, water efficient, and Energy Star® approved.

Materials and Resources

With careful selection of materials and construction waste management, resource use and pressure on landfills can be decreased significantly. This development will incorporate the following to help with waste management and sustainability:

When possible, demolition and construction waste will be recycled.



- Materials with high recycled content and from rapidly renewable resources will be donated for reuse by others.
- Materials with high recycled content and from rapidly renewable resources will be used wherever possible. Examples: insulation and flooring material.
- Kitchens and the parkade will include areas for recycling and composting.
- Durable materials will be used to prolong lifespan.

Indoor Environmental Quality

Reducing emissions is essential for the protection of human health and the environment. Improving ventilation and specifying low-emitting materials can improve indoor air quality significantly. This development will incorporate the following to improve air quality:

- A proper selection of non-off-gassing materials. Examples: carpet underlay and insulation.
- Only paints, adhesives and sealants with low VOC's will be used.
- Carbon monoxide detectors will be provided.
- All HVAC systems will include proper filters.
- Ventilation throughout all hunits will be improved and all ventilation fans will be Energy Star® approved.
- Programmable humidistats will control ventilation, conserve energy and better regulate temperatures.

Energy

This development will incorporate the following to help conserve energy within the homes:

- Programmable thermostats will conserve energy and better regulate temperatures.
- All doors and windows will meet a Zone A Energy Star® Rating.
- All appliances and fixtures will be Energy Star® approved.

SOCIAL INDICATORS

Community Character and Liveability

This forty-eight (48) unit, six (6) storey building, would provide a diverse mix of housing options, including various rental units which would benefit both a growing neighbourhood and aging population. This development would provide a pedestrian friendly streetscape, enhanced sidewalks, and would encourage the use of pre-existing bicycle transit. The result of efficient land use would create a development that is attractive, energy efficient, and affordable; a gateway for sustainable living. This site is well situated to take advantage of existing retail, entertainment, neighbouring parkland, and public transportation.



ECONOMIC INDICATORS

Employment

The development would use local contractors and workers.

Efficient Infrastructure and Operational Cost Savings

This development would use existing municipal infrastructure.

The expansion would enhance the streetscape and contribute to a growing neighbourhood.



Fernwood Community Association

lanning & Develop

Bevelopment Services Divisio

1923 Fernwood Road, Victoria, B.C., V8T 2Y6

(250) 384-7441 Email: landuse@thefcaca

September 10, 2015

Mayor and Council City of Victoria #1 Centennial Square Victoria, B.C. V8W 1P6

Re: 1144, 1148, 1152, and 1154 Johnson Street and 1406 Chambers Street

The Fernwood Community Association held three public meetings concerning this proposed development. All meetings were held in the main hall at 1923 Fernwood Road:

- 1. December 3, 2014, Preliminary Community Meeting;
- 2. February 4: 2015, community meeting organized by the developer to discuss their current thinking about their original proposal, and;
- 3. April 1, 2015, Official Community Meeting.

As all five of these properties are currently zoned R3-1 (Multiple Dwelling District) the immediate neighbours attending the meetings were disappointed to learn about the height of the building this zone allows for. Of the proposed variances the height of the building is already problematic for the single homes to the north. By moving the building closer to Johnson Street and stepping the building back the developer believes the building's impact on the immediate properties to the north has been slightly reduced. During their presentation the developer presented and discussed the shadow studies done.

A major issue at all three meetings was the restrictions placed on the access point to the underground parking by the City's Highway Access Bylaw. Residents and the developer would prefer to have the access be from Johnson Street rather than Chambers Street. In a meeting, attended by Mayor Helps, where I raised the issue of the Highway Access Bylaw in relation to this property, the Mayor indicated she was aware of the issue and thought some accommodation in this circumstance might be possible.

The other issue raised concerned the large commercial space on the ground floor. Discussion of this issue included limiting the commercial to service businesses rather than retail or the possibility of having no commercial space with the opportunity to have "doors on the street". This would maintain a residential feel in this area of Johnson Street as it transitions east to a more residential area. If agreeable to the City the developer expressed a willingness to consider this change.

Generally this area of the neighbourhood is undergoing significant change with the construction of a large building in the next block to the east, the removal of the former BCAA building and possible changes to the aging medical building on the south east corner of Pandora Avenue and Cook Street.

Sincerely,

naoni Sason per David maxwell

David Maxwell Chair, Land Use Committee Fernwood Community Association

Pc: Sustainable Planning and Community Development Department, City of Victoria



Talbot Mackenzie & Associates

Consulting Arborists

November 30, 2015



Kang and Gill Construction Ltd. 937 Dunford Avenue, Suite 105 Victoria, BC V9B 2S4

Attention: Carly L. Abrahams

Re: Trees on the municipal frontage - 1144, 1148, 1152 and 1154 Johnson Street

During our November 10, 2015 site visit, at your request, we reviewed the development proposal for the properties at 1144, 1148, and 1152 Johnson Street and 1406 Chambers street as it relates to the trees that grow along the Johnson Street municipal frontage. For this purpose, we reviewed the plans that were supplied, and visually examined the above ground portions of the trees that grow along this frontage.

During this site visit, we identified and examined the three Liquidambar trees located directly in front of the property, and a forth Liquidambar tree located in front of the adjacent property at 1139 Johnson Street, but where it could potentially be impacted by the construction activity.

The trees are located within a relatively narrow planting strip between the sidewalk and the street curb. The canopies of all three trees have been altered by pruning to provide the required clearances from the three phase hydro primary conductor that is located directly above the trees. The pruning has resulted in an unnatural form and the development of wide spreading canopies that extend out over the street and encroach over the adjacent private properties.

The three Liquidambar trees that were examined include:

Liquidambar #1 - 74 cm d.b.h. - located near the Chambers and Johnson Street corner in front of 1154 Johnson Street

- This tree has a canopy spread of 14 metres that encroaches approximately 7 metres into the property. We calculate a critical root zone that extends 7 metres out from the base of this tree. There appears to have been some recent soil and root disturbance during the house demolition that has exposed and severed large root structures within the property boundary.

Liquidambar #2 - 48 cm d.b.h. on the 1152/1148 Johnson Street frontage

 This tree has a canopy spread of 14 metres that encroaches approximately 7 metres over the property. We calculate a critical root zone extending 4 metres out from the base of this tree.

> Box 48153 RPO Uptown Victoria, BC V8Z 7H6 Ph: (250) 479-8733 ~ Fax: (250) 479-7050 Email: treehelp@telus.net

..../2

Liquidambar #3 - 44 cm d.b.h. on the 1144 Johnson Street frontage

This tree has a canopy spread of 12 metres and extends 6 metres into the property.
 We calculate a critical root zone that extends 4 metres out from the base of this tree.

Liquidambar #4 - 58 cm d.b.h. on the frontage of the adjacent property at 1139 Johnson Street

 This tree has a canopy spread of 14 metres, but does not extend into the subject development property. We calculate a critical root zone that extends 5 metres out from the base of the tree.

The plans that were reviewed show a building of five stories above ground level and one story below ground level. We anticipate that the excavation for the underground portion will extend to zero lot lines on both municipal frontages, but with the aboveground portions set slightly back from these boundaries. It is probable that the roots from the subject Liquidambar trees extend over the property boundary and into the area proposed for excavation, particularly from the large 74 cm d.b.h. Liquidambar #1 at the Johnson and Chambers Street frontage. We anticipate extensive loss of structural and other critical root structures, and, in our opinion, it is unlikely that this tree can be retained.

However, it is difficult to determine, from a visual assessment, the extent of potential root loss without first exposing and documenting the size and number of roots that are encountered within the area of the proposed excavation. We anticipate, from our visual review, that the excavation will be outside the area that contains the critical supporting roots for smaller 48 cm(#1) and 44 cm(#2) Liquidambar trees. While the excavation will encroach within the defined critical root area of these two trees, in all likelihood the roots that are encountered can be pruned, and there is a high probability that these trees can be retained if the excavation does not encroach over the property boundary. The roots of the adjacent 58 cm tree are unlikely to be impacted by the excavation.

The limbs of three of the trees extend over the property line, and where we anticipate that pruning will be required for either clearance from the buildings or for working room and construction access around these buildings. Pruning limbs back to the shared property boundary may be required along this frontage, and may result in an imbalance or asymmetry in the canopy form once pruned.

Mitigation of Impacts: To reduce the impacts on the trees that are to be retained, we have outlined the following procedures to be implemented during the development of this property.

- **Barrier fencing:** Areas, surrounding the trees to be retained, should be isolated from the construction activity by erecting protective barrier fencing. In this location, it will only be possible to fence the portions of the critical root zones that fall within the municipal frontage, between the sidewalk and the street curb. The fencing that is located on the municipal boulevard or runs along the municipal frontage must conform to the municipal specifications that require:
 - 0.6 metres between the fencing and the curb to provide for opening of car doors
 - 0.3 metres of clearance between the fence and the edge of a sidewalk within a grass boulevard.

Box 48153 RPO Uptown Victoria, BC V8Z 7H6 Ph: (250) 479-8733 ~ Fax: (250) 479-7050 Email: treehelp@telus.net

..../3

Municipal Frontage Trees

Page 3

The barrier fencing to be erected must be a minimum of 4 feet in height and constructed of solid material or flexible safety fencing that is attached to wooden or metal posts. If a flexible fencing material is used, the top and bottom of the fencing must be secured to the posts by a wire or board that runs between these posts. The fencing must be erected prior to the start of any construction activity on site (i.e. demolition, excavation, construction), and remain in place through completion of the project. Signs should be posted around the protection zone to declare it off limits to all construction related activity. The project arborist must be consulted before this fencing is removed or moved for any purpose. Solid hording material may also be required to protect the trunks of trees from mechanical injury if vehicles or machinery are permitted close to tree trunks and where blasting is required

Excavation for the Building footprint: The arborist is to monitor excavation for the building footprint in the upper 1-2 metre depth of soil along the Johnson Street property boundary to observe the extent of root loss for each individual tree along this frontage. Although we anticipate that the impacts of the root loss can be addressed through root and canopy pruning, severe root loss from a specific tree could result in a recommendation to remove a specific tree or trees entirely.

Following the excavation and pruning, it will be necessary to monitor any tree where roots were pruned or severed during high wind conditions, and cyclically for several years following this loss for any indicators of an unnatural trunk lean, abnormal movement of the lower trunk during wind gusts, soil cracking or heaving within the root plate, or any other indicators of root plate instability.

Driveway Footprint: The plans show the driveway will access the underground parking on the north edge of the Chambers Street frontage, and where it will not impact the municipal trees.

Service corridors: We were not provided with and we did not review plans that showed any of the above ground or underground services for this property. It is our understanding, and it is a requirement, that the underground services can be located where there will not be encroachment within the critical root zones of the municipal trees. The project arborist must review service locations when they are defined and advise of any conflicts with the trees that are to be retained, and any possible mitigation measures that can be employed to alleviate these conflicts.

Blasting/rock removal: At this time, we are not aware of any blasting requirements for this site; however, it is possible that bedrock may be encountered. If blasting is required to level these rock areas, it should be sensitive to the root zones located at the edge of the rock. Care must be taken to assure that the area of blasting does not extend into the critical root zones beyond the building footprint. The use of small low-concussion charges and multiple small charges will reduce fracturing, ground vibration, and reduce the impact on the surrounding environment. Only explosives of low phytotoxicity (stick dynamite), and techniques that minimize tree damage, are to be used within the critical root zones of the trees that are to be retained. Provisions must be made to store blast rock, and other construction materials. The project arborist must meet with the blasting contractor to review and direct the blasting within the critical root zone areas of trees that are to be retained.

Box 48153 RPO Uptown Victoria, BC V8Z 7H6 Ph: (250) 479-8733 ~ Fax: (250) 479-7050 Email: treehelp@telus.net

...../4

Municipal Frontage Trees

Pruning: The canopies of the municipal trees extend over the property line into the subject property and where they may be in conflict with the building location and its construction. Pruning close to or back to the shared property boundary may be required. An ISA Certified arborist must conduct any pruning of the bylaw-protected or municipal trees, if required, after first obtaining permission from the Municipal Parks Department. The municipality may opt to complete the pruning of their trees to address the property line conflicts.

Offsite work: The proposal did not identify, and we are not aware of any upgrades or replacements of offsite municipal infrastructures. The project arborist must review any changes to the municipal infrastructure or additional offsite requirements prior to their installation to determine the impacts on the bylaw-protected and municipal trees that are to be retained.

Work Area and Material Storage: It is important that the issue of storage of excavated soil, material storage, and site parking be reviewed prior to the start of construction. There must be no storage of construction material within the municipal frontages.

Arborist Role: It is the responsibility of the client or his/her representative to contact the project arborist for the purpose of:

- Locating the barrier fencing and hording
- Reviewing the report with the project foreman or site supervisor
- Supervising excavation for the building footprint and service corridor where they
 encroach within the critical root zones of trees that are to be retained.
- Provide direction for the blasting contractor

Review and site meeting: Once the building permit is approved, it is important that the project arborist meet with the principals involved in the project to review the information contained herein. It is also important that the arborist meet with the site foreman or supervisor before any demolition, site clearing or other construction activity occurs.

Summary:

In summary, it is our opinion from our site review and the examination of the subject trees that it will not be possible to retain and protect the 74 cm d.b.h. Liquidambar tree #1 through the construction phase. There is a better opportunity to retain and protect the other smaller trees along this frontage if the excavation required is contained within the property boundaries.

Alternately, when considering the potential construction impacts, the tree species and their location beneath the hydro primary conductor, the city may be best served in the long term with the opportunity for the removal and replacement of all three trees with a species that is more compatible with the location under the hydro lines.

> Box 48153 RPO Uptown Victoria, BC V8Z 7H6 Ph: (250) 479-8733 - Fax: (250) 479-7050 Email: treehelp@telus.net

Municipal Frontage Trees

Please do not hesitate to call us at 250-479-8733 should you have any further questions. Thank You.

Yours truly, Talbot Mackenzie & Associates

1 Jalli

Tom Talbot & Graham Mackenzie ISA Certified & Consulting Arborists

Enclosures - Barrier Fencing Specifications, Barrier Fencing Location Diagram

Disclosure Statement

Arborists are professionals who examine trees and use their training, knowledge and experience to recommend techniques and procedures that will improve the health and structure of individual trees or group of trees, or to mitigate associated risks.

Trees are living organisms, whose health and structure change, and are influenced by age, continued growth, climate, weather conditions, and insect and disease pathogens. Indicators of structural weakness and disease are often hidden within the tree structure or beneath the ground. It is not possible for an arborist to identify every flaw or condition that could result in failure nor can be she guarantee that the tree will remain healthy and free of risk.

Remedial care and mitigation measures recommended are based on the visible and detectable indicators present at the time of the examination and cannot be guaranteed to alleviate all symptoms or to mitigate all risk posed.

Box 48153 RPO Uptown Victoria, BC V8Z 7H6 Ph: (250) 479-8733 ~ Fax: (250) 479-7050 Email: treehelp@telus.net

















A 205

• •



• •

Received By of Victoria FEB 0 5 2016 Manoing & Development Department Development reneces Drivision

A-206

Г	<u>я</u>		- 		
F					15
l li	HED		DP	61.9	1 1
	1ª P	THE REAL	E7F	CT I	1
	R		1	FR	1-1

2 BEDROOM UNITS = 4 1 BEDROOM UNITS = 2

GROSS FLOORAREA = 459.42 SQ. M (4 999.50 SQ. FT.)

. · .

Received City of Victoria				
	FEB 0 5 2016			
	Dep # HITAD			

.

A-207

Planning & Developing and Department Development Services Division



4 ...

÷.

.

Received City of Victoria FEB 0 5 2016 Manning & Development Department Development Services Division

A 208








City of Victoria

FEB 0.5 2016 Planning & Development Department Development inners Development





1 . . .











PROJECT TEAM:

Owner Kang & Gill Construction Ltd. 105-937 Dunford Avenue Victoria, BC V9B 2S4 1: (250) 590 - 3140 e: cabrahams@kangandgill.com

Carly Abrahams Development Manager e: cabrahams@kangandgill.com t: (250) 590-3140

Architect koka architecture + design inc. Suite 8 - 1009 Expo Boulevard Vancouver, BC, V6Z 2V9 t: (604) 678-5638 e: info@kokaarchitecture.ca

Architect

Joseph Kardum Leon Plett Structural Engineer e: j.kardum@kokaarchitecture.ca e: lplett@rjc.ca t: (778) 746-1136 1: (604) 418-7449

Structural

Suite 220 - 645 Tyee Road

Victoria, BC, V9A 6X5

1: (250) 386-7794

e: victoria@rjc.ca

Read Jones Christofferson Ltd.

Civil McElhanney Consulling Services Ltd. Suite 500 - 3960 Quadra Street Victoria. BC. V8X 4A3 t: (250) 370-9221 e: victoria@mcelhanney.ca

Nathan Dunlop Civil Engineer e: ndunlop@mcelhanney.ca t: (778) 746-7417

2B-495 Dupplin Road Victoria, BC, V8Z 188 1: (250) 598-0105

Landscape

Bev \ Land

e: admin@ladr.ca

LADR Landscape Architects

e: bwindjack@ladrla.ca

Windjac	+
scape	Architect
	Chardelan and

A.002	PROJECT DATA
A 003	DESIGN PATION

A.001

TABLE OF CONTENTS

A.003	DESIGN RATIONALE
A.004	SITE CONTEXT
A.005	CONTEXT MAP
A.006	CONTEXT PHOTOS
A.007	CONTEXT PHOTOS
A.008	CONTEXT PHOTOS
A.009	SITE SURVEY
A.010	SITE PLAN
A.011	PARKING MEZZANINE
A.012	PARKING
A.013	LEVEL 1
A.014	LEVEL 2
A.015	LEVEL 3
A.016	LEVEL 4
A.017	LEVEL 5
A.018	LEVEL 6
A.019	ROOF PLAN
A.020	ELEVATION: SOUTH
A.021	ELEVATION: NORTH
A.022	ELEVATION: EAST
A.023	ELEVATION: WEST
A.024	BUILDING SECTION: N-S
A.025	BUILDING SECTION: E-W
A.026	CONTEXT PLAN
A.027	RUNNING STREETSCAPE FROM JOHNSON ST (SOUTH)
A.028	RUNNING STREETSCAPE FROM CHAMBERS ST (EAST)
A.029	COLOUR ELEVATIONS (EAST & SOUTH)
A.030	COLOUR ELEVATIONS (WEST & NORTH)
A.031	RENDERINGS
A.032	BIRD'S EYE VIEWS
A.033	SHADOW STUDY
A.034	PARKADE SETBACK DETERMINATION
A.035	LIGHTING SITE PLAN

CONTACT LIST AND TABLE OF CONTENTS

A.036 LANDSCAPE CONCEPT PLAN

koka Visite) volta stor rectum - drug volta Stor Tedesmon Vanue that the volta Ver nng:) * 60:67 - 60:8 type:) nforkokauchterium.co browsel) kokourchteictune ha

Not to Scale

seat

notes "at comment participants and means are reported fields methodologies - closes etc. All some up meetings up upply table to defend the second the otherwise text to second the Note in scray a meteric many and chan and allow many and a scattering of metalogic unit contactor

Refer 11 strategies and an entropy of a strategies of the strategi

later to serve for all grade

All dimensions to be vented on Mis. project number 1625

project johnson +

chambers

owner

KANGAGILL civic address:

1144-1154 where freed & 1435 Chandler Theod Values DL

Note: Inve date: SEARTS Dr. Jan. 2.34 REPORTING 22Mar 231

Me: CONTACT LIST AND TABLE OF CONTENTS Revision: 01 sheet

PROJECT DATA

Addressing 1144-1154 Johnson Street + Civic Address 1406 Chambers Street, Victor a, BC LOT 1038, VICTORIA CITY, LOT B. DISTRICT Legal Address LOT 1038, VICTORIA CITY, PLAN 8773, PARI OF LOT 1036, VICTORIA CITY, PARCEL A. (DD 685-45-1) OF LOT 1036. VICTORIA CITY, LOT A. DISTRICT LOTS 1036 & 1037, VICTORIA CITY, PLAN 8773 Site Information Zoning (Present): R3-1, R3-2 Mult ple Dwelling District Ste Area 2,000 m² Floor Space Ratio: 2.1

3,999.3 m²

18.29 m

26,65 m

40% (811.1 m·)

52% (1.047 m⁻)

Total Floor Area: Ste Coverage: Open Ste Space Height of Building Average Grade: Number of Storeys

Building Setbacks

Street Boundary (Johnson St): 6.10 ~ Internal Boundary (North) 9.15 -Street Boundary (Chambers St) 6.18 -Internal Boundary (West): 6.1 m (building face) Average Street Wall Setback: 7.1 m

6

Parking

Total No

Parking Stalls:	58 (48 Units x 1.2)
(Below Grade)	
Visitor's Stalls	6 (10% of Total Stalls)
Handicapped Stalls:	1
Bicycle Parking	Class " - 53
	Class 2 - 6 (at Entry)
	Total 59

Residential Use Details

Total No. of Units	48	
Unit types:	Studio	3
	1 Bedroom	17
	1 Bedroom + Den:	12
	2 Bedroom:	7
	2 Bedroom - Den	9

10

Ground-Orientec Units

Minimum unit foor area (m⁻). 43.0 m⁻ (Stud os 407 & 507)

Total residential floor area (m1). 3352.0 m PERMIT NUMBERS

Zoning No. 00487

Development Permit No. 00434

Victoria

Property Add	Here 11	44, 1148	1152.115	4 Johnson 14 A	1406 Cho	1000	54	_	Bub	the:		_	
Type of West		New	E geblic.B	Addson		Alters	torn D				Tenant	Improv	ements 3
Alternative G	not/fo	Yes	J No	00 Jan	nation			_	_	_			
Development	Penat	Yes 7	n Ne	n	_	_		_	_	_	-	-	-
BC Building (Cade (cur	rent Gate	ont ACRO	2012			_	-	Part 3	8	-	Part	=
Building A tos		after the	THE DO BA	try Comp 11	Lim ¹	_	_	_	1000	<u></u>		_ 22	
O tas Flast	Ares 400	17.1m²							140	el 911	-1	_	
No. of Deest	n Facing	2						De	-	-	whent _	23.5m	
Main Con o	and Dat			A3 A3 A				0					
							~	e			100		
Building Clas	sil caton	64	122 50 farth	19432219 D	52288		OR		- 40	-	-	-	
Sparkland.	Ym 3	-	0	-	A Dantas	i thet	t was or	ment	led m)				_
Non-rort-al	th e Cons	enettor.	Required?	Yes	J 10	- 65			winits:	_	_	_	
Frees is (12		Yes	T No	Cf 3ath	ng of Firms	-	PRO.		_	_	_		
Fee Resider													
Flars 1H		Real		Mag	-	LHE					ng Dirach	÷	1 HR
No. of Dutos	40	Frei	Resistance I	tatzas Between	Biles _	1 HR	_	P21	Resist	troe I	lating of C	icmido	1.00
Macamine	Ym 3	No 3	rterpt.m	antial Plane	Two 3	No 2		-	Pat		Yes	70	.3
Fes Alare D	ystem	Yes II	No 2					andpre		PR.	Yes 2	70	- 3
		_								-		-	
	aratien (ion 3230	P 10 14 4 15		_	-	-	-	-	DONING 1	-	
5	Leases	Ratic L/H H/L	Linding Distores		C.NIII Proge	M IN			_	Con	Duattie		Non-
-	Face			-	-		-	-	-	Con	ination	1	Canhon

BUILDING CODE DATA SHEET

North South	South East East East East East East East East		Building Face	HL	Distores	Parmilled	Proposed Proposed	PRB	Combustole Construction	Comts sobie Classing
Bask	Bask Wet: Wet:	North								
West	Wet:	South						100		
Osmpart Load Jaaman 119 27 Vider Clasta Parvile In Telal (Jaaman 1), Nob Parvile Assessible for Pensys with Disch Stass? Yes of He J Humber of Assessible Water Classis	Ompart (red. Assemble 1) 18 27 Viter Clarks Parvice in Tell (servers 1), Note Parsta Search to Fences with Classifiers 7 Yeard (red.) Market of Accessitie Water Classifiers Accessitie To Fence And Parsta Yeard (red. Accessitier Viter 2) Parsta Market Viter Viter Accessitier (Viter 2) Parsta Market Viter Viter Accessitier (Viter 2) Parsta	East								1
Accessible for Pensons with Disab bloss? Yes of He J Humber of Accessible Water Dosate	Accessible for Pleasan with Deste block? Yes uf He J Humber of Accessible Water Objects	Wes:								
Extends y Internation, Amenity room occuport load max, 27 people based on 0.75m ² per	person (actor 2012 a 1 17 1) for d 25 and memory room into dago.	Accessio	in Tolet Rap	-	lail nanity room	Yes 3 No	3 ad max. 27 per	e based elas	n 0 95m² per	wis
Fern Consisted Rr. J. Kordum Cate 8 Dec 2016 Phone (04-075-513) Emet Into State part Cate 2016		Phone	404.478.S	130	E/118	r no koko	achitechare.co			

		bers and Are	191								Circulation/Amenit
Level PH	PHI	PINZ				FILL DE				10000	
(87)	864	1101									034
10073	20.4	140.0									
Level 5	501	902	608	504	805	506	807	508		1	
(SF)	874	885	#81	171	942	472	485	201			1180
60001	R.L.	41.8	79.5	41.7		80.8	42.8	100			
Level 4	401	412	413	404	408	405	457	408			Providence and
(SF)	474	871	- 861	879	942	870	488	701			1100
(11)	812		79.1	#17-	47.6	10.7	42.4	41.1			1000
Level 3	301	382	303	504	205	306	- 307	508	308	310	
(SF)	274		745	745	728	682	580	580	448	4.0	1022
1000	817	12.1	887	101	85.5	20.2	12.8	12.4	40.0	20.4	112
Level 2	201	212	205	254	205	206	207	208	218	215	
(SP)	874	796	794	784	668	267		-	810	#15	1004
(111)	812	142	128	28.0	87.6	30.0	544	14.0	21.0		
Level 1	101	102	102	104	105	108	107	108	108	e40	
(5F)	ate	814	764	194	100	758	854	834	850		1650
10005	140	18.0	12.4	12.4	-	10.4	10.0	10.4		10.0	1000

SE > Saura Feet of + Source Maters Unit Scan are appr All plans to be confi and may care with referenced of laws, it

Johnson & Chambers Area Colculations

AVERAGE STREET WALL DETERMINATION (REFER TO SITE PLAN A.010)



OPEN SITE SPACE CALCULATIONS

	SQ.FT	50.8
BLDG	8716.25	808.77
DRIVE	1531.61	142.31
Tetal	10248-06	952,04
LOT AREA	21527.82	2000
(BLDO + DRIVE)	10248.06	952,01
OPEN SITE SPACE	15278.76	1047.9
OPEN SITE SPACE	11279.76	1047.93
LOT AREA	21527,82	2003
*	52,396	\$2.39

	(5F)	6,151	1,160	7,311	
	200	571.4	107.8	\$20.7	
	(SP)	8,101	1,160	7,211	
	piato	274.4	197 e	679.2	
	(SF)	6,500	1.022	7,922	
	1-47	547 D	245	776 0	
	(127)	7,755	1,064	8,759	
	Seela?	722.5	12.2	2237	
	(57)	7,005	1,630	8,716	
	(m.)	458.7	101-4	854.7	2
				Emiliency	Tidal Area
Satrotal	(27)	36,109	6,860	04%	Support of the last
	1001]	7795.4	637.3	44%	100001-0100
Site Area		FSR (max)	FSR Area	Building Area	Difference
21,527.8	(197)	2.0	43.055	43,048	
2.000	(***)	20	4 000 C	3,999.2	1
Total Sulter		Suite Types	Avg. Size	Sute Numbers	Percentage
48	(SF)	Studie		4	8%
48		1 Bedraam		16	33%
48		1 Betroom + Den		10	21%
40		2Badager		14	29%
48		2 Bedroom + Den			8%
-		Total Suites	Stalls Required	Stalls Provided	Accessible Reg
Parking	Factor				

Residential Area Circulation Area Total Area

visit:) citia.ist incluse - deuri * 1121ee - Sauce Volkulland - L unit 201 ning:] 1.664.571.3628 type :) nthe kokapich to thorn, rue

koka

trouse-1 kokaarchitenture ta

seat.

scale: Arrite Brailin

POSPE: none. In 5 dealers working, and ment on copulated loss action for the dealers.

All wars to electron to rest table to been in or another calloutly being the bits. Sole to tayoy a methodia sector of the tan and ally sectors of the tax and ally references for taxange.

Refer to inclusion of the second s

Teles to survey for all give

All dimensions to be verified in stat.

project number *625

project johnson +

chambers

-

KANGEGILL

civic address. *144-1157 interver Gravit 5.*4/5 Chamburs Securit Victoria BL

nsue: insue date. MARPS: le Jos et tr REFERENCE: 22MB 2110

trie PROJECT DATA

Resmine .01

shoet

PROPOSED PROJECT RATIONALE

The proposed project offers a mix of historic and madern matring elements, scalas, landscaping features, traditional material references, and suttainable design features that respond to the immediate and broader context of the subject site. With acknowledgment of existing and future contextual conditionations, the project provides patitive impacts for the community that withhelp to enhance line neighbourhood through economic growth and additional houring accordurities.

The newly designed proposed project has taken into consideration and addressed the previous comments from City Staff, in addition to acknowledging community considerations that are in the purview of the Architect and Applicant to address.

Context

The proposed project is partially a ground-level parking lot set within the Southwest quadrant of the Fernwood neighbourhoadin Victoria. Bordening both Johnson and Chambers Streets, the proposed project is sited on a stoped genomehry with 1 ½ to 2% storey houses and a3-storey apartment building at the higher elevation avertabating the property from the Noth side. The neighbouring houses and apartment building maintain generous rear yards at the interface with the subject site and front onto the Harks Green Park doing Pandras Street.

Along the blocks to the East and to the South of the proposed project (across Chambers Siteet and Johnson Siteet respectively), a limited number of patking lots, % to 2% -storey houses, and a vast number of 3 to 6 - storey multi-unit residential buildings line the streets.

To the East of the subject site is a ground level participal that services the neighbourhood medical-related facilities (noiseved by a 3) + strear multiunit residential building. At the far East-and of the black (intersection of Johnson and Cook Streets) a large parking lat servicing the historic midcentury Medical Att Building is set to be redeveloped as "the Wader multi-unit residential development and will encourses the entire end of the black. Across the intersection to the East of the 1100 black of Johnson Street is a relatively developed 10 - storey mitted-use multi-unit residential building.

The proposed project has been designed with great consideration to the existing and future context, and consultation has been undertaken with CBy Staff and the community to help ensure an appropriate architectural response for the subject site.

Proposed Project Massing and Scale

The proposed project is a 4- storey multi-unit residential building. Owing to the context, both today and in years part, the proposal emphasizes the concept of a "tweable neighbourhood". The focus an ground-oliented neighbourhood development while fulfiling subtanable housing density is consistent with the community vision through the design of the building massing, the histoic material references, the variation of unit size, and the design of ground level indicacept that creates a warm and invillage the design of ground level indicacept that creates a warm and invillage. neighbourhood feel along the evolving Jahnson Street and bike lane corridor.

The proposed building is articulated with a series undulating manifing elements that reduce the overal scale of the building by arcenting a mater immediate engagement with the site of the lower level, while recoding in a series of vertical steps until the top face is not visible if one is to stand at the forefront of the building. The groundlevel interface of the proposed building at the sidewalls along Johnson and Chambers Streets is punctuated with a row of 2 - storey fightly coloured warm grey blick massing elements and windows that reflect the thythm of single-amily houses that stood along Johnson Street many years earlier.

The third floor the building is defined by a warm white metal frame with columns that drop to the ground level and facilitate to distinguish the rhythm on the 2 - statey townhouse-like modules below. The metal transvoirs extends to the Southeast corner of the building where it changes orientation and forms light arch-like massing elements towards the street intersection and signist the location of the primary building entrance.

Along the South and East elevations the building steps back yet again at the fourth and fifth levels with undulating walls that fam balcanies and semiprivate terraces, while contributing to visual interest and participating in the break up of sound waves from vehicles along Jonnson Street. At the fourth and fifth levels of the South elevation the walls form a stav-tooth pattern that facilitates to preserve privacy for the houses to the North Nor tarding the start of the subtle devices to the Northwest to wards the trees in Harris Green Pack. Finally of the sixth fact the building dramatically steps back in order to reduce the appearance of the building from the permitted stratesys (601), height) to amore modest five storeys (301) height) in order to acknowledge the varying housing scales of the neightbourbad context.

Materiality and Landscaping

In keeping with the socied-back massing that steps to acknowledge the neighbourhood housing scales, great emphasis was placed on the interface of the building material features and landscaping to create factlie surfaces for both the inhabitant and pedestion along the newly proposed wider green striss of the sidewalk bouchevards.

High quality platinum grey coloured brick adds ther texture dong the Johnson and Chambers Siteet frontages via the projecting 2 - storey townhouse-like making elements, reflecting a single-familyhousing module and emphasizing a historic neighbourhood feel for residents. The brick is further brought to the forestand of the teraces along the planters and planting strips that create the buffer between the public sidewalk and the termi-pilvate teraces space. Londcaping including tallowalk and the termi-pilvate teraces space. Londcaping including tallowalk and grastes. Healther and Lavender add to the travellioning planting areas between semi-private and public some, while at the some time adding to the overoli within of the landscaped siteet boulevard.

The lavish West side yard and North rear yard landscape features contribute to the transitioning grades that require the retention of a retaining wall that separates the houses at the higher elevation to the North from the subject site. The retaining wai's lined with a warm wood fence, a series of trees, Yew hedges strips, tail annamental grasses, ferns, and shade-adapted shubs to facilitate pleasant screening solutions between properties.

Warm while preformed metal panels and warm shades of grey cementilious facade materials with a linear hotzontal emphasis are incorporated at various localized to be explained. In the studing facade, The scales of the panels are determined by the module of several stocked bricks in order to maintain relationships between material elements, while graving in dimension to match the scale of the overal building.

The metal panels and blick create the backdrops for two green wats of trained by incorporated along the North and West building elevations in locations where windows are minimized to reduce the appearance of direct visual interface between neighbouring properties.

Further punctuation of detailed material elements is found in high quality glass and anadzed aluminum coloured metal finithes. These elements are incorporated in the window wall system and main builting entry, as well as the guarthaft and canopy features at the numerous balcony and lenace locations.

Dwelling Units, Density, and Affordability

The proposed project is comprised of 48 accretifie dwelling units and a strata amerity room with a 21 Hoor Space Rafio. The buildings composed of a healthy mix of studios, I-bedraam and 2-bedraam suites. The units vary in sizes from approximately 43 mit to 112 mit, with a rafato of about 173 twobedraam units and appreximately 2/3 ane-bedraam and kuuda units. A covenant is proposed to dedicate a minimum of 20% of the units for rental dwelling.

In addition, storage spaces are also provided at the parkade mezzanine level for retidential, building maintenance, and general strata uses.

Transportation Features

All parking corresponding to the proposed project's located below grade. The ratio of parking statis to units is 1.2 parking spaces per unit and the requirement has been met in full for a lotar of 58 parking spaces, including 1 required accessible parking stall.

The parkade entry is siluated at the Northeast comer of the subject site along Chambers Street, per Engineering requirements corresponding to regulations collined in the BC Transportation Act that prohibits the opportunity for parking access to the parkade along Johnson Street.

Bicycle parking meets the required 1:1 ratio of spaces to units and slocated at the parkade mezzanine level with direct roll-in / roll-aut access to help encourage bicycle travel, particularly given the nearby benefit of the Johnson Steet bike lane, in addition, 6 Class 2 bike spaces are located near the primary building entrance along Johnson Steet. Owing to the various transportation options in the area, as well as the access to amenifies within a two kilometre radius, the need for individual car travel is reduced for future residents that have the ability to opt for public transportation, bicycle travel, or basic pedestrian mobility.

Crime Prevention Through Environmental Design (CPIED)

Design features are incorporated into the architectural and landscope design to facilitate neighbourhood and resident safety and security through environmental design. Ground orient units with generous pallos create buffers between the public and private building interface, while at the same time creating a sense of 'eyes on the street' to help minimize opportunities for unseen criminal activity, Landscoping and workwars are designed to allow for clear lines of sight, along with ground oriented lighting planning that milligates blinding lights and dark comers, he addition, secure underground vehicle and blovele parking is providing with radio control access.

Infrastructure

The proposed project will utilize existing service infrastructure and will contribute to the expansion of portions of the infrastructure based on municipal requirements. The improvement will be of greatest stuard notice to the community via the widening and streetscope improvements along the Johnson and Chambers Steet backwords.

Sustainability

The proposed project commits to incorporating Sustainable design principles, such as minimized water usage, recyclable materials, native landscape planting, and energy efficiency, in order to achieve a minimum of Bull Green Cold.

Artificial light planning on the subject site will also be restricted to mitigate urban light pollution.

Community Benefits

In the thart term, the proposed project offers individuals the opportunities for neighbourhoad employment during the duration of construction, along with the corresponding toin off economic benefits to local burinesses that provide services to construction staft. In the longer term residents in the community are provided with the opportunity for additional madestly priced market and rendal hausing to help service the median income bracket for the crea.

In add lion to the direct potentiable energit through emetayment and housing, the proposed project benefits the community through the improvement of infrastructure, the creation of a neighbourly streatscape, and by affering Sustainable design building stack that helps to reduce the City of Victoria's environmental looping in the of the existing ground level parking lot.



BRICK: Warm grey

METAL PANEL:

Warm white



WINDOW WALL: Clear Glass Aluminum Frame



Transparent Glass

Aluminum Frame



GLASS GUARDRAIL: Transluscent Glass Aluminum Frame



WOOD: Natural Fir



1001

koka

scale Not to Scole.

neter In 5 demonstrations, and insign area concerned. Carlos instances are concerned, the instances are concerned and added to the concer

Sple to re-us or automatic rivery activities accretion comparison in bosiness of relation of accession light to generate accession accession accession of

Table to the atly one should be

All dimensions to be verified

project number

johnson + chambers

project

Chamber

KAN949111

civic address: 144-1154 Johnson Street 5-1408 Placements of Security Vectoria UC

 Isgal description

 L_1 total, VCCOQA, Cth

 LB > D05/30°-100 total

 VCCONR, Cth* 140, RT, 240, RT, 2

Insue: Insue date: st.//DP 5 1/ Jon. 7.14 SEL/DP SET 6.01 J2 Mar 7.15

Nie: DESIGN RATIONALE

Revision: 01







Inve: Inve dote: SEZAP S: IZ Dec Z As REZAP SET RUI ZZM:: ZZM:: ZZM::

tte Context Photos

Revision: 01

sheet

A.006

View North from South side of Johnson St relative to Southeast corner of subject site





View South towards subject site along Chambers St at Pandora St

koka

vest :) color service sets - drags - rc) / 2 (1) and the descent of 2 / 2 rd r 2 / 2

sedt

scole

noles: The dataset particle and the particulation of the set of the task of the particle and other the set and others of the set others to the set others to the set of the others to the othe

Adder to tracego a subfinition content or addertion prefit day inclusion, conference of inclusion or receiving. Reflect the data and contention of constrained contention of constrained contentions of contentions contentions of contentions contentions of content

liefer to survey for all grade advantance.

project number 1635 project

Johnson + chambers

KANGAGILL

divic address: 1344-1354, obream Street 5,1436 Chambers Street Verture BL

legal description cut total WC/CGA cut cuts 5 mm/s⁻¹ (d) total WC total cut- rules description wC total cut- rules wC/Cma cut-PARC- A (d) Sector VCmit A SNIRCI 115 mm a 101, WC'LIA CUT PLAN 1273

House: House date: HEPOP SETSON 22 Mar 2110 HEPOP SETSON 22 Mar 211

ne Context Photos

Revision: 01

sheet



View West along Johnson St from Southeast corner of subject site







View West towards neighbour's rear yard (to North of subject site) from East side of Chambers St

visit :) «Dim INC" (Pr) - 110 Exp+1 Volte - Osci «N2 2V0 ring :) 1 601 67- 36-8 type:) nfoekokoarch to then.ca browse :) kokoarchstecture ha

notes Second and the second s

Al works b Millioner Russ Select to make ette all sette bet

undradi, or a second Refer to structured sugment of conversion for suring of california torial terms.

Tefor to some fits all grade allow how All dimensions to be vented on site

project number 1625 project

johnson + chambers

KANGEGILL

civic address: 1144-1154 Johannin Street 5.1426 Chambrin Street Visitori St.

legal decorption La traje Victorija Crit (28.4 normani for 10.113) Victoria Critori tos Victoria Anter Parce, A gobierta Critoria "Table Victoria Critoria "Table Victoria Critoria "Statute", Anter 15.7 nos. Marcine Anter 4773

Insue: Insue date -5270P3: 17.00, 7.14 -5270P5(13,01, 22May 21); -5270P5(13,01, 22May 21);

IIIe: Context Photos

Revision: 01 sheet



koka visit:) «Dia se l'incluse -Valley Dires Sa nng:) *.6c=67:50:9 type:) nfn=kokoarchitecture.co browse :) kokalarc "ducture, "a sect

Not to Scote

ins theory parkeds out meter on reputyte (facka all face late - recoming) All stress to meetings to enable the stress of the stress basis

Refer to name is makeness

Palatite in Constants Halar 15 december Composition of memory of a weing of a Balling-

lefer to savey for all grate

All dimensions to be vented - -

project number 1625 projec*

johnson + chambers

-

KANGAGILL

civic oddress: 144-3151 shrests Street 5.1435 Chambers Street Velocas St.

Ingel description: 1.01 MWC '03A CIN 2.09 DBS/92' (0112) MWC 109A CIN' = 14M 872 FART '7 (01105 WC' '78A IV FARTS A DD ANNA'' (01105 101 MC', BA CIN' HAN 1772

Insue: Insue date: -62/0812: 17 Jan 7/38 -62/09/5(150) 22/Mar/211 1951/61

Miei Site Survey

Revision: .01

sheet





Revision: 01





A.013



Mie: Floor Plan Level 2

Bavillon: 01 sheet



Floor Plan Level 3

Revision: 01 sheet



Floor Plan Level 4

Revision 01



Floor Plan Level 5

Revision: 01 sheet



Her Floor Plan Level 6

Revision: 01 sheet



Roof Plan

Revision: .01 sheet











Nter Building Section N-S

sheet



koka wt.) which industry of any of the industry of any of the industry of any data any of the industry of any the industry of an

> state 1 100 (5 est 27 x 34) 1 200 (5 est 11 x 11)

notes: "In y denote in proceedings and it manges also expressed of Ankin problem (Lancola and State) Aff waves to provide the appleation of another in a specific and the another in a set the a-

Refer to service in authoritors Analysis as set from a service in communication and logisticity of entropy and spectra at

Refer to structural community of common Consenged (1990), parations

Sefer to survey for all grane adventors

All dimensions to be verified of Mid

project number 1675 project

> johnson + chambers

owner

KANGEGILL

civic address: 1144-1154 Johnson Street & 1425 Chambert Manual Vision v III,

Nove: Insue date: stat/0415: 12 Jac 7-75 927099515.00 27 Mar 711

Ne: Building Section E-W

Revision: 01 shoet





sheet



CHAMBERS ST

civic eddress: 1124-1154 observe brave & 1236 Chambur Street Veloces III

legal description: 1.1 NSN VCCUUA CIT: 1.08 COTACITY COLLACITY VCCUUA CITY VCCUUA CITY PARCE A 100 69545-11 CO 1.11 DIS VCCUUA CITY PARCE A 100 69545-11 CO 1.11 A 700301 1 TA 1005 A 0.01 VCCLUB A CITY RIAN 2773

 Innue
 Innue date:

 -11/10*5:
 17 Jac. 7.15

 -12/00*5:
 17 Jac. 7.15

 -12/00*5:
 17 Jac. 7.15

Running streetscape from Chambers St (East)

sheet





Building Elevation West & North

Reveen 01









SKETCH OF MAIN ENTRY ALONG JOHNSON STREET



VIEW FROM SOUTHWEST ALONG JOHNSON STREET

koka

visit :) koka architecture + a 8 - 1009 Eige ha imm Vanchuver, BC Val 209 ring : } 1.604.678.5538 type:] into A kokaarchitecture.ca browse :) kokearchitecture.ca

scole: Not to Scole.

sect

notes: This straning package and design are convight of soka architecture - ma, ma,

All work to conform to appli-cable huilding code and the sufferity house unlated as Refer to survisiver invitionly

within a services Refer to shuch and engineer a chavings for song of all shuc-hard fames

Refer to survey for all grade elevations

Al dimensions to be verified on site. project number 1625

project johnson +

chambers owner

KANG 66111

civic oddress: 1144-1354 transmitteau \$ 1406 Chombert Street Victoria BC

legal description: LOT 1035, VICTORIA CRY, LOT8, DSTRICT LOT 1037, VICTORIA CRY, PLANETST PART OF LOT 1030, VICTORIA CRY, PARCE A, IDD 45545-11 OF LOT 1039, VICTORIA CRY, PLAN 1037, VICTORIA CRY, PLAN 8773

Issue: Issue date: REZ/DP SET 12 Dec 2016 REZ/DP SET 8 01 22 Mar 2017

nfle: Renderings

fevision: .01

sheet



Bird's Eye View from South-East



Bird's Eye View from South-West



Bird's Eye View from North-East



Bird's Eye View from North-West



type:) Info & kakaarchitecture.co browse :) kokearchitecture.co

seal:

project north true north

scale Not to Scale.

notes: This drawing package and design are namight of looks prohtecture - among inc. All work to nonform to applicable building code and the ophicable building to de and the ophically familing i statistics.

Refer to similar sufficients having inside an and utility companies for innotion of underground services

Refer to structural engineers drawings for sting of at shuc-tural hems.

Refer to survey for all grade elevations

Al dimensions to be uniferent on the.

project number 1625

project johnson +

chambers

KA.N.G. 6.9.111

civic oddhess 1144 - 1154 Introven Street & 1406 Chambers Street Victoria BC

legal description (OT 1005, VICTORIA CITY, IOB 6, INTERCT-OT 1007, VICTORIA CITY, PLANESTS ART OF LOT 1004, VICTORIA CITY, RARTER A, IDD 4554541 OF LOT 1004, VICTORIA CITY, IDT A, INTERCT-OTS 1004-6 1007, VICTORIA CITY, FLAN 8773

have: Issue date: 8E2/OF SET 12 Dec 2016 RE1/OF SET R.01 22 1Acr 2017

ttte: Bird's Eye Views

Revision: 01 sheet A.032





1. SHADOW STUDY - SEPTEMBER 22 9:00 AM



1. SHADOW STUDY - DECEMBER 21 9:00 AM



2. SHADOW STUDY - JUNE 21 12:00 PM



2. SHADOW STUDY - SEPTEMBER 22 12:00 PM



2. SHADOW STUDY - DECEMBER 21 12:00 PM









3. SHADOW STUDY - DECEMBER 21 03:00 PM

koka wita eta actrolare denge de eta actrolate transitiona denge de eta actrolate transitiona de eta actrolate de eta act

browse :] koka.wcmbeckine ...a

seat

project north True Aprils

Not to Scole.

notes: "ray results parkage and mean to explore the flowing minimum results of any All writes to explore to upply any other any to explore other to be any the task

Sole in prycyn anthones of north ar side ton martin by meaning of side ton martin by meaning of side ton martin by meaning of side ton and a by

Refer to structure in the second structure in the structure in the second secon

land ten later to survey for all grows department

All dimensions to be vented

project number *625

johnson +

numer

chambers

KANGAGILL

civic address: 144-1253 Alternative Street 4.1456 Chandrest Street Values DC

 Ingol description:

 1.1054 VIC_URA CIV

 0.2 PDF20***(0)123

 VK.100A CIV

 VK.101A CIV

 740 71 (0)1036 VIC**RA LIV

 PARCE: A (0)045447*(0)

 *11 (0) VIC**RA CIV

 *11 (0) VIC**RA CIV

 *11 (0) VIC**RA CIV

 *11 (0) VIC**RA CIV

 *12 (0) VIC**RA CIV

 *13 (0) VIC**RA CIV

 *13 (0) VIC**RA CIV

 *14 (0) VIC**RA CIV

 *12 (0) VIC**RA CIV

Issue: Issue date: HE24DP 51: U2 Dec. 2216 RE24DP 521 Rate: 22 Mar 2217

tite: Shadow Studies

Revision: 01

sheet



Revision: 01 sheet



